

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 1 of 9

Print Date: 2023-04-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Product: Crafter's Choice™ Summer Ale Fragrance Oil

## Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade Name:** Crafter's Choice™ Summer Ale Fragrance Oil

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid

Aspiration Hazard, Category 1 H304 : May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317 : May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

#### Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []

#### 2.2 Label elements

Labelling (GHS)



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

**Crafter's Choice™ Summer** Product: Ale Fragrance Oil

Page 2 of 9 Print Date: 2023-04-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### Hazard pictograms







## Signal Word: Danger

#### **Hazard statements**

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

### **Precautionary Statements**

#### **Prevention:**

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

#### Res

sponse:	
P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

#### 2.3 Other Hazards

#### no data available





Product: Crafter's Choice™ Summer Ale Fragrance Oil

Revised Date: 2023-02-07 00:00

Page 3 of 9 Print Date: 2023-04-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification			
5989-27-5	227-813-5	10 - 20 %	H226; H304; H315; H317; H400; H412			
Limonene						
118-58-1	204-262-9	2 - 5 %	H303; H317; H320; H401; H412			
Benzyl Sa	Benzyl Salicylate					
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402			
Linalool						
5392-40-5	226-394-6	2 - 5 %	H313; H315; H317; H319; H401			
Citral						
140-11-4	205-399-7	2 - 5 %	H303; H401; H412			
Benzyl ac						
128-37-0	204-881-4	2 - 5 %	H316; H400; H410			
BHT						
4940-11-8	225-582-5	2 - 5 %	H302; H401			
Ethyl Malt						
123-51-3	204-633-5	1 - 2 %	H226; H303; H313; H315; H318; H335			
Isoamyl al		4 0 0/	11040 11400 11440			
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410			
	ylindanopyran	4 0.07	11000 11040 11047 11400 11444			
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411			
Hexyl cinn		4 0.07	11007 11000 11040 11045 11047 11404			
<b>68737-61-1</b> 272-113-5 1 - 2 % Dimethyltetrahydro Benzaldehyde			H227; H303; H313; H315; H317; H401; H411			
-	•	•				
<b>99-85-4</b> 202-794-6 1 gamma-Terpinene		1 - 2 %	H226; H303; H304; H316; H361			
_	-	4 2 0/	U227, U202, U245, U240, U404			
98-55-5 Terpineol	202-680-6	1 - 2 %	H227; H303; H315; H319; H401			
31906-04-4	250 962 4	1 2 0/	U247: U402			
	<b>31906-04-4</b> 250-863-4 1 - 2 % H317; H402 <i>Hydroxyisohexyl 3-cyclohexene carboxaldehyde</i>					
54830-99-8	259-367-2	1 - 2 %	H303; H316; H402			
	239-301-2 hydrodicyclopeni		11303, 11310, 11402			
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;			
pinene	201-231-3	J.1 - 1.U /0	H410			
586-62-9	209-578-0	0.1 - 1.0 %	H227; H303; H304; H316; H317; H400;			
Terpinoler		5.1 1.0 /0	H410			
32210-23-4	250-954-9	0.1 - 1.0 %	H303; H317; H401			
4-tert-Butylcyclohexyl acetate						



Product:

Crafter's Choice™ Summer Ale Fragrance Oil

Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Page 4 of 9

Print Date: 2023-04-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

CAS# Ingredient	EC#	Conc. Range	GHS Classification
470-82-6	207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402
Eucalypto	)/		
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401
Citronello	I		
<b>99-87-6</b> p-cymene	202-796-7	0.1 - 1.0 %	H226; H303; H304; H331; H361; H401; H411
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Pine		0.1 1.0 70	11226, 1166 1, 116 16, 116 17, 11166, 11116
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402
Linalyl Ac	etate		
2705-87-5	220-292-5	0.1 - 1.0 %	H302; H312; H317; H400; H411
Allyl cyclo	hexylpropionate	e	
110-41-8	203-765-0	0.1 - 1.0 %	H227; H315; H317; H402; H410
2-Methylu	ındecanal		
495-62-5	207-805-8	0.1 - 1.0 %	H304; H315; H317; H332; H401; H411
gamma-B	isabolene		
41724-19-0	255-517-6	0.1 - 1.0 %	H302; H312; H317; H402; H412
Octahydro	o-7-methyl-1,4-r	nethanonaphthai	len-6(2H)-one (Plicatone)
See Section 1	6 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 17.77

### **First Aid Measures**

#### **Description of first aid measures** 4.1

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

**Treatment:** Refer to Section 2.2 "Response"



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Summer Ale Fragrance Oil

Page 5 of 9 Print Date: 2023-04-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## 5. Fire-Fighting measures

#### 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### 6.4 Reference to other sections

Not Applicable

### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

### 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

#### **Exposure Limits:**

Component			ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
140-11-4	Benzyl acetate	10	)		
128-37-0	BHT	2	2		
80-56-8	pinene	20	)		
127-91-3	beta Pinene	20	)		



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Summer Ale Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 6 of 9 Print Date: 2023-04-28

**123-51-3** Isoamyl alcohol 100 125 100

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

### 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow Tint to Yellow (G1-8)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Not determined

146 F (63.33 C)

Auto flammability:

Not determined

Not determined

Not determined

Not determined

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.4625

 %VOC:
 25.77

 Specific Gravity @ 25 C:
 0.9610

 Density (g/mL) @ 25 C:
 0.9580

 Refractive Index @ 20 C:
 1.4710

 Soluble in:
 Oil

## 10. Stability and Reactivity

10.4 Conditions to avoid

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

None known

10.6 Hazardous decomposition products None known



Crafter's Choice<sup>™</sup> Summer Ale Fragrance Oil Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Page 7 of 9

Print Date: 2023-04-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

### 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4080.8577) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg

Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 82.5108) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Product:

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Carcinogenicity Not classified - the classification criteria are not met

**Reproductive toxicity** Suspected of damaging fertility or the unborn child

**Specific target organ toxicity - single exposure**Not classified - the classification criteria are not met

Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways

### 12. Ecological Information

#### 12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

#### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:

Crafter's Choice™ Summer Ale Fragrance Oil

Page 8 of 9 Print Date: 2023-04-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 14. Transport Information

**Marine Pollutant** Yes. Ingredient of greatest environmental impact :

128-37-0: (2 - 5%): BHT

Regulator Class **Pack Group** Sub Risk UN-nr. U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods Chemicals NOI ADR/RID (International Road/Rail) Ш UN3082 **Environmentally Hazardous** 9 Substance, Liquid, n.o.s. IATA (Air Cargo) Ш **Environmentally Hazardous** 9 UN3082 Substance, Liquid, n.o.s. IMDG (Sea) **Environmentally Hazardous** 9 Ш UN3082

#### 15. **Regulatory Information**

### **U.S. Federal Regulations**

Substance, Liquid, n.o.s.

**TSCA (Toxic Substance Control Act)** All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

214-946-9 1 - 2 % Hexamethylindanopyran 1222-05-5

U.S. State Regulations

**California Proposition 65 Warning** This product contains the following components:

123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (Natural Source)

94-59-7 202-345-4 <= 25 ppm Safrole (Natural Source)

93-15-2 202-223-0 <= 7 ppm Methyl Eugenol (Natural Source)

**Canadian Regulations** 

**DSL** 100.00% of the components are listed or exempt. The following

components are NOT on the List:

94201-73-7 Tetrahydro-4-methyl-2-phenyl-2H-pyran 303-662-1 <= 1 ppm

2H-Pyran, tetrahydro-4-methyl-2-phenyl-,(2R,4S)-rel 149713-23-5 838-290-3  $\neq$  0 ppm

#### 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H302 : Harmful if swallowed
H312 : Harmful in contact with skin	H313: May be harmful in contact with skin
H316 : Causes mild skin irritation	H317: May cause an allergic skin reaction
H318 : Causes serious eye damage	H320 : Causes eye irritation
H331 : Toxic if inhaled	H332 : Harmful if inhaled

H335: May cause respiratory irritation H400 : Very Toxic to aquatic life

H401: Toxic to aquatic life H402: Harmful to aquatic life



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Summer Ale Fragrance Oil

Page 9 of 9

Print Date: 2023-04-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 11410. Very toxic to aquatic life with long lasting effects

#### **Total Fractional Values**

(TFV) Risk

(60.60) Acute Toxicity Inhalation, Category 5

(24.32) Sensitization, Skin, Category 1

(13.66) Reproductive Toxicity, Category 2

(3.93) Skin Corrosion/Irritation, Category 3

(2.90) Skin Corrosion/Irritation, Category 2

(1.77) Aspiration Hazard, Category 1

(1.23) Acute Toxicity Oral, Category 5

(TFV) Risk

(27.75) Aquatic Chronic Toxicity, Category 3

H412: Harmful to aquatic life with long lasting effects

(24.32) Sensitization, Skin, Category 1A

(13.48) Sensitization, Skin, Category 1B

(3.20) Eye Damage/Eye Irritation, Category 2A

(2.69) Aquatic Chronic Toxicity, Category 2

(1.37) Aquatic Chronic Toxicity, Category 4

#### Department issuing data sheet:

#### **Department E-mail address:**

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.