

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 1 of 8

Print Date: 2023-04-28

Product: Crafter's Choice<sup>TM</sup> Sunlit Woods Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

**Trade Name:** Crafter's Choice™ Sunlit Woods Fragrance Oil

# 1.2 Relevant indentified product use

**Intended use:** Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

#### **Classification Other**

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

### 2.2 Label elements

Labelling (GHS)

Hazard pictograms









Revised Date: 2023-04-18 00:00

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944

www.WholesaleSuppliesPlus.com

Product: Crafter's Choice™ Sunlit Woods Fragrance Oil

Page 2 of 8 Print Date: 2023-04-28

Signal Word: Warning

Hazard	statements
--------	------------

H303	May be harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

# **Precautionary Statements**

# Prevention:

P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace

Avoid release to the environment

# Response:

P273

sponse.	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

### 2.3 Other Hazards

no data available

# 3. Composition/Information on Ingredients

## 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
54464-57-2	259-174-3	5 - 10 %	H315; H317; H401; H411	
Tetramethyl Acetyloctahydronaphthalenes				
100-51-6	202-859-9	2 - 5 %	H302; H313; H319	
Benzyl Alco	ohol			
18479-58-8	242-362-4	2 - 5 %	H227; H303; H315; H319; H402	
2,6-dimethyloct-7-en-2-ol				
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412	
Limonene				



7820 E Pleasant Valley Road

Independence, OH 44131

# **Safety Data Sheet**

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 3 of 8 Print Date: 2023-04-28

Product:

Crafter's Choice™ Sunlit Woods Fragrance Oil

Independence, C (800) 359-0944 www.WholesaleS	SuppliesPlus.com			Print Date: 2023-04
CAS# Ingredient	EC#	Conc. Range	GHS Classification	
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410	
Hexamet	hylindanopyran			
24851-98-7	246-495-9	2 - 5 %	H402	
Methyldih	nydrojasmonate			
105-95-3	203-347-8	1 - 2 %	H401	
Ethylene	brassylate			
32388-55-9	251-020-3	1 - 2 %	H303; H317; H400; H410	
Acetyl ce	drene			
5392-40-5	226-394-6	1 - 2 %	H313; H315; H317; H319; H401	
Citral				
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402	
Linalyl Ad	cetate			
58567-11-6	261-332-1	0.1 - 1.0 %	H315; H317; H401; H411	
(ethoxym	ethoxy)cyclodod	decane		
67634-15-5	266-819-2	0.1 - 1.0 %	H315; H317; H400; H411	
Ethyl 2,2-	-dimethylhydroci	innamal		
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;	
Dimethylt	tetrahydro Benza	aldehyde	H411	
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402	
Linalool				
103-95-7	203-161-7	0.1 - 1.0 %	H227; H303; H315; H317; H401; H412	
Cyclamei	n Aldehyde			
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;	
pinene			H410	
86803-90-9	429-860-9	0.1 - 1.0 %	H303; H317; H401; H411	
Methoxy	dicyclopentadiei	ne carboxaldehy		
4707-47-5	225-193-0	0.1 - 1.0 %	H317; H401	
Methyl at	rarate			
1335-66-6	215-638-7	0.1 - 1.0 %	H227; H303; H317; H319; H401; H412	
IsoCyclo	Citral			
5462-06-6	226-749-5	0.1 - 1.0 %	H303; H317; H401	
4-Methox	y-alpha-methylb	enzenepropanal		
		, ,		

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 3.66

See Section 16 for full text of GHS classification codes

# 4. First Aid Measures

# 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 4 of 8

Print Date: 2023-04-28

Product: Crafter's Choice™ Sunlit Woods
Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Skin Exposure:

Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

# 5. Fire-Fighting measures

# 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

**Unsuitable** Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

# 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

# 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

# 6.4 Reference to other sections

Not Applicable

# 7. Handling and Storage

# 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

# 7.3 Specific end uses

No information available



Fragrance Oil

Crafter's Choice™ Sunlit Woods

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 5 of 8

Print Date: 2023-04-28

11000

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

**Exposure Limits:** 

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

**80-56-8** *pinene* 20

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

# 9. Physical and Chemical Properties

# 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow(G6) - Golden Yellow(G8)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Plashpoint (CCCFP):

209 F (98.33 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0411

 %VOC:
 4.34

 Specific Gravity @ 25 C:
 0.9310

 Density (g/mL) @ 25 C:
 0.9280

 Refractive Index @ 20 C:
 1.4580

 Soluble in:
 Oil

# 10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactions None known



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: C

Crafter's Choice™ Sunlit Woods Fragrance Oil

Page 6 of 8 Print Date: 2023-04-28

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

**10.4 Conditions to avoid**None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

# 11. Toxicological Information

# 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4783.6956) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg

Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 92.4149) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

# 12. Ecological Information

## 12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

# 13. Disposal Conditions

# 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 7 of 8

Print Date: 2023-04-28

Crafter's Choice™ Sunlit Woods Fragrance Oil

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

#### 14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

1222-05-5 : (2 - 5 %) : Hexamethylindanopyran

Regulator Class **Pack Group** Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

ADR/RID (International Road/Rail)

9 Ш UN3082 **Environmentally Hazardous** 

Substance, Liquid, n.o.s. IATA (Air Cargo)

Ш **Environmentally Hazardous** 9 UN3082

Substance, Liquid, n.o.s.

IMDG (Sea)

**Environmentally Hazardous** 9 Ш UN3082

Substance, Liquid, n.o.s.

#### 15. Regulatory Information

# **U.S. Federal Regulations**

**TSCA (Toxic Substance Control Act)** All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

1222-05-5 214-946-9 2 - 5 % Hexamethylindanopyran

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

140-67-0 205-427-8 <= 2 ppmEstragole (Methyl chavicol) (Natural Source)

89-82-7 201-943-2 <= 1 ppm Pulegone (Natural Source)

**Canadian Regulations** 

**DSL** 99.85% of the components are listed or exempt. The following

components are NOT on the List:

125109-85-5 412-050-4 0.1 - 1.0 % Isopropylphenylbutanal

#### 16. Other Information

### GHS H-Statements referred to under section 3 and not listed in section 2

H226: Flammable liquid and vapour H227: Combustible liquid

H302: Harmful if swallowed H304: May be fatal if swallowed and enters airways

H313: May be harmful in contact with skin H316: Causes mild skin irritation H317: May cause an allergic skin reaction H320: Causes eye irritation

H400: Very Toxic to aquatic life H401: Toxic to aquatic life

H402: Harmful to aquatic life H410: Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects



Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 8 of 8

Print Date: 2023-04-28

Crafter's Choice™ Sunlit Woods

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### **Total Fractional Values**

(TFV) Risk

(54.10) Acute Toxicity Inhalation, Category 5

(10.16) Sensitization, Skin, Category 1

(6.10) Sensitization, Skin, Category 1B

(1.94) Aquatic Chronic Toxicity, Category 2

(1.05) Eye Damage/Eye Irritation, Category 2A

(TFV) Risk

(19.60) Aquatic Chronic Toxicity, Category 3

(10.16) Sensitization, Skin, Category 1A

(2.11) Skin Corrosion/Irritation, Category 3

(1.83) Skin Corrosion/Irritation, Category 2

(1.05) Acute Toxicity Oral, Category 5

# Department issuing data sheet:

# **Department E-mail address:**

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.