



7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: **Rustic Escentuals™ Sweet Potato & Brown Sugar
Fragrance Oil**

Page 1 of 8
Print Date: 2023-08-28

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Rustic Escentuals™ Sweet Potato & Brown Sugar Fragrance Oil

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus
7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands
+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

| | |
|---|--|
| Flammable Liquids, Category 3 | H226 : Flammable liquid and vapour |
| Acute Toxicity Oral, Category 4 | H302 : Harmful if swallowed |
| Acute Toxicity Dermal, Category 5 | H313 : May be harmful in contact with skin |
| Skin Corrosion/Irritation, Category 3 | H316 : Causes mild skin irritation |
| Sensitization, Skin, Category 1A | H317 : May cause an allergic skin reaction |
| Eye Damage/Eye Irritation, Category 2A | H319 : Causes serious eye irritation |
| Acute Toxicity Inhalation, Category 5 | H333 : May be harmful if inhaled |
| Target Organ Systemic Toxicity - Repeated, Category 2 | H373 : May cause damage to organs through prolonged or repeated exposure |
| Aquatic Acute Toxicity, Category 1 | H400 : Very Toxic to aquatic life |
| Aquatic Chronic Toxicity, Category 2 | H411 : Toxic to aquatic life with long lasting effects |

Classification OSHA (Provisions 1910.1200 of title 29)

| | |
|---|--|
| Flammable Liquids, Category 3 | H226 : Flammable liquid and vapour |
| Acute Toxicity Oral, Category 4 | H302 : Harmful if swallowed |
| Sensitization, Skin, Category 1A | H317 : May cause an allergic skin reaction |
| Eye Damage/Eye Irritation, Category 2A | H319 : Causes serious eye irritation |
| Target Organ Systemic Toxicity - Repeated, Category 2 | H373 : May cause damage to organs through prolonged or repeated exposure |


Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



Signal Word: Warning

Hazard statements

| | |
|------|---|
| H226 | Flammable liquid and vapour |
| H302 | Harmful if swallowed |
| H313 | May be harmful in contact with skin |
| H316 | Causes mild skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H333 | May be harmful if inhaled |
| H373 | May cause damage to organs through prolonged or repeated exposure |
| H400 | Very Toxic to aquatic life |
| H411 | Toxic to aquatic life with long lasting effects |

Precautionary Statements

Prevention:

| | |
|------|---|
| P233 | Keep container tightly closed |
| P235 | Keep cool |
| P240 | Ground/bond container and receiving equipment |
| P241 | Use explosion-proof electrical/ventilating/light/.../equipment |
| P242 | Use only non-sparking tools |
| P243 | Take precautionary measures against static discharge |
| P260 | Do not breathe dust/fume/gas/mist/vapors/spray |
| P264 | Wash hands thoroughly after handling |
| P270 | Do not eat, drink or smoke when using this product |
| P272 | Contaminated work clothing should not be allowed out of the workplace |
| P273 | Avoid release to the environment |

Response:

| | |
|--------------------|---|
| P301 + P312 + P330 | IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth |
| P302 + P352 | IF ON SKIN: Wash with soap and water |
| P303 + P361 + P353 | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin with water/shower |
| P304 + P312 | IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing |
| P314 | Get Medical advice/attention if you feel unwell |
| P333 + P313 | If skin irritation or a rash occurs: Get medical advice/attention |
| P337 + P313 | If eye irritation persists: Get medical advice/attention |



7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: **Rustic Escentuals™ Sweet Potato & Brown Sugar
Fragrance Oil**

Page 3 of 8
Print Date: 2023-08-28

| | |
|-------------|---|
| P352 | Wash with soap and water |
| P363 | Wash contaminated clothing before reuse |
| P370 + P378 | In case of fire: Use Carbon dioxide (CO ₂), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material |
| P391 | Collect Spillage |

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

| CAS# Ingredient | EC# | Conc. Range | GHS Classification |
|---|-----------|----------------|--|
| 120-51-4 <i>Benzyl Benzoate</i> | 204-402-9 | 40 - 50 % | H302; H313; H400; H411 |
| 121-32-4 <i>Ethyl Vanillin</i> | 204-464-7 | 5 - 10 % | H303; H320; H402 |
| 121-33-5 <i>vanillin</i> | 204-465-2 | 5 - 10 % | H303; H313; H319; H402 |
| 104-55-2 <i>Cinnamal</i> | 203-213-9 | 2 - 5 % | H303; H312; H315; H317; H319; H401; H412 |
| 91-64-5 <i>Coumarin</i> | 202-086-7 | 2 - 5 % | H301; H317; H402 |
| 97-53-0 <i>Eugenol</i> | 202-589-1 | 2 - 5 % | H303; H316; H317; H319; H401 |
| 101-39-3 <i>alpha-Methylcinnamaldehyde</i> | 202-938-8 | 1 - 2 % | H303; H317; H401 |
| 80-71-7 <i>Methylcyclopentenolone</i> | 201-303-2 | 1 - 2 % | H302; H317; H402 |
| 513-86-0 <i>Acetoin</i> | 208-174-1 | 1 - 2 % | H226; H318; H373 |
| 104-61-0 <i>gamma-Nonalactone</i> | 203-219-1 | 1 - 2 % | H316 |
| 600-14-6 <i>2,3-Pentanedione</i> | 209-984-8 | 0.1 - 1.0 % | H225; H303; H313; H316; H317; H318; H373; H402 |
| 80-56-8 <i>pinene</i> | 201-291-9 | 0.1 - 1.0 % | H226; H302; H304; H315; H317; H400; H410 |

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which were not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.38



7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: **Rustic Escentuals™ Sweet Potato & Brown Sugar
Fragrance Oil**

Page 4 of 8
Print Date: 2023-08-28

4. First Aid Measures

4.1 Description of first aid measures

| | |
|-----------------------|--|
| Inhalation: | Remove from exposure site to fresh air and keep at rest. Obtain medical advice. |
| Eye Exposure: | Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. |
| Skin Exposure: | Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist. |
| Ingestion: | Rinse mouth with water and obtain medical advice. |

4.2 Most important symptoms and effects, both acute and delayed

| | |
|------------------|--|
| Symptoms: | no data available |
| Risks: | Refer to Section 2.2 "Hazard Statements" |

4.3 Indication of any immediate medical attention and special treatment needed

| | |
|-------------------|---------------------------------|
| Treatment: | Refer to Section 2.2 "Response" |
|-------------------|---------------------------------|

5. Fire-Fighting measures

5.1 Extinguishing media

| | |
|-------------------|---|
| Suitable: | Carbon dioxide (CO ₂), Dry chemical, Foam |
| Unsuitable | Do not use a direct water jet on burning material |

5.2 Special hazards arising from the substance or mixture

| | |
|------------------------------|--------------------------|
| During fire fighting: | Water may be ineffective |
|------------------------------|--------------------------|

5.3 Advice for firefighters

| | |
|-----------------------------|---------------------------------------|
| Further information: | Standard procedure for chemical fires |
|-----------------------------|---------------------------------------|

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable



7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: **Rustic Escentuals™ Sweet Potato & Brown Sugar
Fragrance Oil**

Page 5 of 8
Print Date: 2023-08-28

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

| Component | ACGIH TWA ppm | ACGIH STEL ppm | OSHA TWA ppm | OSHA STEL ppm |
|----------------------------------|------------------|-------------------|-----------------|------------------|
| 80-56-8 <i>pinene</i> | | 20 | | |
| 600-14-6 <i>2,3-Pentanedione</i> | | | | 0 |

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

| | |
|------------------------------------|----------------------------------|
| Appearance: | Liquid |
| Odor: | Conforms to Standard |
| Color: | Yellow to Greenish Yellow (G5-7) |
| Viscosity: | Liquid |
| Freezing Point: | Not determined |
| Boiling Point: | Not determined |
| Melting Point: | Not determined |
| Flashpoint (CCCFP): | 126 F (52.22 C) |
| Auto flammability: | Not determined |
| Explosive Properties: | None Expected |
| Oxidizing properties: | None Expected |
| Vapor Pressure (mmHg@20 C): | 3.3064 |
| %VOC: | 4.30 |
| Specific Gravity @ 25 C: | 1.0540 |



7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: **Rustic Escentuals™ Sweet Potato & Brown Sugar
Fragrance Oil**

Page 6 of 8
Print Date: 2023-08-28

Density (g/mL) @ 25 C: 1.0510
Refractive Index @ 20 C: 1.5340
Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None
10.2 Chemical stability Stable
10.3 Possibility of hazardous reactions None known
10.4 Conditions to avoid None known
10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 1958.8565) Harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 2707.1385) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 49.3495) May be harmful if inhaled
Skin corrosion / irritation Causes mild skin irritation
Serious eye damage / irritation Causes serious eye irritation
Respiratory sensitization Not classified - the classification criteria are not met
Skin sensitization May cause an allergic skin reaction
Germ cell mutagenicity Not classified - the classification criteria are not met
Carcinogenicity Not classified - the classification criteria are not met
Reproductive toxicity Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure May cause damage to organs through prolonged or repeated exposure
Aspiration hazard Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity Very Toxic to aquatic life
Chronic aquatic toxicity Toxic to aquatic life with long lasting effects
Toxicity Data on soil no data available
Toxicity on other organisms no data available



7820 E Pleasant Valley Road
 Independence, OH 44131
 (800) 359-0944
 www.WholesaleSuppliesPlus.com

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: **Rustic Escentuals™ Sweet Potato & Brown Sugar
 Fragrance Oil**

Page 7 of 8
 Print Date: 2023-08-28

| | |
|---|-------------------|
| 12.2 Persistence and degradability | no data available |
| 12.3 Bioaccumulative potential | no data available |
| 12.4 Mobility in soil | no data available |
| 12.5 Other adverse effects | no data available |

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :
 120-51-4 : (40 - 50 %) : Benzyl Benzoate

| Regulator | Class | Pack Group | Sub Risk | UN-nr. |
|---|-------|------------|------------------|--------|
| U.S. DOT (Non-Bulk) | | | | |
| Perfumery Products | 3 | III | Flammable Liquid | UN1266 |
| ADR/RID (International Road/Rail) | | | | |
| Environmentally Hazardous Substance, Liquid, n.o.s. | 9 | III | | UN3082 |
| IATA (Air Cargo) | | | | |
| Perfumery Products | 3 | III | Flammable Liquid | UN1266 |
| Environmentally Hazardous Substance, Liquid, n.o.s. | 9 | III | | UN3082 |
| IMDG (Sea) | | | | |
| Perfumery Products | 3 | III | Flammable Liquid | UN1266 |
| Environmentally Hazardous Substance, Liquid, n.o.s. | 9 | III | | UN3082 |

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:
 94-59-7 202-345-4 0.01 - 0.1% Safrole (Natural Source)
 123-35-3(NF 204-622-5 <= 80 ppm beta-Myrcene (Natural Source)
 93-15-2 202-223-0 <= 42 ppm Methyl Eugenol (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.



7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: **Rustic Escentuals™ Sweet Potato & Brown Sugar
Fragrance Oil**

Page 8 of 8
Print Date: 2023-08-28

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

| | |
|--|---|
| H225 : Highly flammable liquid and vapor | H301 : Toxic if swallowed |
| H303 : May be harmful if swallowed | H304 : May be fatal if swallowed and enters airways |
| H312 : Harmful in contact with skin | H315 : Causes skin irritation |
| H317 : May cause an allergic skin reaction | H318 : Causes serious eye damage |
| H320 : Causes eye irritation | H401 : Toxic to aquatic life |
| H402 : Harmful to aquatic life | H410 : Very toxic to aquatic life with long lasting effects |
| H412 : Harmful to aquatic life with long lasting effects | |

Total Fractional Values

| | |
|--|--|
| (TFV) Risk | (TFV) Risk |
| (101.11) Acute Toxicity Inhalation, Category 5 | (42.07) Sensitization, Skin, Category 1A |
| (19.65) Aquatic Chronic Toxicity, Category 3 | (13.00) Sensitization, Skin, Category 1 |
| (3.07) Eye Damage/Eye Irritation, Category 2A | (2.71) Sensitization, Skin, Category 1B |
| (2.05) Aquatic Chronic Toxicity, Category 4 | (1.95) Aquatic Chronic Toxicity, Category 2 |
| (1.85) Acute Toxicity Dermal, Category 5 | (1.84) Aquatic Acute Toxicity, Category 1 |
| (1.14) Target Organ Systemic Toxicity - Repeated, Category 2 | (1.03) Skin Corrosion/Irritation, Category 3 |
| (1.02) Acute Toxicity Oral, Category 4 | |

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.