

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 1 of 8

Print Date: 2023-05-01

Product: Crafter's Choice™ Tangerine EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Tangerine - EO & FO Blend

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317 : May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [] ACGIH [] IARC [X] NTP [] OSHA []



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 8 Print Date: 2023-05-01

Crafter's Choice™ Tangerine -Product: EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Label elements

Labelling (GHS)

Hazard pictograms







Signal Word: Danger

Hazard statements

H227	Combustible liquid	
11000		

May be harmful if swallowed H303

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation H333 May be harmful if inhaled

H361 Suspected of damaging fertility or the unborn child

H400 Very Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P235 Keep cool

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

P281 Use personal protective equipment as required

Response:

P301 + P310 + P331 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT

induce vomiting

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

IF exposed or concerned: Get medical advice/attention P308 + P313

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Print Date: 2023-05-01

Page 3 of 8

Product: Crafter's ChoiceTM Tangerine EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
8008-31-9	297-672-2	20 - 30 %	H226; H304; H315; H317; H361; H401;		
Citrus not	oilis (Mandarin O	range) peel oil	H411		
5989-27-5	227-813-5	20 - 30 %	H226; H304; H315; H317; H400; H412		
Limonene	ı				
99-85-4	202-794-6	2 - 5 %	H226; H303; H304; H316; H361		
gamma-T	erpinene				
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411		
Hexyl cinr	Hexyl cinnamal				
112-31-2	203-957-4	2 - 5 %	H227; H316; H319; H401; H412		
Decanal					
14901-07-6	238-969-9	1 - 2 %	H303; H401; H411		
Ionone					
124-13-0	204-683-8	1 - 2 %	H226; H315; H319; H401; H412		
Octanal					
77-83-8	201-061-8	1 - 2 %	H317; H401; H411		
Ethyl Methylphenylglycidate					
93-92-5	202-288-5	1 - 2 %	H227; H402		
methylber	nzyl acetate				
80-56-8	201-291-9	1 - 2 %	H226; H302; H304; H315; H317; H400;		
pinene			H410		
2705-87-5	220-292-5	0.1 - 1.0 %	H302; H312; H317; H400; H411		
Allyl cyclo	hexylpropionate				
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401		
Citral					
52475-86-2	257-942-2	0.1 - 1.0 %	H315; H317; H318; H400; H410		
1-Methyl-	4-(4-methyl-3-pe	ntenyl)cyclohex-	3-ene-1-carbaldehyde		
37677-14-8	253-617-4	0.1 - 1.0 %	H315; H317; H318; H400; H410		
Isohexen	/l cvclohexenvl c	arboxaldehyde (
78-70-6	201-134-4	0.1 - 1.0 %	<u> </u>		
Linalool		- · · ·	,,, . , , .		
	6 for full text of 0	GHS classificatio	n codes		



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Tangerine EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Print Date: 2023-05-01

Page 4 of 8

Total Hydrocarbon Content (% w/w) = 28.47

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting:Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Tangerine EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 5 of 8 Print Date: 2023-05-01

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

ComponentACGIHACGIHOSHAOSHATWA ppmSTEL ppmTWA ppmSTEL ppm

80-56-8 *pinene* 20

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow (G3-5) to Orange (G11)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Not determined

145 F (62.78 C)

Auto flammability:

Not determined

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.2947

 %VOC:
 32.84

 Specific Gravity @ 25 C:
 0.8990



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 6 of 8

Print Date: 2023-05-01

Crafter's Choice™ Tangerine -Product: EO & FO Blend

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

Density (g/mL) @ 25 C: 0.8960 Refractive Index @ 20 C: 1.4590 Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None 10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

Toxicological Information 11.

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4197.5540) May be harmful if swallowed Acute toxicity - Dermal - (Rabbit) mg/kg Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 113.4302) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met Carcinogenicity Not classified - the classification criteria are not met Reproductive toxicity Suspected of damaging fertility or the unborn child Specific target organ toxicity - single exposure Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways

12. **Ecological Information**

12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Toxic to aquatic life with long lasting effects Chronic acquatic toxicity

Toxicity Data on soil no data available no data available Toxicity on other organisms

12.2 Persistence and degradability

no data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Tangerine EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 7 of 8 Print Date: 2023-05-01

12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

5989-27-5 : (20 - 30 %) : Limonene

Regulator Class Sub Risk UN-nr. **Pack Group** U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods Chemicals NOI ADR/RID (International Road/Rail) 9 Ш UN3082 **Environmentally Hazardous** Substance, Liquid, n.o.s. IATA (Air Cargo) **Environmentally Hazardous** 9 Ш UN3082 Substance, Liquid, n.o.s. IMDG (Sea) **Environmentally Hazardous** 9 Ш UN3082 Substance, Liquid, n.o.s.

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H302 : Harmful if swallowed

H312 : Harmful in contact with skin

H313 : May be harmful in contact with skin



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 8 of 8

Print Date: 2023-05-01

Product: Crafter's Choice™ Tangerine -EO & FO Blend

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

H317: May cause an allergic skin reaction

H401: Toxic to aquatic life

H410: Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

H316: Causes mild skin irritation

H402: Harmful to aquatic life

H318: Causes serious eye damage

(TFV) Risk (TFV) Risk

(297.00) Reproductive Toxicity, Category 2 (297.00) Sensitization, Skin, Category 1

(297.00) Sensitization, Skin, Category 1A (44.08) Acute Toxicity Inhalation, Category 5

(23.24) Aquatic Chronic Toxicity, Category 3 (22.27) Sensitization, Skin, Category 1B

(9.90) Reproductive Toxicity, Category 2 (6.79) Skin Corrosion/Irritation, Category 3

(5.82) Aspiration Hazard, Category 1 (5.66) Skin Corrosion/Irritation, Category 2

(2.67) Aquatic Chronic Toxicity, Category 4 (2.21) Aquatic Chronic Toxicity, Category 2

(1.30) Eye Damage/Eye Irritation, Category 2A (1.19) Acute Toxicity Oral, Category 5 (1.15) Aquatic Acute Toxicity, Category 1

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.