

Product: Crafter's Choice™ Twilight
Woods* Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 1 of 8

Print Date: 2023-05-01

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Twilight Woods* Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313 : May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400 : Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms







SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 8

Print Date: 2023-05-01

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Product: Crafter's Choice™ Twilight
Woods* Fragrance Oil

Signal Word: Warning

Hazard	statements
i iazai u	Statements

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P391 Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

	CAS# Ingredient	EC#	Conc. Range	GHS Classification	
	120-51-4	204-402-9	50 - 60 %	H302; H313; H400; H411	
Benzyl Benzoate					
	54464-57-2	259-174-3	5 - 10 %	H315; H317; H401; H411	
Tetramethyl Acetyloctahydronaphthalenes					
	101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411	
	Hexyl cinna	amal			
	103-95-7	203-161-7	5 - 10 %	H227; H303; H315; H317; H401; H412	
Cyclamen Aldehyde					
	105-95-3	203-347-8	2 - 5 %	H401	
	Ethylene b	rassylate			



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 3 of 8

Print Date: 2023-05-01

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Product: Crafter's Choice™ Twilight
Woods* Fragrance Oil

CAS# Ingredient	EC#	Conc. Range	GHS Classification
65113-99-7	265-453-0	2 - 5 %	H316; H319; H401; H411
Pentamet	hylcyclopent-3-	ene-butanol	
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410
Hexameth	nylindanopyran		
10339-55-6	233-732-6	2 - 5 %	H227; H303; H316; H317; H319; H402
Ethyl Lina	lool		
118-58-1	204-262-9	2 - 5 %	H303; H317; H320; H401; H412
Benzyl Sa	licylate		
24851-98-7	246-495-9	1 - 2 %	H402
Methyldih	ydrojasmonate		
63500-71-0	405-040-6	1 - 2 %	H319
Isobutyl N	lethyl Tetrahydr	ropyranol	
21145-77-7	244-240-6	1 - 2 %	H302; H400; H410
Acetyl he	kamethyl tetralir	1	
127-51-5	204-846-3	1 - 2 %	H316; H317; H320; H401; H411
a-Isometh	yl ionone		
6259-76-3	228-408-6	0.1 - 1.0 %	H316; H317; H400; H410
Hexyl sali	cylate		
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412
Limonene			
91-64-5	202-086-7	0.1 - 1.0 %	H301; H317; H402
Coumarin			
57378-68-4	260-709-8	0.1 - 1.0 %	H302; H315; H317; H318; H400; H410
delta-1-(2	,6,6-Trimethyl-3	3-cyclohexen-1-yl)-2-buten-1-one (delta-Damascone)
See Section 1	6 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.76

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 4 of 8

Print Date: 2023-05-01

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Product: Crafter's Choice™ Twilight
Woods* Fragrance Oil

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Twilight
Woods* Fragrance Oil

Page 5 of 8 Print Date: 2023-05-01

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Pale Yellow to Yellow (G1/2-5)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Not determined

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Not determined

Not determined

Not determined

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0104

 %VOC:
 0.75

 Specific Gravity @ 25 C:
 1.0430

 Density (g/mL) @ 25 C:
 1.0400

 Refractive Index @ 20 C:
 1.5350

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

(LD50: 2054.0061) May be harmful if swallowed

Acute toxicity - Oral - (Rat) mg/kg



Davids of Datas 2000 00 07

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 6 of 8

Print Date: 2023-05-01

Product: Crafter's Choice™ Twilight
Woods* Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4119.5413) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 120.7471) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Very Toxic to aquatic life

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

120-51-4: (50 - 60 %): Benzyl Benzoate

Regulator Class Pack Group Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

ADR/RID (International Road/Rail)



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

UN3082

Product: Crafter's ChoiceTM Twilight
Woods* Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 Woods* Fragrance Oil Page 7 of 8
Print Date: 2023-05-01

www.WholesaleSuppliesPlus.com			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082
IATA (Air Cargo)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082
IMDG (Sea)			

Ш

15. Regulatory Information

U.S. Federal Regulations

Environmentally Hazardous

Substance, Liquid, n.o.s.

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

9

1222-05-5 214-946-9 2 - 5 % Hexamethylindanopyran

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt. The following

components are NOT on the List:

815580-59-7 453-570-1 <= 4 ppm 3-Cyclohexene-1-carboxylic acid, 2,6,6-trimethyl-, methyl ester

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour

H301 : Toxic if swallowed

H302 : Harmful if swallowed

H304 : May be fatal if swallowed and enters airways

H316 : Causes mild skin irritation

H317 : May cause an allergic skin reaction

H318 : Causes serious eye damage

H319 : Causes serious eye irritation

H401 : Toxic to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

H410 : Very toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(45.69) Aquatic Chronic Toxicity, Category 3
(9.00) Sensitization, Skin, Category 1
(8.50) Sensitization, Skin, Category 1B
(8.50) Sensitization, Skin, Category 1B
(9.00) Sensitization, Skin, Category 1B
(4.54) Aquatic Chronic Toxicity, Category 2
(3.37) Aquatic Chronic Toxicity, Category 4
(2.84) Skin Corrosion/Irritation, Category 3
(2.62) Aquatic Acute Toxicity, Category 1
(1.44) Skin Corrosion/Irritation, Category 2
(1.21) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

Department E-mail address:



7820 E Pleasant Valley Road Independence, OH 44131

Safety Data Sheet

Product: Crafter's Choice[™] Twilight Woods* Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 8 of 8 Print Date: 2023-05-01

(800) 359-0944 www.WholesaleSuppliesPlus.com

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.