Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Valencia* - EO & FO Blend

Page 1 of 9 Print Date: 2023-05-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Valencia* - EO & FO Blend

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Classification according to Chic	
Flammable Liquids, Category 3	H226 : Flammable liquid and vapour
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of title	29)
Flammable Liquids, Category 3	H226 : Flammable liquid and vapour
Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Reproductive Toxicity, Category 2	H361 : Suspected of damaging fertility or the unborn child
Classification Other	

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Valencia* - EO & FO Blend

Page 2 of 9 Print Date: 2023-05-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

2.2 Label elements

Labelling (GHS)

Hazard pictograms







Signal Word: Danger

Hazard statements	
H226	Flammable liquid and vapour
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Keep container tightly closed
Keep cool
Ground/bond container and receiving equipment
Use explosion-proof electrical/ventilating/light//equipment
Use only non-sparking tools
Take precautionary measures against static discharge
Wash hands thoroughly after handling
Contaminated work clothing should not be allowed out of the workplace
Avoid release to the environment
Use personal protective equipment as required
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
IF ON SKIN: Wash with soap and water
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin with water/shower
IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
IF exposed or concerned: Get medical advice/attention

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Valencia* - EO & FO Blend

Page 3 of 9 Print Date: 2023-05-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

WholesaleSuppliesPlus.com	
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P352	Wash with soap and water
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage
Other Hezerde	

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
5989-27-5	227-813-5	50 - 60 %	H226; H304; H315; H317; H400; H412
Limonene			
120-51-4	204-402-9	30 - 40 %	H302; H313; H400; H411
Benzyl Be	enzoate		
8008-31-9	297-672-2	2 - 5 %	H226; H304; H315; H317; H361; H401;
Citrus nob	oilis (Mandarin Or	ange) peel oil	H411
123-68-2	204-642-4	2 - 5 %	H227; H301; H311; H331; H400; H412
Allyl capro	pate		
112-31-2	203-957-4	1 - 2 %	H227; H316; H319; H401; H412
Decanal			
123-35-3	204-622-5	1 - 2 %	H226; H304; H315; H319; H400; H411
beta-Myrcene			
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402
Linalool			
134-20-3	205-132-4	1 - 2 %	H303; H316; H319; H401
Methyl an	thranilate		
628-63-7	211-047-3	1 - 2 %	H226
Amyl Acetate			
141-78-6	205-500-4	1 - 2 %	H225; H319; H336
Ethyl acetate			
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401
Citral			
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-Terpinene			

7820 E Pleasant Valley Road

Independence, OH 44131 (800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Valencia* - EO & FO Blend

Page 4 of 9 Print Date: 2023-05-15

www.WholesaleSuppliesPlus.com				
CAS# Ingredient	EC#	Conc. Range	GHS Classification	
80-56-8 pinene	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410	
99-87-6 p-cymene	202-796-7	0.1 - 1.0 %	H226; H303; H304; H331; H361; H401; H411	
112-54-9	203-983-6	0.1 - 1.0 %	H315; H317; H319	
Lauraldeh	iyde			
13466-78-9 delta-3-Ca	236-719-3 arene	0.1 - 1.0 %	H226; H303; H304; H315; H317; H332; H401; H411	
101-86-0	202-983-3	0.1 - 1.0 %	H303; H316; H317; H400; H411	
Hexyl cinr	namal			
One Onetion 1	C fan full taut af			

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 55.11

4. First Aid Measures

Treatment:

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion: 4.2 Most important symptoms and effec	Rinse mouth with water and obtain medical advice. ts, both acute and delayed
Symptoms:	no data available
Risks: 4.3 Indication of any immediate medical	Refer to Section 2.2 "Hazard Statements" I attention and special treatment needed

5. Fire-Fighting measures	
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material
5.2 Special hazards arising from the	substance or mixture
During fire fighting:	Water may be ineffective
5.3 Advice for firefighters	
Further information:	Standard procedure for chemical fires

Refer to Section 2.2 "Response"

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Valencia* - EO &

FO Blend

Page 5 of 9 Print Date: 2023-05-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Lim Component	lits:	ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
628-63-7	Amyl Acetate	50	100	100	
141-78-6	Ethyl acetate	400		400	
80-56-8	pinene	20			
13466-78-9	delta-3-Carene	20			

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Valencia* - EO & FO Blend

Page 6 of 9 Print Date: 2023-05-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Conforms to Standard
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	135 F (57.22 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	1.7913
%VOC:	61.93
Specific Gravity @ 25 C:	Not determined
Density (g/mL) @ 25 C:	Not determined
Refractive Index @ 20 C:	Not determined
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2297.0683) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3562.3321) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 219.1871) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met

7820 E Pleasant Valley Road

Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Valencia* - EO & FO Blend

Page 7 of 9 Print Date: 2023-05-15

Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

12. Ecological Information	
12.1 Toxicity	
Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 5989-27-5 : (50 - 60 %) : Limonene			
Regulator	Clas	s Pack Gr	oup Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)				
Perfumery Products	3	III	Flammable Liquid	UN1266
ADR/RID (International Ro	ad/Rail)			
Environmentally Hazardous Substance, Liquid, n.o.s		III		UN3082
IATA (Air Cargo)				
Perfumery Products	3	III	Flammable Liquid	UN1266
Environmentally Hazardous Substance, Liquid, n.o.s		III		UN3082
IMDG (Sea)				

7820 E Pleasant Valley Road

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Valencia* - EO & FO Blend

Page 8 of 9 Print Date: 2023-05-15

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com				Print Date: 2023-05-15
Perfumery Products	3		Flammable Liquid	UN1266
Environmentally Hazardous Substance, Liquid, n.o.s.	9	Ш		UN3082

15. Regulatory Information			
U.S. Federal Regulation	ons		
TSCA (Toxic Subst	tance Cor	ntrol Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SA	ARA, CER	CLA and CAA)	This product contains the following components:
141-78-6 20	05-500-4	1 - 2 %	Ethyl acetate
628-63-7 21	11-047-3	1 - 2 %	Amyl Acetate
U.S. State Regulations	s		
California Proposit	tion 65 W	arning	This product contains the following components:
123-35-3(NF 20	04-622-5	1 - 2 %	beta-Myrcene (Natural Source)
Canadian Regulations	5		
DSL			100.00% of the components are listed or exempt.The following components are NOT on the List:
149713-23-5 83	38-290-3	<= 0 ppm	2H-Pyran, tetrahydro-4-methyl-2-phenyl-,(2R,4S)-rel

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H225 : Highly flammable liquid and vapor	H227 : Combustible liquid
H301 : Toxic if swallowed	H302 : Harmful if swallowed
H311 : Toxic in contact with skin	H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction	H319 : Causes serious eye irritation
H331 : Toxic if inhaled	H332 : Harmful if inhaled
H336 : May cause drowsiness or dizziness	H401 : Toxic to aquatic life
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects
H412 : Harmful to aquatic life with long lasting effects	
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(52.90) Sensitization, Skin, Category 1B	(22.81) Acute Toxicity Inhalation, Category 5
(20.00) Reproductive Toxicity, Category 2	(20.00) Sensitization, Skin, Category 1
(20.00) Sensitization, Skin, Category 1A	(18.65) Aquatic Chronic Toxicity, Category 3
(6.80) Skin Corrosion/Irritation, Category 3	(6.36) Skin Corrosion/Irritation, Category 2
(5.71) Aspiration Hazard, Category 1	(3.81) Aquatic Chronic Toxicity, Category 4
(3.56) Aquatic Acute Toxicity, Category 1	(2.18) Acute Toxicity Oral, Category 5
(1.63) Aquatic Chronic Toxicity, Category 2	(1.40) Acute Toxicity Dermal, Category 5
(1.29) Eye Damage/Eye Irritation, Category 2	(1.26) Eye Damage/Eye Irritation, Category 2A

Department issuing data sheet:





Safety Data Sheet

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Valencia* - EO & FO Blend

Page 9 of 9 Print Date: 2023-05-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.