

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 1 of 8

Print Date: 2023-05-02

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# Product: Crafter's Choice™ Vanilla Verbena\* Fragrance Oil

#### . Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade Name:** Crafter's Choice<sup>TM</sup> Vanilla Verbena\* Fragrance Oil

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400 : Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

**Classification Other** 

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

Labelling (GHS)

**Hazard pictograms** 



Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Page 2 of 8 Print Date: 2023-05-02

Product: Crafter's Choice™ Vanilla Verbena\* Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com







#### Signal Word: Warning

#### **Hazard statements**

| H227 | Combustible liquid                                  |
|------|---|
| H303 | May be harmful if swallowed                         |
| H313 | May be harmful in contact with skin                 |
| H315 | Causes skin irritation                              |
| H317 | May cause an allergic skin reaction                 |
| H333 | May be harmful if inhaled                           |
| H361 | Suspected of damaging fertility or the unborn child |
| H400 | Very Toxic to aquatic life                          |
| H411 | Toxic to aquatic life with long lasting effects     |
|      |   |

#### **Precautionary Statements**

#### Prevention:

| CVCIIIIOII. |  |
|-------------|--|
| P201        | Obtain special instructions before use                                   |
| P202        | Do not handle until all safety precautions have been read and understood |
| P235        | Keep cool  |
| P264        | Wash hands thoroughly after handling                                     |
| P272        | Contaminated work clothing should not be allowed out of the workplace    |
| P273        | Avoid release to the environment   |
| P281        | Use personal protective equipment as required                            |
|             |  |

#### Response:

| P302 + P352 | IF ON SKIN: Wash with soap and water  |
|-------------|---|
| P304 + P312 | IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell                     |
| P308 + P313 | IF exposed or concerned: Get medical advice/attention                                       |
| P312        | Call a POISON CENTER or doctor/physician if you feel unwell                                 |
| P333 + P313 | If skin irritation or a rash occurs: Get medical advice/attention                           |
| P362        | Take off contaminated clothing and wash before reuse  |
| P363        | Wash contaminated clothing before reuse   |
| P370 + P378 | In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use |

a direct water jet on burning material Collect Spillage P391

#### 2.3 Other Hazards

no data available

#### 3. **Composition/Information on Ingredients**

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):





Product: Crafter's Choice™ Vanilla Verbena\* Fragrance Oil Revised Date: 2023-02-07 00:00

Print Date: 2023-05-02

Page 3 of 8

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

| CAS#<br>Ingredient | EC#              | Conc.<br>Range   | GHS Classification                  |
|--------------------|------------------|------------------|-------------------------------------|
| 120-51-4           | 204-402-9        | 30 - 40 %        | H302; H313; H400; H411              |
| Benzyl Be          | enzoate          |                  |                                     |
| 101-86-0           | 202-983-3        | 10 - 20 %        | H303; H316; H317; H400; H411        |
| Hexyl cini         | namal            |                  |                                     |
| 32210-23-4         | 250-954-9        | 5 - 10 %         | H303; H317; H401                    |
| 4-tert-But         | ylcyclohexyl ace | etate            |                                     |
| 54464-57-2         | 259-174-3        | 5 - 10 %         | H315; H317; H401; H411              |
| Tetrameth          | nyl Acetyloctahy | rdronaphthalenes |                                     |
| 5989-27-5          | 227-813-5        | 2 - 5 %          | H226; H304; H315; H317; H400; H412  |
| Limonene           | )                |                  |                                     |
| 121-32-4           | 204-464-7        | 2 - 5 %          | H303; H320; H402                    |
| Ethyl Van          | illin            |                  |                                     |
| 125-12-2           | 204-727-6        | 2 - 5 %          | H227; H316; H401                    |
| Isobornyl          | acetate          |                  |                                     |
| 121-33-5           | 204-465-2        | 2 - 5 %          | H303; H313; H319; H402              |
| vanillin           |                  |                  |                                     |
| 1222-05-5          | 214-946-9        | 2 - 5 %          | H316; H400; H410                    |
| Hexameth           | hylindanopyran   |                  |                                     |
| 118-58-1           | 204-262-9        | 2 - 5 %          | H303; H317; H320; H401; H412        |
| Benzyl Sa          | alicylate        |                  |                                     |
| 63500-71-0         | 405-040-6        | 2 - 5 %          | H319                                |
| Isobutyl N         | 1ethyl Tetrahydi | ropyranol        |                                     |
| 104-61-0           | 203-219-1        | 1 - 2 %          | H316                                |
| gamma-N            | lonalactone      |                  |                                     |
| 4940-11-8          | 225-582-5        | 1 - 2 %          | H302; H401                          |
| Ethyl Mali         | tol              |                  |                                     |
| 105-95-3           | 203-347-8        | 1 - 2 %          | H401                                |
| Ethylene l         | brassylate       |                  |                                     |
| 120-57-0           | 204-409-7        | 1 - 2 %          | H303; H317; H401                    |
| Heliotropi         | ne               |                  |                                     |
| 91-64-5            | 202-086-7        | 0.1 - 1.0 %      | H301; H317; H402                    |
| Coumarin           | 1                |                  |                                     |
| 115-95-7           | 204-116-4        | 0.1 - 1.0 %      | H227; H315; H317; H320; H402        |
| Linalyl Ac         | etate            |                  |                                     |
| 78-70-6            | 201-134-4        | 0.1 - 1.0 %      | H227; H303; H315; H317; H319; H402  |
| Linalool           |                  |                  |                                     |
| 127-51-5           | 204-846-3        | 0.1 - 1.0 %      | H316; H317; H320; H401; H411        |
| a-Isometh          | nyl ionone       |                  |                                     |
| 80-56-8            | 201-291-9        | 0.1 - 1.0 %      | H226; H302; H304; H315; H317; H400; |
| pinene             |                  |                  | H410                                |
| 32388-55-9         | 251-020-3        | 0.1 - 1.0 %      | H303; H317; H400; H410              |
| Acetyl ced         | drene            |                  |                                     |
|                    |                  |                  |                                     |



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Vanilla
Verbena\* Fragrance Oil

Page 4 of 8 Print Date: 2023-05-02

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

| CAS#<br>Ingredient | EC#       | Conc.<br>Range | GHS Classification                 |  |  |
|--------------------|-----------|----------------|------------------------------------|--|--|
| 127-91-3           | 204-872-5 | 0.1 - 1.0 %    | H226; H304; H315; H317; H400; H410 |  |  |
| beta Pinene        |           |                |                                    |  |  |
| 99-85-4            | 202-794-6 | 0.1 - 1.0 %    | H226; H303; H304; H316; H361       |  |  |

gamma-Terpinene

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 4.70

#### 4. First Aid Measures

4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

#### 5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Vanilla
Verbena\* Fragrance Oil

Page 5 of 8 Print Date: 2023-05-02

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

#### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

**Exposure Limits:** 

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

 80-56-8
 pinene
 20

 127-91-3
 beta Pinene
 20

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

#### 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow (G3-6)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined



Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Page 6 of 8 Print Date: 2023-05-02

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Product: Crafter's Choice<sup>TM</sup> Vanilla Verbena\* Fragrance Oil

Flashpoint (CCCFP): 196 F (91.11 C) Auto flammability: Not determined **Explosive Properties:** None Expected Oxidizing properties: None Expected

Vapor Pressure (mmHg@20 C): 0.0552 %VOC: 4.70 Specific Gravity @ 25 C: 1.0380 Density (g/mL) @ 25 C: 1.0350 Refractive Index @ 20 C: 1.5280 Soluble in: Oil

#### 10. Stability and Reactivity

10.1 Reactivity None Stable 10.2 Chemical stability

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

#### 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2257.0406) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3744.8277) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 84.9217) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Not classified - the classification criteria are not met Serious eye damage / irritation Not classified - the classification criteria are not met Respiratory sensitization

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met Not classified - the classification criteria are not met Carcinogenicity Reproductive toxicity Suspected of damaging fertility or the unborn child Specific target organ toxicity - single exposure Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met Not classified - the classification criteria are not met

Aspiration hazard



Product: Crafter's Choice™ Vanilla
Verbena\* Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Print Date: 2023-05-02

Page 7 of 8

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

### 12. Ecological Information

#### 12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

#### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

#### 14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

120-51-4 : (30 - 40 %) : Benzyl Benzoate

| Regulator   | Class                               | Pack Group | Sub Risk | UN-nr. |  |
|---|-------------------------------------|------------|----------|--------|--|
| U.S. DOT (Non-Bulk)                                 | Not Regulated - Not Dangerous Goods |            |          |        |  |
| Chemicals NOI                                       |                                     |            |          |        |  |
| ADR/RID (International Road/Rail)                   |                                     |            |          |        |  |
| Environmentally Hazardous Substance, Liquid, n.o.s. | 9                                   | III        |          | UN3082 |  |
| IATA (Air Cargo)                                    |                                     |            |          |        |  |
| Environmentally Hazardous Substance, Liquid, n.o.s. | 9                                   | III        |          | UN3082 |  |
| IMDG (Sea)  |                                     |            |          |        |  |
| Environmentally Hazardous Substance, Liquid, n.o.s. | 9                                   | III        |          | UN3082 |  |

#### 15. Regulatory Information

#### **U.S. Federal Regulations**

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

1222-05-5 214-946-9 2 - 5 % Hexamethylindanopyran

U.S. State Regulations



Product: Crafter's Choice™ Vanilla
Verbena\* Fragrance Oil

Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 8 of 8 Print Date: 2023-05-02

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### **California Proposition 65 Warning**

123-35-3(NF 204-622-5 0.01 - 0.1%

This product contains the following components:

beta-Myrcene (Natural Source)

#### **Canadian Regulations**

**DSL** 100.00% of the components are listed or exempt.

#### 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H301 : Toxic if swallowed

H302 : Harmful if swallowed and enters airways

H316 : Causes mild skin irritation H317 : May cause an allergic skin reaction

H319 : Causes serious eye irritation H320 : Causes eye irritation

H401 : Toxic to aquatic life H402 : Harmful to aquatic life

H410: Very toxic to aquatic life with long lasting effects

H412: Harmful to aquatic life with long lasting effects

#### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(58.88) Acute Toxicity Inhalation, Category 5 (38.05) Aquatic Chronic Toxicity, Category 3

(11.50) Sensitization, Skin, Category 1B (3.78) Aquatic Chronic Toxicity, Category 2

(3.47) Skin Corrosion/Irritation, Category 3 (2.71) Aquatic Chronic Toxicity, Category 4

(2.32) Aquatic Acute Toxicity, Category 1 (2.22) Acute Toxicity Oral, Category 5

(1.49) Reproductive Toxicity, Category 2 (1.34) Acute Toxicity Dermal, Category 5

(1.33) Skin Corrosion/Irritation, Category 2

#### Department issuing data sheet:

#### **Department E-mail address:**

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.