## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Verbena\* -EO & FO Blend

Page 1 of 8 Print Date: 2023-05-02

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade Name: Crafter's Choice<sup>™</sup> Verbena\* - EO & FO Blend

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### **Classification according to GHS**

	Flammable Liquids, Category 4	H227 : Combustible liquid		
	Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed		
	Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways		
	Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin		
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation		
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction		
	Eye Damage/Eye Irritation, Category 1	H318 : Causes serious eye damage		
	Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled		
	Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life		
	Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects		
Cla	Classification OSHA (Provisions 1910.1200 of title 29)			
	Flammable Liquids, Category 4	H227 : Combustible liquid		
	Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways		
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation		
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction		
	Eye Damage/Eye Irritation, Category 1	H318 : Causes serious eye damage		
	Reproductive Toxicity, Category 2	H361 : Suspected of damaging fertility or the unborn child		

#### **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []

# **Crafter's**Choice<sup>®</sup>

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

### 2.2 Label elements

#### Labelling (GHS)

Hazard pictograms







Safety Data Sheet

EO & FO Blend

Crafter's Choice<sup>™</sup> Verbena\* -

#### Signal Word: Danger

### Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Product:

#### **Precautionary Statements**

#### **Prevention:**

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

#### **Response:**

001130.	
P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P310	Immediately call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material



Revised Date: 2023-02-07 00:00

Page 2 of 8 Print Date: 2023-05-02

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com P391

**Collect Spillage** 

Product:

#### 2.3 Other Hazards

no data available

## 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

**Safety Data Sheet** 

EO & FO Blend

Crafter's Choice<sup>™</sup> Verbena\* -

CAS# Ingredient	EC#	Conc. Range	GHS Classification
5989-27-5	227-813-5	20 - 30 %	H226; H304; H315; H317; H400; H412
Limonene			
5392-40-5	226-394-6	10 - 20 %	H313; H315; H317; H319; H401
Citral			
101-86-0	202-983-3	10 - 20 %	H303; H316; H317; H400; H411
Hexyl cinn	amal		
24851-98-7	246-495-9	5 - 10 %	H402
Methyldihy	rdrojasmonate		
106-24-1	203-377-1	5 - 10 %	H303; H315; H317; H318; H402
Geraniol			
120-51-4	204-402-9	2 - 5 %	H302; H313; H400; H411
Benzyl Bei			
106-25-2	203-378-7	2 - 5 %	H303; H315; H317; H319; H401
Nerol			
80-56-8 pinene	201-291-9	2 - 5 %	H226; H302; H304; H315; H317; H400; H410
106-22-9	203-375-0	1 - 2 %	H303; H313; H315; H317; H319; H401
Citronellol		1 - 2 %	
127-91-3 beta Pinen	204-872-5	1 - 2 %	H226; H304; H315; H317; H400; H410
99-85-4		1 - 2 %	U226, U202, U204, U246, U264
	202-794-6	1 - 2 %	H226; H303; H304; H316; H361
gamma-Te <b>78-70-6</b>	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
Linalool	201-134-4	0.1 - 1.0 %	HZZ7, H303, H313, H317, H319, H402
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402
Linalyl Ace			
105-87-3	203-341-5	0.1 - 1.0 %	H315; H317; H401; H412
Geranyl Ad			, - , - ,
106-23-0	203-376-6	0.1 - 1.0 %	H227; H303; H313; H315; H317; H319;
Citronellal			H401
87-44-5	201-746-1	0.1 - 1.0 %	H304; H317
Beta-Caryo	ophyllene		
-			

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 3 of 8 Print Date: 2023-05-02

# Safety Data Sheet

SDS v1 GHS / OSHA

#### Revised Date: 2023-02-07 00:00

#### Product: Crafter's Choice<sup>™</sup> Verbena\* -EO & FO Blend

Page 4 of 8 Print Date: 2023-05-02

www.WholesaleSuppliesPlus.com	
(800) 359-0944	
Independence, OH 44131	

7820 E Pleasant Valley Road

CAS# EC# Conc. Ingredient EC# GHS Classification

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 31.94

4. First Aid Measures		
4.1 Description of first aid measures		
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
Ingestion:	Rinse mouth with water and obtain medical advice.	
4.2 Most important symptoms and effects, both acute and delayed		
Symptoms:	no data available	
Risks:	Refer to Section 2.2 "Hazard Statements"	
4.3 Indication of any immediate medical at	tention and special treatment needed	
Treatment:	Refer to Section 2.2 "Response"	
5. Fire-Fighting measures		
5.1 Extinguishing media		
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable	Do not use a direct water jet on burning material	
5.2 Special hazards arising from the substance or mixture		
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective	
Further information:	Standard procedure for chemical fires	

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 6.4 Reference to other sections

Not Applicable

### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

Safety Data Sheet

EO & FO Blend

Crafter's Choice<sup>™</sup> Verbena\* -

#### 7.2 Conditions for safe storage, including any incompatibilities

Product:

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

Exposure Lir	nits:	
Component		ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm
80-56-8	pinene	20
127-91-3	beta Pinene	20

Engineering Controls: Use local exhaust as needed.

#### 8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

### 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow Tint to Pale Yellow (G1-3)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	156 F (68.89 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 5 of 8 Print Date: 2023-05-02

#### 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Vapor Pressure (mmHg@20 C):	0.3669	
%VOC:	32.82	
Specific Gravity @ 25 C:	0.9010	
Density (g/mL) @ 25 C:	0.8980	
Refractive Index @ 20 C:	1.4790	
Soluble in:	Oil	

### 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

Product:

#### 11. Toxicological Information

#### **11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 3991.8320) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4073.2734) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 69.6950) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye damage
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

### 12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity Chronic acquatic toxicity Toxicity Data on soil Very Toxic to aquatic life Toxic to aquatic life with long lasting effects no data available

Crafter's Choice<sup>™</sup> Verbena\* -

EO & FO Blend

Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Page 6 of 8 Print Date: 2023-05-02

7820 E Pleasant Valley Road

Independence, OH 44131

## **Safety Data Sheet**

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

### Product: Crafter's Choice<sup>™</sup> Verbena\* -EO & FO Blend

Page 7 of 8 Print Date: 2023-05-02

(800) 359-0944 www.WholesaleSuppliesPlus.com		
Toxicity on other organisms	no data available	
12.2 Persistence and degradability	no data available	
12.3 Bioaccumulative potential	no data available	
12.4 Mobility in soil	no data available	
12.5 Other adverse effects	no data available	

#### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

#### 14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 5989-27-5 : (20 - 30 %) : Limonene							
Regulator		Class	Pack Group	Sub Risk	UN-nr.			
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods						
Chemicals NOI								
ADR/RID (International Road/Rail)								
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082			
IATA (Air Cargo)								
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082			
IMDG (Sea)								
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082			
<b>15. Regulatory In</b> U.S. Federal Regulations	formation							
TSCA (Toxic Substance	TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt							
40 CFR(EPCRA, SARA, U.S. State Regulations	CERCLA and CAA	<b>()</b> This produ	ct contains NO c	components of concern.				
California Proposition 6 123-35-3(NF 204-62)	•	This product contains the following components: beta-Myrcene (Natural Source)						
Υ Υ	2-0 0.1 - 1.0 %	beta-wyrcene		5)				
Canadian Regulations								
DSL		100.00% of the components are listed or exempt.						

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour
- H316 : Causes mild skin irritation H319 : Causes serious eye irritation
- H401 : Toxic to aquatic life
- H410 : Very toxic to aquatic life with long lasting effects

#### **Total Fractional Values**

- (TFV) Risk
- (152.40) Sensitization, Skin, Category 1
  (71.74) Acute Toxicity Inhalation, Category 5
  (21.40) Aquatic Chronic Toxicity, Category 3
  (8.48) Eye Damage/Eye Irritation, Category 2A
  (5.93) Skin Corrosion/Irritation, Category 2
  (2.12) Eye Damage/Eye Irritation, Category 1
  (1.84) Aquatic Chronic Toxicity, Category 4
  (1.25) Acute Toxicity Oral, Category 5

H302 : Harmful if swallowed
H317 : May cause an allergic skin reaction
H320 : Causes eye irritation
H402 : Harmful to aquatic life
H412 : Harmful to aquatic life with long lasting effects

#### (TFV) Risk

(152.40) Sensitization, Skin, Category 1A
(26.80) Sensitization, Skin, Category 1B
(12.44) Reproductive Toxicity, Category 2
(7.11) Skin Corrosion/Irritation, Category 3
(3.19) Aspiration Hazard, Category 1
(2.03) Aquatic Chronic Toxicity, Category 2
(1.81) Aquatic Acute Toxicity, Category 1
(1.23) Acute Toxicity Dermal, Category 5

#### Department issuing data sheet:

#### Department E-mail address:

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Verbena\* -EO & FO Blend

Safety Data Sheet

Page 8 of 8 Print Date: 2023-05-02