

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Very Sexy For Men* -

EO & FO Blend

Page 1 of 8 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Very Sexy For Men* - EO & FO Blend

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

Eye Damage/Eye Irritation, Category 2A

Reproductive Toxicity, Category 2

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of title	29)
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction

- H319 : Causes serious eye irritation
- H361 : Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS) Hazard pictograms

Crafter'sChoice[®]

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Very Sexy For Men* -EO & FO Blend

Page 2 of 8 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com





Signal	Word:	Warning
--------	-------	---------

Hazard statements

H303	May be harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

Crafter'sChoice[®]

7820 E Pleasant Valley Road

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Very Sexy For Men* -

EO & FO Blend

Page 3 of 8 Print Date: 2023-04-25

7820 E Pleasant Independence, C (800) 359-0944 www.WholesaleS	0H 44131		Lo di o Diend	Print Date: 2
CAS# Ingredient	EC#	Conc. Range	GHS Classification	
120-51-4	204-402-9	20 - 30 %	H302; H313; H400; H411	
Benzyl B	enzoate			
19870-74-7	243-384-7	5 - 10 %	H317; H400; H410	
Cedrol m	ethyl ether			
54464-57-2	259-174-3	5 - 10 %	H315; H317; H401; H411	
Tetramet	hyl Acetyloctahy	dronaphthalenes	3	
24851-98-7	246-495-9	5 - 10 %	H402	
Methyldil	nydrojasmonate			
21145-77-7	244-240-6	2 - 5 %	H302; H400; H410	
Acetyl he	xamethyl tetralir	ו		
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402	
Linalool				
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402	
Linalyl Ac	cetate			
65113-99-7	265-453-0	1 - 2 %	H316; H319; H401; H411	
Pentame	thylcyclopent-3-	ene-butanol		
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412	
Limonene	Э			
1205-17-0	214-881-6	0.1 - 1.0 %	H303; H317; H361; H401; H411	
a-Methyl-	1,3-benzodioxol	le-5-propionaldel	hyde	
31906-04-4	250-863-4	0.1 - 1.0 %	H317; H402	
Hydroxyi	sohexyl 3-cycloh	exene carboxalo	lehyde	
52475-86-2	257-942-2	0.1 - 1.0 %	H315; H317; H318; H400; H410	
1-Methyl-	4-(4-methyl-3-pe	entenyl)cyclohex	-3-ene-1-carbaldehyde	
67634-15-5	266-819-2	0.1 - 1.0 %	H315; H317; H400; H411	
Ethyl 2,2-	-dimethylhydroci	nnamal		
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;	
pinene			H410	
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361	
gamma-T	Ferpinene			
91-64-5	202-086-7	0.1 - 1.0 %	H301; H317; H402	
Coumarir	ז			
See Section ²	16 for full text of	GHS classification	on codes	
See	Soction 16 for fu		posification addee which where not shown in eastion 2	1

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 1.09

4. First Aid Measures	
4.1 Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

		Crafter's Choice™ Very Sexy For Men* -
7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com	EO & FO Blend	

Page 4 of 8 Print Date: 2023-04-25

Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
.2 Most important symptoms and	d effects, both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
.3 Indication of any immediate m	nedical attention and special treatment needed
Treatment: 5. Fire-Fighting measu	Refer to Section 2.2 "Response" res
5. Fire-Fighting measu	·
Fire-Fighting measu 5.1 Extinguishing media	res
5. Fire-Fighting measu	·
5. Fire-Fighting measur 5.1 Extinguishing media Suitable: Unsuitable	res Carbon dioxide (CO2), Dry chemical, Foam Do not use a direct water jet on burning material
5. Fire-Fighting measur 5.1 Extinguishing media Suitable: Unsuitable	res Carbon dioxide (CO2), Dry chemical, Foam Do not use a direct water jet on burning material
 5. Fire-Fighting measure 5.1 Extinguishing media Suitable: Unsuitable 5.2 Special hazards arising from the 	res Carbon dioxide (CO2), Dry chemical, Foam Do not use a direct water jet on burning material the substance or mixture

Accidental Release Measures 6.

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available





Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Very Sexy For Men* -

EO & FO Blend

Page 5 of 8 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

B. Exp	posure Con	trols/Personal Protection
3.1 Control pa	rameters	
Exposure L	.imits:	
Componer	nt	ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm
80-56-8	pinene	20
Engineering 8.2 Exposure o	-	Use local exhaust as needed. sonal protective equipment
Eye protect	tion:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc as may be appropriate for the exposure
Respiratory	<pre>/ protection:</pre>	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate
Skin protec	tion:	Avoid Skin contact. Use chemically resistant gloves as needed.
		Chemical Properties
9.1 Information	n on basic phy	ysical and chemical properties
Appearance	e:	Liquid

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Nearly Colorless to Pale Yellow (G0-2)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0180
%VOC:	2.11
Specific Gravity @ 25 C:	0.9870
Density (g/mL) @ 25 C:	0.9840
Refractive Index @ 20 C:	1.4900
Soluble in:	Oil

10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable10.3 Possibility of hazardous reactionsNone

None Stable None known

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice[™] Very Sexy For Men* -Product: EO & FO Blend

Page 6 of 8 Print Date: 2023-04-25

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

10.4 Conditions to avoid

10.5 Incompatible materials

None known

Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. **Toxicological Information**

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2842.5014) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 111.8793) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. **Ecological Information** 12.1 Toxicity

-	
Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. **Disposal Conditions**

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Very Sexy For Men* -EO & FO Blend

Page 7 of 8 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (20 - 30 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated ·	- Not Dangerous	Goods	
Chemicals NOI					
ADR/RID (International Road	d/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082

15. Regulatory Information	
U.S. Federal Regulations	
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA) U.S. State Regulations	This product contains NO components of concern.
California Proposition 65 Warning	This product contains the following components:
123-35-3(NF 204-622-5 0.01 - 0.1%	beta-Myrcene (Natural Source)
Canadian Regulations	
DSL	100.00% of the components are listed or exempt.The following components are NOT on the List:
149713-23-5 838-290-3 <= 1 ppm	2H-Pyran, tetrahydro-4-methyl-2-phenyl-,(2R,4S)-rel

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H227 : Combustible liquid
H301 : Toxic if swallowed	H302 : Harmful if swallowed
H304 : May be fatal if swallowed and enters airways	H313 : May be harmful in contact with skin
H316 : Causes mild skin irritation	H317 : May cause an allergic skin reaction
H318 : Causes serious eye damage	H320 : Causes eye irritation
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(57.85) Aquatic Chronic Toxicity, Category 3	(44.69) Acute Toxicity Inhalation, Category 5
(7.50) Sensitization, Skin, Category 1B	(7.00) Reproductive Toxicity, Category 2



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Very Sexy For Men* -EO & FO Blend

Page 8 of 8 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

(6.00) Sensitization, Skin, Category 1A

(2.00) Aquatic Chronic Toxicity, Category 4

(1.65) Aquatic Acute Toxicity, Category 1

(1.25) Skin Corrosion/Irritation, Category 2

(5.78) Aquatic Chronic Toxicity, Category 2
(1.76) Acute Toxicity Oral, Category 5
(1.41) Skin Corrosion/Irritation, Category 3
(1.00) Eye Damage/Eye Irritation, Category 2A

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.