### Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Volcano\* Fragrance Oil

Page 1 of 8 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade Name: Crafter's Choice<sup>™</sup> Volcano\* Fragrance Oil

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### **Classification according to GHS**

| Flammable Liquids, Category 4                | H227 : Combustible liquid                              |
|--|--|
| Acute Toxicity Oral, Category 5              | H303 : May be harmful if swallowed                     |
| Aspiration Hazard, Category 1                | H304 : May be fatal if swallowed and enters airways    |
| Skin Corrosion/Irritation, Category 2        | H315 : Causes skin irritation                          |
| Sensitization, Skin, Category 1A             | H317 : May cause an allergic skin reaction             |
| Eye Damage/Eye Irritation, Category 2A       | H319 : Causes serious eye irritation                   |
| Acute Toxicity Inhalation, Category 5        | H333 : May be harmful if inhaled                       |
| Aquatic Chronic Toxicity, Category 2         | H411 : Toxic to aquatic life with long lasting effects |
| Classification OSHA (Provisions 1910.1200 of | title 29)  |
|  |  |

Flammable Liquids, Category 4H227 : Combustible liquidAspiration Hazard, Category 1H304 : May be fatal if swallowed and enters airwaysSkin Corrosion/Irritation, Category 2H315 : Causes skin irritationSensitization, Skin, Category 1AH317 : May cause an allergic skin reactionEye Damage/Eye Irritation, Category 2AH319 : Causes serious eye irritation

#### **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []

#### 2.2 Label elements

Labelling (GHS) Hazard pictograms

## **Crafter's**Choice<sup>®</sup>

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com





Signal Word: Danger

#### Hazard statements

| H227 | Combustible liquid                              |
|------|---|
| H303 | May be harmful if swallowed                     |
| H304 | May be fatal if swallowed and enters airways    |
| H315 | Causes skin irritation                          |
| H317 | May cause an allergic skin reaction             |
| H319 | Causes serious eye irritation                   |
| H333 | May be harmful if inhaled                       |
| H411 | Toxic to aquatic life with long lasting effects |

#### **Precautionary Statements**

#### **Prevention:**

| P235 | Keep cool   |
|------|---|
| P264 | Wash hands thoroughly after handling                                  |
| P272 | Contaminated work clothing should not be allowed out of the workplace |
| P273 | Avoid release to the environment                                      |

**Safety Data Sheet** 

**Fragrance Oil** 

Crafter's Choice<sup>™</sup> Volcano\*

#### **Response:**

| IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT<br>induce vomiting                                       |
|--|
| IF ON SKIN: Wash with soap and water   |
| IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell  |
| IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if<br>present and easy to do. continue rinsing   |
| Call a POISON CENTER or doctor/physician if you feel unwell  |
| If skin irritation or a rash occurs: Get medical advice/attention  |
| If eye irritation persists: Get medical advice/attention   |
| Take off contaminated clothing and wash before reuse   |
| Wash contaminated clothing before reuse  |
| In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material |
| Collect Spillage   |
|  |

2.3 Other Hazards

#### no data available

#### 3. **Composition/Information on Ingredients**

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):



Revised Date: 2023-02-07 00:00

Page 2 of 8 Print Date: 2023-04-25



Product:

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

### Safety Data Sheet

#### Product: Crafter's Choice<sup>™</sup> Volcano\* Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 3 of 8 Print Date: 2023-04-25

| CAS#<br>Ingredient    | EC#                | Conc.<br>Range     | GHS Classification                  |
|-----------------------|--------------------|--------------------|-------------------------------------|
| 5989-27-5<br>Limonene | 227-813-5          | 10 - 20 %          | H226; H304; H315; H317; H400; H412  |
| 77-83-8               | 201-061-8          | 5 - 10 %           | H317; H401; H411                    |
|                       | ylphenylglycida    |                    | 11317, 11401, 11411                 |
| 24851-98-7            | 246-495-9          | 5 - 10 %           | H402                                |
|                       | /drojasmonate      | 5-10 /0            | 11402                               |
| 14901-07-6            | 238-969-9          | 5 - 10 %           | H303; H401; H411                    |
| Ionone                | 200 000 0          | 5 10 /0            |                                     |
| 93-92-5               | 202-288-5          | 2 - 5 %            | H227; H402                          |
|                       | zyl acetate        | 2 0 /0             |                                     |
| 5471-51-2             | 226-806-4          | 1 - 2 %            | H402                                |
| Raspberry             |                    | 1 2 /0             | 11702                               |
| 112-31-2              | 203-957-4          | 1 - 2 %            | H227; H316; H319; H401; H412        |
| Decanal               | 200 001 4          | 1 2 70             | 1227, 11010, 11013, 11401, 11412    |
| 142-19-8              | 205-527-1          | 1 - 2 %            | H227; H301; H311; H400; H412        |
| Allyl hepta           |                    | 1 2 /0             | 1221, 1001, 1011, 11400, 11412      |
| 90-87-9               | 202-022-8          | 1 - 2 %            | H227; H302; H316                    |
|                       |                    | dimethyl acetal    | 1221, 1002, 1010                    |
| 5392-40-5             | 226-394-6          | 1 - 2 %            | H313; H315; H317; H319; H401        |
| Citral                | 220 00 1 0         | 1 2 /0             |                                     |
| 37677-14-8            | 253-617-4          | 0.1 - 1.0 %        | H315; H317; H318; H400; H410        |
|                       |                    | carboxaldehyde (   |                                     |
| 78-70-6               | 201-134-4          | 0.1 - 1.0 %        | H227; H303; H315; H317; H319; H402  |
| Linalool              |                    | 0.1                | ,                                   |
| 127-91-3              | 204-872-5          | 0.1 - 1.0 %        | H226; H304; H315; H317; H400; H410  |
| beta Piner            |                    | 0.1                |                                     |
| 52475-86-2            | 257-942-2          | 0.1 - 1.0 %        | H315; H317; H318; H400; H410        |
|                       |                    |                    | 3-ene-1-carbaldehyde                |
| 86803-90-9            | 429-860-9          | 0.1 - 1.0 %        | H303; H317; H401; H411              |
|                       |                    | ne carboxaldehyd   |                                     |
| 127-51-5              | 204-846-3          | 0.1 - 1.0 %        | H316; H317; H320; H401; H411        |
| a-Isomethy            |                    |                    | , - , - , - , - ,                   |
| 57378-68-4            | 260-709-8          | 0.1 - 1.0 %        | H302; H315; H317; H318; H400; H410  |
|                       |                    |                    | -2-buten-1-one (delta-Damascone)    |
| 106-22-9              | 203-375-0          | 0.1 - 1.0 %        | H303; H313; H315; H317; H319; H401  |
| Citronellol           |                    |                    | ,, - , - , <del>,</del>             |
| 80-56-8               | 201-291-9          | 0.1 - 1.0 %        | H226; H302; H304; H315; H317; H400; |
| pinene                |                    |                    | H410                                |
| 106-23-0              | 203-376-6          | 0.1 - 1.0 %        | H227; H303; H313; H315; H317; H319; |
| Citronellal           |                    |                    | H401                                |
| Can Castion 10        | S for full toxt of | GHS classification | n codos                             |

See Section 16 for full text of GHS classification codes which where not shown in section 2

#### 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Volcano\* Fragrance Oil

Page 4 of 8 Print Date: 2023-04-25

Total Hydrocarbon Content (% w/w) = 20.35

| 4. First Aid Measures  |  |  |
|--|--|--|
| 4.1 Description of first aid measures  |  |  |
| Inhalation:  | Remove from exposure site to fresh air and keep at rest.<br>Obtain medical advice.                         |  |
| Eye Exposure:  | Flush immediately with water for at least 15 minutes.<br>Contact physician if symptoms persist.            |  |
| Skin Exposure:   | Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist. |  |
| Ingestion:   | Rinse mouth with water and obtain medical advice.  |  |
| 4.2 Most important symptoms and effects,                                       | both acute and delayed   |  |
| Symptoms:  | no data available  |  |
| Risks:   | Refer to Section 2.2 "Hazard Statements"   |  |
| 4.3 Indication of any immediate medical attention and special treatment needed |  |  |
| Treatment:   | Refer to Section 2.2 "Response"  |  |
|  |  |  |
| 5. Fire-Fighting measures  |  |  |
| 5.1 Extinguishing media  |  |  |
| Suitable:  | Carbon dioxide (CO2), Dry chemical, Foam   |  |
| Unsuitable   | Do not use a direct water jet on burning material  |  |
| 5.2 Special hazards arising from the substa                                    | ance or mixture  |  |
| During fire fighting:  | Water may be ineffective   |  |
| 5.3 Advice for firefighters  |  |  |
| Further information:   | Standard procedure for chemical fires  |  |

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

### Safety Data Sheet

SDS v1 GHS / OSHA

#### Revised Date: 2023-02-07 00:00

#### Product: Crafter's Choice<sup>™</sup> Volcano\* Fragrance Oil

Page 5 of 8 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

#### 8. Exposure Controls/Personal Protection

8.1 Control parameters

| Exposure Li | mits:       |  |
|-------------|-------------|--|
| Component   | i           | ACGIH ACGIH OSHA OSHA<br>TWA ppm STEL ppm TWA ppm STEL ppm |
| 80-56-8     | pinene      | 20   |
| 127-91-3    | beta Pinene | 20   |

**Engineering Controls:** Use local exhaust as needed.

#### 8.2 Exposure controls - Personal protective equipment

| Eye protection:         | Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure |
|-------------------------|---|
| Respiratory protection: | Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.   |
| Skin protection:        | Avoid Skin contact. Use chemically resistant gloves as needed.  |

#### 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

| Appearance:                 | Liquid               |
|-----------------------------|----------------------|
| Odor:                       | Conforms to Standard |
| Color:                      | Yellow (G6-8)        |
| Viscosity:                  | Liquid               |
| Freezing Point:             | Not determined       |
| Boiling Point:              | Not determined       |
| Melting Point:              | Not determined       |
| Flashpoint (CCCFP):         | 156 F (68.89 C)      |
| Auto flammability:          | Not determined       |
| Explosive Properties:       | None Expected        |
| Oxidizing properties:       | None Expected        |
| Vapor Pressure (mmHg@20 C): | 0.2309               |
| %VOC:                       | 23.28                |
| Specific Gravity @ 25 C:    | 0.9300               |

### Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

#### Product: Crafter's Choice<sup>™</sup> Volcano\* Fragrance Oil

Page 6 of 8 Print Date: 2023-04-25

| 7820 E Pleasant Valley Road<br>Independence, OH 44131<br>(800) 359-0944<br>www.WholesaleSuppliesPlus.com |        |
|--|--------|
| Density (g/mL) @ 25 C:   | 0.9270 |
| Refractive Index @ 20 C:   | 1.4640 |
| Soluble in:  | Oil    |

### 10. Stability and Reactivity

| 10.1 Reactivity                         | None   |
|---|--|
| 10.2 Chemical stability                 | Stable   |
| 10.3 Possibility of hazardous reactions | None known   |
| 10.4 Conditions to avoid                | None known   |
| 10.5 Incompatible materials             | Strong oxidizing agents, strong acids, and alkalis |
| 10.6 Hazardous decomposition products   | None known   |

#### 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

| Acute toxicity - Oral - (Rat) mg/kg                | (LD50: 3676.6194) May be harmful if swallowed            |
|--|--|
| Acute toxicity - Dermal - (Rabbit) mg/kg           | Not classified - the classification criteria are not met |
| Acute toxicity - Inhalation - (Rat) mg/L/4hr       | (LD50: 58.8204) May be harmful if inhaled                |
| Skin corrosion / irritation                        | Causes skin irritation                                   |
| Serious eye damage / irritation                    | Causes serious eye irritation                            |
| Respiratory sensitization                          | Not classified - the classification criteria are not met |
| Skin sensitization                                 | May cause an allergic skin reaction                      |
| Germ cell mutagenicity                             | Not classified - the classification criteria are not met |
| Carcinogenicity                                    | Not classified - the classification criteria are not met |
| Reproductive toxicity                              | Not classified - the classification criteria are not met |
| Specific target organ toxicity - single exposure   | Not classified - the classification criteria are not met |
| Specific target organ toxicity - repeated exposure | Not classified - the classification criteria are not met |
| Aspiration hazard                                  | May be fatal if swallowed and enters airways             |

#### 12. Ecological Information

#### 12.1 Toxicity

| Acute acquatic toxicity     | Not classified - the classification criteria are not met |
|-----------------------------|--|
| Chronic acquatic toxicity   | Toxic to aquatic life with long lasting effects          |
| Toxicity Data on soil       | no data available  |
| Toxicity on other organisms | no data available  |

12.2 Persistence and degradability

no data available

#### 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.co

### Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

#### Product: Crafter's Choice<sup>™</sup> Volcano\* Fragrance Oil

Page 7 of 8 Print Date: 2023-04-25

| www.WholesaleSuppliesPlus.com  |                   |  |  |
|--------------------------------|-------------------|--|--|
| 12.3 Bioaccumulative potential | no data available |  |  |
| 12.4 Mobility in soil          | no data available |  |  |
| 12.5 Other adverse effects     | no data available |  |  |
|                                |                   |  |  |

#### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

#### 14. Transport Information

| Marine Pollutant                                       | Yes. Ingredient o<br>37677-14-8 : (0.1 |       |            | nyl carboxaldehyde (Vertom | ugal)  |  |
|--|--|-------|------------|----------------------------|--------|--|
| Regulator  |  | Class | Pack Group | Sub Risk                   | UN-nr. |  |
| U.S. DOT (Non-Bulk)                                    | Not Regulated - Not Dangerous Goods    |       |            |                            |        |  |
| Chemicals NOI  |  |       |            |                            |        |  |
| ADR/RID (International Road/Rail)                      |  |       |            |                            |        |  |
| Environmentally Hazardous<br>Substance, Liquid, n.o.s. |  | 9     | III        |                            | UN3082 |  |
| IATA (Air Cargo)                                       |  |       |            |                            |        |  |
| Environmentally Hazardous<br>Substance, Liquid, n.o.s. |  | 9     | III        |                            | UN3082 |  |
| IMDG (Sea)   |  |       |            |                            |        |  |
| Environmentally Hazardous<br>Substance, Liquid, n.o.s. | ;                                      | 9     | 111        |                            | UN3082 |  |

| 15.                                | Regulat                  | tory Infor | mation   |   |  |  |
|------------------------------------|--------------------------|------------|--|---|--|--|
| U.S. Feder                         | U.S. Federal Regulations |            |  |   |  |  |
| TSCA (Toxic Substance Control Act) |                          | ntrol Act) | All components of the substance/mixture are listed or exempt |   |  |  |
| 40 CFR<br>U.S. State               | •                        |            | CLA and CAA)   | This product contains NO components of concern.   |  |  |
| California Proposition 65 Warning  |                          | arning     | This product contains the following components:              |   |  |  |
| 123-                               | -35-3(NF                 | 204-622-5  | 0.1 - 1.0 %  | beta-Myrcene (Natural Source)   |  |  |
| Canadian Regulations               |                          |            |  |   |  |  |
| DSL                                |                          |            |  | 99.99% of the components are listed or exempt.The following components are NOT on the List: |  |  |
| 9420                               | 01-73-7                  | 303-662-1  | <= 60 ppm  | Tetrahydro-4-methyl-2-phenyl-2H-pyran   |  |  |

# **Crafter's**Choice<sup>®</sup>

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour H302 : Harmful if swallowed H313 : May be harmful in contact with skin H317 : May cause an allergic skin reaction H320 : Causes eye irritation H401 : Toxic to aquatic life H410 : Very toxic to aquatic life with long lasting effects **Total Fractional Values** (TFV) Risk (85.00) Acute Toxicity Inhalation, Category 5
- (15.63) Aquatic Chronic Toxicity, Category 3 (10.00) Sensitization, Skin, Category 1A (2.48) Skin Corrosion/Irritation, Category 2 (2.03) Aspiration Hazard, Category 1
- (1.47) Aquatic Chronic Toxicity, Category 2

#### Department issuing data sheet:

#### **Department E-mail address:**

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.

Revised Date: 2023-02-07 00:00

Page 8 of 8 Print Date: 2023-04-25

H301 : Toxic if swallowed H311 : Toxic in contact with skin H316 : Causes mild skin irritation H318 : Causes serious eye damage H400 : Very Toxic to aquatic life H402 : Harmful to aquatic life H412 : Harmful to aquatic life with long lasting effects

(TFV) Risk (19.25) Sensitization, Skin, Category 1B (10.00) Sensitization, Skin, Category 1 (2.77) Skin Corrosion/Irritation, Category 3 (2.05) Eye Damage/Eye Irritation, Category 2A (1.57) Aquatic Chronic Toxicity, Category 4

(1.36) Acute Toxicity Oral, Category 5

#### Product: Crafter's Choice<sup>™</sup> Volcano\* Fragrance Oil

Safety Data Sheet

