

Wasabi Fragrance Oil

Product: Crafter's Choice™

SDS v1 GHS / OSHA

Revised Date: 2022-10-11 00:00

Page 1 of 9

Print Date: 2023-05-02

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's ChoiceTM Wasabi Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled
Target Organ Systemic Toxicity - Single H371 : May cause damage to organs

Exposure, Category 2

Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317 : May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

Target Organ Systemic Toxicity - Single H371 : May cause damage to organs

Exposure, Category 2

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []

2.2 Label elements



SDS v1 GHS / OSHA

Revised Date: 2022-10-11 00:00

Page 2 of 9

Print Date: 2023-05-02

Product: Crafter's ChoiceTM Wasabi Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Labelling (GHS)

Hazard pictograms







Signal Word: Warning

Hazard statements

| H227 | Combustible liquid |
|------|---|
| H303 | May be harmful if swallowed |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H333 | May be harmful if inhaled |
| H361 | Suspected of damaging fertility or the unborn child |
| H371 | May cause damage to organs |
| H411 | Toxic to aquatic life with long lasting effects |

Precautionary Statements

Prevention:

| CVCIILIOII. | |
|-------------|--|
| P201 | Obtain special instructions before use |
| P202 | Do not handle until all safety precautions have been read and understood |
| P235 | Keep cool |
| P260 | Do not breathe dust/fume/gas/mist/vapors/spray |
| P264 | Wash hands thoroughly after handling |
| P270 | Do not eat, drink or smoke when using this product |
| P272 | Contaminated work clothing should not be allowed out of the workplace |
| P273 | Avoid release to the environment |
| P281 | Use personal protective equipment as required |
| cnoncol | |

Res

| 1 213 | Avoid release to the environment |
|--------------------|--|
| P281 | Use personal protective equipment as required |
| sponse: | |
| P302 + P352 | IF ON SKIN: Wash with soap and water |
| P304 + P312 | IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing |
| P308 + P313 | IF exposed or concerned: Get medical advice/attention |
| P309 | IF exposed or you feel unwell: |
| P311 | Call a POISON CENTER or doctor/physician |
| P312 | Call a POISON CENTER or doctor/physician if you feel unwell |
| P333 + P313 | If skin irritation or a rash occurs: Get medical advice/attention |
| P337 + P313 | If eye irritation persists: Get medical advice/attention |
| P362 | Take off contaminated clothing and wash before reuse |
| P363 | Wash contaminated clothing before reuse |
| P370 + P378 | In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material |

P391 Collect Spillage



Product: Crafter's ChoiceTM
Wasabi Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2022-10-11 00:00

Page 3 of 9 Print Date: 2023-05-02

www.WholesaleSuppliesPlus.com 2.3 Other Hazards

7820 E Pleasant Valley Road Independence, OH 44131

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

(800) 359-0944

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

| CAS# Ingredient | EC# | Conc. Range | GHS Classification |
|--------------------|-------------------------------|----------------|--|
| 101-86-0 | 202-983-3 | 10 - 20 % | H303; H316; H317; H400; H411 |
| Hexyl cinn | amal | | |
| 5989-27-5 | 227-813-5 | 5 - 10 % | H226; H304; H315; H317; H400; H412 |
| Limonene | | | |
| 98-55-5 | 202-680-6 | 2 - 5 % | H227; H303; H315; H319; H401 |
| Terpineol | | | |
| 125-12-2 | 204-727-6 | 2 - 5 % | H227; H316; H401 |
| Isobornyl a | ncetate | | |
| 2216-51-5 | 218-690-9 | 2 - 5 % | H303; H315; H320; H333; H402 |
| l-Menthol | | | |
| 78-70-6 | 201-134-4 | 2 - 5 % | H227; H303; H315; H317; H319; H402 |
| Linalool | | | |
| 76-22-2 | 200-945-0 | 2 - 5 % | H228; H302; H315; H318; H332; H371; H401; H411 |
| Camphor | | | • |
| 124-76-5 | 204-712-4 | 2 - 5 % | H228; H315; H401 |
| Isoborneol | | 4 00/ | 11040 11045 11045 11040 11404 |
| 5392-40-5 | 226-394-6 | 1 - 2 % | H313; H315; H317; H319; H401 |
| Citral | 000 044 0 | 1 - 2 % | 11007, 11000, 11045, 11047, 11400, 11440 |
| 10458-14-7 | 233-944-9 | | H227; H303; H315; H317; H402; H412 |
| 68737-61-1 | (isomer unspecif 272-113-5 | 1 - 2 % | H227; H303; H313; H315; H317; H401; |
| | trahydro Benzalo | | H411 |
| 470-82-6 | 207-431-5 | 1 - 2 % | H226; H303; H317; H320; H402 |
| Eucalyptol | | 1 - 2 /0 | 11220, 11303, 11317, 11320, 11402 |
| 120-51-4 | 204-402-9 | 1 - 2 % | H302; H313; H400; H411 |
| Benzyl Bei | | 1 2 /0 | 11302, 11313, 11400, 11411 |
| 22457-23-4 | 245-010-8 | 1 - 2 % | H303; H316; H402; H412 |
| | ylbutyl Ketoxime | | |
| 115-95-7 | 204-116-4 | 1 - 2 % | H227; H315; H317; H320; H402 |
| Linalyl Acetate | | | |
| 6413-10-1 | 229-114-0 | 1 - 2 % | H227; H316 |
| Ethyl 2-me | thyl-1,3-dioxolan | e-2-acetate | · |
| - | - | | |



Product: Crafter's ChoiceTM
Wasabi Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2022-10-11 00:00

Page 4 of 9

Print Date: 2023-05-02

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

| CAS# Ingredient | EC# | Conc. Range | GHS Classification |
|--------------------|---------------------|--------------------|-------------------------------------|
| 464-45-9 | 207-353-1 | 1 - 2 % | H228; H315; H401 |
| I-Borneo | l | | |
| 128-37-0 | 204-881-4 | 1 - 2 % | H316; H400; H410 |
| BHT | | | |
| 80-56-8 | 201-291-9 | 0.1 - 1.0 % | H226; H302; H304; H315; H317; H400; |
| pinene | | | H410 |
| 127-91-3 | 204-872-5 | 0.1 - 1.0 % | H226; H304; H315; H317; H400; H410 |
| beta Pine | ene | | |
| 99-85-4 | 202-794-6 | 0.1 - 1.0 % | H226; H303; H304; H316; H361 |
| gamma- | Terpinene | | |
| 6485-40-1 | 229-352-5 | 0.1 - 1.0 % | H227; H303; H313; H317; H401 |
| I-Carvone | е | | |
| 97-54-1 | 202-590-7 | 0.1 - 1.0 % | H302; H312; H315; H317; H319; H332; |
| Iso Euge | nol | | H335; H401 |
| 87-44-5 | 201-746-1 | 0.1 - 1.0 % | H304; H317 |
| Beta-Car | yophyllene | | |
| See Section | 16 for full text of | GHS classification | on codes |

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 9.22

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material



Product: Crafter's Choice™
Wasabi Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2022-10-11 00:00

Page 5 of 9 Print Date: 2023-05-02

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

5.2 Special hazards arising from the substance or mixture

During fire fighting:Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

| Component | | ACGIH TWA ppm | ACGIH STEL ppm | OSHA TWA ppm | OSHA STEL ppm |
|-----------|-------------|------------------|-------------------|-----------------|------------------|
| 128-37-0 | BHT | 2 | | | |
| 76-22-2 | Camphor | 2 | 3 | 1 | |
| 80-56-8 | pinene | 20 |) | | |
| 127-91-3 | beta Pinene | 20 |) | | |

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure



Product: Crafter's ChoiceTM
Wasabi Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2022-10-11 00:00

Page 6 of 9

Print Date: 2023-05-02

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow Tint (G0/1) to Greenish Yellow (G5)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Not determined

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.1326

 %VOC:
 12.44

 Specific Gravity @ 25 C:
 0.9250

 Density (g/mL) @ 25 C:
 0.9220

 Refractive Index @ 20 C:
 1.4670

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3527.6134) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg

Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 74.0007) May be harmful if inhaled



Product: **Crafter's Choice™ Wasabi Fragrance Oil**

SDS v1 GHS / OSHA

Revised Date: 2022-10-11 00:00

Page 7 of 9 Print Date: 2023-05-02

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicityNot classified - the classification criteria are not metCarcinogenicityNot classified - the classification criteria are not metReproductive toxicitySuspected of damaging fertility or the unborn child

Specific target organ toxicity - single exposure May cause damage to organs

Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

101-86-0 : (10 - 20 %) : Hexyl cinnamal

Regulator Class Pack Group Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

IATA (Air Cargo)

ADR/RID (International Road/Rail)

Environmentally Hazardous 9 III UN3082

Substance, Liquid, n.o.s.



SDS v1 GHS / OSHA

Revised Date: 2022-10-11 00:00

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 Product: Crafter's Choice™
Wasabi Fragrance Oil

Page 8 of 9

Print Date: 2023-05-02

| www.WholesaleSuppliesPlus.com | | | |
|-------------------------------|---|-----|--------|
| Environmentally Hazardous | 9 | III | UN3082 |
| Substance, Liquid, n.o.s. | | | |
| IMDG (Sea) | | | |
| Environmentally Hazardous | 9 | III | UN3082 |
| Substance, Liquid, n.o.s. | | | |

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning

123-35-3(NF 204-622-5 0.1 - 1.0 % 89-82-7 201-943-2 0.1 - 1.0 %

beta-Myrcene (Natural Source)

Pulegone (Natural Source)

This product contains the following components:

09-02-7 201-943-2 0.1-1.

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226: Flammable liquid and vapour H228: Flammable Solid H302: Harmful if swallowed H304: May be fatal if swallowed and enters airways H312: Harmful in contact with skin H313: May be harmful in contact with skin H316: Causes mild skin irritation H317: May cause an allergic skin reaction H318: Causes serious eye damage H320: Causes eye irritation H332: Harmful if inhaled H335: May cause respiratory irritation H401: Toxic to aquatic life H400 : Very Toxic to aquatic life H402: Harmful to aquatic life H410: Very toxic to aquatic life with long lasting effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(67.57) Acute Toxicity Inhalation, Category 5
(19.07) Sensitization, Skin, Category 1
(19.07) Sensitization, Skin, Category 1A
(10.00) Sensitization, Skin, Category 1B
(5.31) Reproductive Toxicity, Category 2
(5.03) Skin Corrosion/Irritation, Category 3
(3.65) Eye Damage/Eye Irritation, Category 2A
(3.27) Skin Corrosion/Irritation, Category 2
(2.50) Target Organ Systemic Toxicity - Single Exposure, Category 2
(1.65) Aquatic Chronic Toxicity, Category 2

Department issuing data sheet:

(1.17) Aquatic Chronic Toxicity, Category 4

Department E-mail address:



Product: Crafter's Choice™
Wasabi Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2022-10-11 00:00

Page 9 of 9 Print Date: 2023-05-02

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.