

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice<sup>™</sup> White Washed Woods Product:

Fragrance Oil

Page 1 of 8 Print Date: 2023-05-03

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1. Identification of the substance/mixture and of the company/undertaking

#### Product identifier 1.1

Trade Name: Crafter's Choice<sup>™</sup> White Washed Woods Fragrance Oil

### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

### 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. **Hazards Identification**

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

### **Classification according to GHS**

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2B	H320 : Causes eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 2	H401 : Toxic to aquatic life
Aquatic Chronic Toxicity, Category 3	H412 : Harmful to aquatic life with long lasting effects
assification OSHA (Provisions 1910.1200 of	title 29)
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation

### CI

Skin Corrosion/Irritation, Category 2
Sensitization, Skin, Category 1A
Eye Damage/Eye Irritation, Category 2B
Reproductive Toxicity, Category 2

- H317 : May cause an allergic skin reaction
- H320 : Causes eye irritation

H361 : Suspected of damaging fertility or the unborn child

### **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

### 2.2 Label elements

Labelling (GHS) Hazard pictograms



Revised Date: 2023-02-07 00:00

### Product: Crafter's Choice<sup>™</sup> White Washed Woods

Fragrance Oil

Page 2 of 8 Print Date: 2023-05-03

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com



### Signal Word: Warning

#### Hazard statements H303 May be harmful if swallowed H313 May be harmful in contact with skin H315 Causes skin irritation H317 May cause an allergic skin reaction Causes eye irritation H320 H333 May be harmful if inhaled H361 Suspected of damaging fertility or the unborn child H401 Toxic to aquatic life

### **Precautionary Statements**

### **Prevention:**

H412

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse

Harmful to aquatic life with long lasting effects

### 2.3 Other Hazards

### no data available

### 3. Composition/Information on Ingredients

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

# **Crafter's**Choice®

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

## Safety Data Sheet

SDS v1 GHS / OSHA

#### Revised Date: 2023-02-07 00:00

### Product: Crafter's Choice<sup>™</sup> White Washed Woods

Fragrance Oil

Page 3 of 8 Print Date: 2023-05-03

(800) 359-0944 www.WholesaleSuppliesPlus.com			
CAS# Ingredient	EC#	Conc. Range	GHS Classification
24851-98-7	246-495-9	10 - 20 %	H402
Methyldih	ydrojasmonate		
54464-57-2	259-174-3	10 - 20 %	H315; H317; H401; H411
Tetrametl	hyl Acetyloctahy	rdronaphthalenes	3
121-32-4	204-464-7	5 - 10 %	H303; H320; H402
Ethyl Van	villin		
91-64-5	202-086-7	2 - 5 %	H301; H317; H402
Coumarin	1		
104-61-0	203-219-1	2 - 5 %	H316
gamma-N	lonalactone		
115-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402
Linalyl Ac	etate		
105-95-3	203-347-8	2 - 5 %	H401
Ethylene	brassylate		
5989-27-5	227-813-5	1 - 2 %	H226; H304; H315; H317; H400; H412
Limonene	9		
104-50-7	203-208-1	1 - 2 %	H303; H315; H402
gamma-C	Octalactone		
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
Linalool			
97-54-1	202-590-7	0.1 - 1.0 %	H302; H312; H315; H317; H319; H332;
lso Euger	nol		H335; H401
104-55-2	203-213-9	0.1 - 1.0 %	H303; H312; H315; H317; H319; H401;
Cinnamal	1		H412
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;
pinene			H410
4707-47-5	225-193-0	0.1 - 1.0 %	H317; H401
Methyl atl	rarate		
13466-78-9	236-719-3	0.1 - 1.0 %	H226; H303; H304; H315; H317; H332;
delta-3-C	arene		H401; H411
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-Terpinene			
-		GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 2.86

4. First Aid Measures	
4.1 Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.



7820 E Pleasant Valley Road

Independence, OH 44131

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:	Crafter's Choice <sup>™</sup> White Washed Woods
	Fragrance Oil

Page 4 of 8 Print Date: 2023-05-03

Remove contaminated clothes. Wash thoroughly with water (and soap).
Contact physician if symptoms persist.
Rinse mouth with water and obtain medical advice.
d effects, both acute and delayed
no data available
Refer to Section 2.2 "Hazard Statements"
nedical attention and special treatment needed
Refer to Section 2.2 "Response"
res
Carbon dioxide (CO2), Dry chemical, Foam
Do not use a direct water jet on burning material
he substance or mixture
Water may be ineffective
Standard procedure for chemical fires
r

### 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### 6.4 Reference to other sections

Not Applicable

### 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

### 7.3 Specific end uses

No information available



Revised Date: 2023-02-07 00:00

#### Crafter's Choice<sup>™</sup> White Washed Woods Product:

Page 5 of 8 Print Date: 2023-05-03

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Fragrance Oil

#### 8. **Exposure Controls/Personal Protection**

### 8.1 Control parameters

Exposure Lim	nits:		ACGIH	ACGIH	OSHA	OSHA
Component						STEL ppm
80-56-8	pinene		20	)		
13466-78-9	delta-3-Ca	rene	20	)		
Engineering (	Controls:	Use local exhaust as needed.				

### 8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

#### **Physical and Chemical Properties** 9.

### 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow Tint (G1) to Yellow (G5)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0281
%VOC:	2.96
Specific Gravity @ 25 C:	0.9750
Density (g/mL) @ 25 C:	0.9720
Refractive Index @ 20 C:	1.4730
Soluble in:	Oil

#### 10. **Stability and Reactivity**

None Stable

# **Crafter's**Choice®

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

### Product: Crafter's Choice<sup>™</sup> White Washed Woods

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com	Fragrance Oil	Page 6 of 8 Print Date: 2023-05-03
10.3 Possibility of hazardous reactions	None known	
10.4 Conditions to avoid	None known	
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis	
10.6 Hazardous decomposition products	None known	

### 11. Toxicological Information

### **11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 3775.1439) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3411.3835) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 94.6436) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

### 12. Ecological Information

12.1	Гохі	city
------	------	------

Acute acquatic toxicity	Toxic to aquatic life
Chronic acquatic toxicity	Harmful to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available



SDS v1 GHS / OSHA

#### Revised Date: 2023-02-07 00:00

### Product: Crafter's Choice<sup>™</sup> White Washed Woods Fragrance Oil

Page 7 of 8 Print Date: 2023-05-03

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

### 13. Disposal Conditions

### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

### 14. Transport Information

Marine Pollutant	No				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	Goods	
Chemicals NOI					
ADR/RID (International Ro	ad/Rail)	Not Regulated	- Not Dangerous	Goods	
Chemicals NOI					
IATA (Air Cargo)		Not Regulated	- Not Dangerous	Goods	
Chemicals NOI					
IMDG (Sea)		Not Regulated	- Not Dangerous	Goods	
Chemicals NOI					

15. Regulatory Information					
U.S. Federal Regulations					
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt				
40 CFR(EPCRA, SARA, CERCLA and CAA	This product contains NO components of concern.				
U.S. State Regulations					
California Proposition 65 Warning	This product contains the following components:				
123-35-3(NF 204-622-5 0.01 - 0.1%	beta-Myrcene (Natural Source)				
Canadian Regulations					
DSL	99.97% of the components are listed or exempt.The following components are NOT on the List:				
94201-19-1 303-602-4 0.01 - 0.1%	1-Oxaspiro[4.5]decan-2-one, 8-methyl-, cis-				

### 16. Other Information

### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H227 : Combustible liquid
H301 : Toxic if swallowed	H302 : Harmful if swallowed
H304 : May be fatal if swallowed and enters airways	H312 : Harmful in contact with skin
H316 : Causes mild skin irritation	H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation	H332 : Harmful if inhaled
H335 : May cause respiratory irritation	H400 : Very Toxic to aquatic life
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects

# **Crafter's**Choice®

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

### Product: Crafter's Choice<sup>™</sup> White Washed Woods

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Fragrance Oil

Page 8 of 8 Print Date: 2023-05-03

### H411 : Toxic to aquatic life with long lasting effects

### **Total Fractional Values**

(TFV) Risk
(52.83) Acute Toxicity Inhalation, Category 5
(8.67) Aquatic Chronic Toxicity, Category 3
(2.32) Sensitization, Skin, Category 1
(1.94) Aquatic Acute Toxicity, Category 2
(1.47) Acute Toxicity Dermal, Category 5

(1.32) Acute Toxicity Oral, Category 5

### Department issuing data sheet:

### Department E-mail address:

### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.

### (TFV) Risk

(10.00) Sensitization, Skin, Category 1B

(5.00) Sensitization, Skin, Category 1A

(2.18) Skin Corrosion/Irritation, Category 3

(1.82) Skin Corrosion/Irritation, Category 2

(1.41) Reproductive Toxicity, Category 2

(1.18) Eye Damage/Eye Irritation, Category 2B