

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations / Issue date: 10/2/2023 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
	: Mixture : RUSTC ESCENTUALS™ WHITE WOODS FRAGRANCE OIL
1.2. Recommended use and restrictions on u	ISE
	: Perfumes, Fragrances : Perfumes, Fragrances
1.3. Supplier	
IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com	
1.4. Emergency telephone number	
Emergency number	: (800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands +1 813 248-0585 International
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mixtu	re
GHS US classification	
Skin sensitization, Category 1 Full text of H statements : see section 16	H317 May cause an allergic skin reaction
2.2. GHS Label elements, including precaution	onary statements
GHS US labeling	
Hazard pictograms (GHS US)	
Hazard statements (GHS US)	 Warning H317 - May cause an allergic skin reaction P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - If on skin: Wash with plenty of water. P321 - Specific treatment (see supplemental first aid instruction on this label). P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
2.3. Other hazards which do not result in cla	ssification

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Benzyl benzoate	CAS-No.: 120-51-4	2.4 – 4.725	Acute Tox. 4 (Oral), H302
Vanillin	CAS-No.: 121-33-5	2.3 – 4.55	Eye Irrit. 2A, H319
Ethyl vanillin	CAS-No.: 121-32-4	1.7 – 3.35	Acute Tox. 4 (Oral), H302
Ethyl maltol	CAS-No.: 4940-11-8	1.3 – 2.5	Acute Tox. 4 (Oral), H302
2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	CAS-No.: 28219-60-5	0.5 – 1	Skin Irrit. 2, H315
Linalool	CAS-No.: 78-70-6	0.1 – 0.2	Flam. Liq. 4, H227 Skin Sens. 1, H317 Aquatic Acute 3, H402
Pimento oil (Allspice)	CAS-No.: 8006-77-7	0.1 – 0.15	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures		
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.	
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash with plenty of soap and water. Get medical advice/attention. Wash contaminated clothing before reuse.	
First-aid measures after eye contact	 Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. 	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.	
4.2. Most important symptoms and effects (acute and delayed)		
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	
Symptoms/effects Symptoms/effects after inhalation	 Not expected to present a significant hazard under anticipated conditions of normal use. May cause an allergic skin reaction. 	
4.3. Immediate medical attention and spe	ecial treatment, if necessary	

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing	g media
Suitable extinguishing media Unsuitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream.
5.2. Specific hazards arising from the chem	nical
No additional information available	
5.3. Special protective equipment and prec	autions for fire-fighters
Firefighting instructions Protection during firefighting	 Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measu	res
6.1. Personal precautions, protective equip	oment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment Emergency procedures	Equip cleanup crew with proper protection.Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notify au	thorities if liquid enters sewers or public waters.
6.3. Methods and material for containment	and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal pro	tection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including	any incompatibilities

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1 0 0	Store in a closed container. Do not store in corrodable metal.	
SECTION 8: Exposure controls/personal	protection	
8.1. Control parameters		
WHITE WOODS CABIN #32465F		
No additional information available		
Ethyl vanillin (121-32-4)		
No additional information available		
Vanillin (121-33-5)		
USA - AIHA - Occupational Exposure Limits		
WEEL TWA	10 mg/m³	
Benzyl benzoate (120-51-4)		
No additional information available		
Ethyl maltol (4940-11-8)		
No additional information available		
2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (28219-60-5)		
No additional information available		
Pimento oil (Allspice) (8006-77-7)		
No additional information available		
Linalool (78-70-6)		
No additional information available		
8.2. Appropriate engineering controls		
No additional information available		
8.3. Individual protection measures/Personal	protective equipment	
Personal protective equipment: Avoid all unnecessary exposure.		
Hand protection:		
Wear protective gloves.		
Eye protection:		

Chemical goggles or safety glasses

Respiratory protection:

Wear appropriate mask

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal protective equipment symbol(s):



Other information: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Physical state : Liquid Color light yellow amber : Odor Sweet wood ٠ Odor threshold : No data available : No data available pН Melting point : No data available Freezing point : No data available : No data available Boiling point : > 93.3 °C Flash point Relative evaporation rate (butyl acetate=1) : No data available Non flammable. Not applicable. Flammability (solid, gas) : Vapor pressure No data available : Relative vapor density at 20°C : No data available Relative density : ≈ 0.94 : No data available Solubility Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available No data available Viscosity, kinematic : Viscosity, dynamic ÷ No data available **Explosion limits** No data available · Explosive properties No data available : Oxidizing properties No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
Not established.
10.3. Possibility of hazardous reactions
Not established.
10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.5. Incompatible materials			
Strong acids. Strong bases.			
10.6. Hazardous decomposition products			
fume. Carbon monoxide. Carbon dioxide.			
SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
	Not classified		
Acute toxicity (dermal) : Acute toxicity (inhalation) :	Not classified Not classified		
Ethyl vanillin (121-32-4)			
LD50 oral rat	1590 mg/kg (Source: NLM_CIP)		
LD50 oral	3000 mg/kg body weight		
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)		
ATE US (oral)	1590 mg/kg body weight		
Vanillin (121-33-5)	1		
LD50 dermal rabbit	> 5010 mg/kg (Source: OECD_SIDS)		
LD50 dermal	2600 mg/kg body weight		
Benzyl benzoate (120-51-4)			
LD50 oral rat	500 mg/kg (Source: NLM_CIP)		
LD50 oral	1160 mg/kg body weight		
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)		
ATE US (oral)	500 mg/kg body weight		
ATE US (dermal)	4000 mg/kg body weight		
Ethyl maltol (4940-11-8)			
LD50 oral rat	1150 mg/kg (Source: NLM_CIP)		
LD50 oral	1200 mg/kg body weight		
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)		
ATE US (oral)	1150 mg/kg body weight		
Pimento oil (Allspice) (8006-77-7)	Pimento oil (Allspice) (8006-77-7)		
LD50 oral rat	3600 mg/kg (Source: NLM_CIP)		
ATE US (oral)	3600 mg/kg body weight		
Linalool (78-70-6)			
LD50 oral	2790 mg/kg body weight		
Skin corrosion/irritation:Serious eye damage/irritation:	Not classified Not classified		
	May cause an allergic skin reaction.		

Germ cell mutagenicity Carcinogenicity : Not classified

: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reproductive toxicity	:	Not classified
STOT-single exposure	:	Not classified
STOT-repeated exposure	:	Not classified
Aspiration hazard	:	Not classified
Viscosity, kinematic	:	No data available
Benzyl benzoate (120-51-4)		
Viscosity, kinematic		7.456 mm²/s
Potential Adverse human health effects and symptoms	:	Based on available data, the classification criteria are not met.
Symptoms/effects	:	Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	:	May cause an allergic skin reaction.

SECTION 12: Ecological information		
12.1. Toxicity		
Ethyl vanillin (121-32-4)		
LC50 - Fish [1]	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
Vanillin (121-33-5)		
LC50 - Fish [1]	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])	
Benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
NOEC (chronic)	0.168 mg/l	
Ethyl maltol (4940-11-8)		
LC50 - Fish [1]	> 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: ECHA)	
Linalool (78-70-6)		
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)	
12.2. Persistence and degradability		
WHITE WOODS CABIN #32465F		
Persistence and degradability	Not established.	
Benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
12.3. Bioaccumulative potential		
WHITE WOODS CABIN #32465F		
Bioaccumulative potential	Not established.	
Ethyl vanillin (121-32-4)		
Partition coefficient n-octanol/water (Log Pow)	1.61 (at 25 °C)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vanillin (121-33-5)	
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Bioaccumulative potential	Not established.
Ethyl maltol (4940-11-8)	
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 25 °C)
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Other information	: Avoid release to the environment.
SECTION 13: Disposal considerations	
13.1. Disposal methods	
Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
In accordance with DOT	
In accordance with DOT	
In accordance with DOT 14.1. UN number	
In accordance with DOT 14.1. UN number Not regulated for transport	: Not applicable
In accordance with DOT 14.1. UN number Not regulated for transport 14.2. UN proper shipping name	: Not applicable
In accordance with DOT 14.1. UN number Not regulated for transport 14.2. UN proper shipping name Proper Shipping Name (DOT) 14.3. Transport hazard class(es) DOT	
In accordance with DOT 14.1. UN number Not regulated for transport 14.2. UN proper shipping name Proper Shipping Name (DOT) 14.3. Transport hazard class(es) DOT Transport hazard class(es) (DOT)	: Not applicable
In accordance with DOT 14.1. UN number Not regulated for transport 14.2. UN proper shipping name Proper Shipping Name (DOT) 14.3. Transport hazard class(es) DOT Transport hazard class(es) (DOT) 14.4. Packing group	: Not applicable
In accordance with DOT 14.1. UN number Not regulated for transport 14.2. UN proper shipping name Proper Shipping Name (DOT) 14.3. Transport hazard class(es) DOT Transport hazard class(es) (DOT)	
In accordance with DOT 14.1. UN number Not regulated for transport 14.2. UN proper shipping name Proper Shipping Name (DOT) 14.3. Transport hazard class(es) DOT Transport hazard class(es) (DOT) 14.4. Packing group	: Not applicable
In accordance with DOT 14.1. UN number Not regulated for transport 14.2. UN proper shipping name Proper Shipping Name (DOT) 14.3. Transport hazard class(es) DOT Transport hazard class(es) (DOT) 14.4. Packing group Packing group (DOT)	: Not applicable
In accordance with DOT 14.1. UN number Not regulated for transport 14.2. UN proper shipping name Proper Shipping Name (DOT) 14.3. Transport hazard class(es) DOT Transport hazard class(es) (DOT) 14.4. Packing group Packing group (DOT) 14.5. Environmental hazards	: Not applicable : Not applicable
In accordance with DOT 14.1. UN number Not regulated for transport 14.2. UN proper shipping name Proper Shipping Name (DOT) 14.3. Transport hazard class(es) DOT Transport hazard class(es) (DOT) 14.4. Packing group Packing group (DOT) 14.5. Environmental hazards Other information	: Not applicable : Not applicable
In accordance with DOT 14.1. UN number Not regulated for transport 14.2. UN proper shipping name Proper Shipping Name (DOT) 14.3. Transport hazard class(es) DOT Transport hazard class(es) (DOT) 14.4. Packing group Packing group (DOT) 14.5. Environmental hazards Other information 14.6. Special precautions for user DOT	 Not applicable Not applicable No supplementary information available.

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

Ethyl vanillin (121-32-4)

Listed on the Canadian DSL (Domestic Substances List)

Vanillin (121-33-5)

Listed on the Canadian DSL (Domestic Substances List)

Benzyl benzoate (120-51-4)

Listed on the Canadian DSL (Domestic Substances List)

Ethyl maltol (4940-11-8)

Listed on the Canadian DSL (Domestic Substances List)

2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (28219-60-5)

Listed on the Canadian NDSL (Non-Domestic Substances List)

Pimento oil (Allspice) (8006-77-7)

Listed on the Canadian DSL (Domestic Substances List)

Linalool (78-70-6)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Ethyl vanillin (121-32-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Vanillin (121-33-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Benzyl benzoate (120-51-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Ethyl maltol (4940-11-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (28219-60-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Linalool (78-70-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Ethyl vanillin (121-32-4)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on TECI (Thailand Existing Chemicals Inventory)

Vanillin (121-33-5)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemical Inventory) Listed on TECI (Thailand Existing Chemicals Inventory)

Benzyl benzoate (120-51-4)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ethyl maltol (4940-11-8)

- Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
- Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
- Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on TECI (Thailand Existing Chemicals Inventory)

2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (28219-60-5)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on TECI (Thailand Existing Chemicals Inventory)

Pimento oil (Allspice) (8006-77-7)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Linalool (78-70-6)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on TECI (Thailand Existing Chemicals Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
Refined Soybean oil(8001-22-7)	U.S Pennsylvania - RTK (Right to Know) List
Benzyl alcohol(100-51-6)	U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List

SECTION 16: Other information


according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Other information : None.

Full text of H-phrases	
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H402	Harmful to aquatic life
H412	Harmful to aquatic life with long lasting effects

NFPA health hazard

: 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard NFPA reactivity 1 - Materials that must be preheated before ignition can occur.
0 - Material that in themselves are normally stable, even under fire conditions.



Safety Data Sheet (SDS), USA

The data contained in this Safety Data Sheet is accurate to the best knowledge of IndiMade Brands, LLC applies to the product as supplied by IndiMade Brands, LLC and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does IndiMade Brands, LLC assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body.