

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Windsong Balsam Pine -

EO & FO Blend

Page 1 of 8 Print Date: 2023-05-16

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Windsong Balsam Pine - EO & FO Blend

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

	Flammable Liquids, Category 4	H227 : Combustible liquid
	Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
	Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
	Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
	Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
	Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
CI	assification OSHA (Provisions 1910.1200 of title	29)

Flammable Liquids, Category 4	H227 : Combustible liquid
Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []

2.2 Label elements

Labelling (GHS) Hazard pictograms



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Windsong Balsam Pine -

EO & FO Blend

Page 2 of 8 Print Date: 2023-05-16

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com





Signal Word: Danger

Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS#	EC#	Conc.	
Ingredient	EC#	Range	GHS Classification

Crafter'sChoice®

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Windsong Balsam Pine -

EO & FO Blend

Page 3 of 8 Print Date: 2023-05-16

CAS# Ingredient	EC#	Conc. Range	GHS Classification
125-12-2	204 727 6	50 - 60 %	H227; H316; H401
	204-727-6	50 - 60 %	Π227, Π310, Π401
Isobornyl a 127-91-3	204-872-5	2 - 5 %	4226. 4204. 4215. 4217. 4400. 4410
beta Piner		2 - 5 %	H226; H304; H315; H317; H400; H410
80-56-8	201-291-9	2 - 5 %	H226; H302; H304; H315; H317; H400;
pinene	201-291-9	2-5 %	H410
79-92-5	201-234-8	2 - 5 %	H228; H320; H400; H410
Camphene		2-5 /8	11220, 11320, 11400, 11410
586-62-9	209-578-0	2 - 5 %	H227; H303; H304; H316; H317; H400;
Terpinoler		2 - 5 70	H410
2756-56-1	220-410-5	2 - 5 %	H316; H401
Isobornyl j		2 3 70	
120-51-4	204-402-9	2 - 5 %	H302; H313; H400; H411
Benzyl Be		2 3 70	1002, 1013, 11400, 11411
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412
Limonene	227 010 0	2 0 /0	1220, 11004, 11010, 11017, 11400, 11412
91-64-5	202-086-7	2 - 5 %	H301; H317; H402
Coumarin	202 000 1	2 0 /0	
8000-41-7	232-268-1	1 - 2 %	H227; H303; H315; H319; H402
Terpineol		//	,
123-35-3	204-622-5	1 - 2 %	H226; H304; H315; H319; H400; H411
beta-Myrc		//	······, ·····, ·····, ·····, ·····, ·····
13466-78-9	236-719-3	1 - 2 %	H226; H303; H304; H315; H317; H332;
delta-3-Ca		//	H401; H411
470-82-6	207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402
Eucalyptol			
87-44-5	201-746-1	0.1 - 1.0 %	H304; H317
Beta-Cary	ophyllene		
32388-55-9	251-020-3	0.1 - 1.0 %	H303; H317; H400; H410
Acetyl cea	lrene		
32210-23-4	250-954-9	0.1 - 1.0 %	H303; H317; H401
4-tert-Buty	lcyclohexyl ace	etate	
112-54-9	203-983-6	0.1 - 1.0 %	H315; H317; H319
Lauraldeh	yde		
77-83-8	201-061-8	0.1 - 1.0 %	H317; H401; H411
Ethyl Methylphenylglycidate			
Son Section 1	S for full toxt of	GHS classification	ades ad

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 17.95



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Windsong Balsam Pine -

EO & FO Blend

Page 4 of 8 Print Date: 2023-05-16

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

4. First Aid Measures	
4.1 Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most important symptoms and eff	ects, both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate medical attention and special treatment needed	
Treatment:	Refer to Section 2.2 "Response"
5. Fire-Fighting measures	
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material
5.2 Special hazards arising from the s	, ,
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective

 Further information:
 Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

Crafter'sChoice[®]

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 5 of 8

Print Date: 2023-05-16

Product: Crafter's Choice™ Windsong Balsam Pine -

EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Component		ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm
80-56-8	pinene	20
127-91-3	beta Pinene	20
13466-78-9	delta-3-Carene	20

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Nearly Colorless to Yellow Tint (G0-1)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	142 F (61.11 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.2703
%VOC:	25.44

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice[™] Windsong Balsam Pine -Product:

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com	
Specific Gravity @ 25 C:	
Density (g/mL) @ 25 C:	(
Refractive Index @ 20 C:	
Soluble in:	

EO & FO Blend

Page 6 of 8 Print Date: 2023-05-16

www.WholesaleSuppliesPlus.com		
Specific Gravity @ 25 C:	0.9570	
Density (g/mL) @ 25 C:	0.9540	
Refractive Index @ 20 C:	1.4710	
Soluble in:	Oil	

Stability and Reactivity 10.

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. **Toxicological Information**

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4802.9215) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3479.8362) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 92.0304) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

Ecological Information 12.

12.1 Toxicity

Acute acquatic toxicity
Chronic acquatic toxicity
Toxicity Data on soil
Toxicity on other organisms

Not classified - the classification criteria are not met Toxic to aquatic life with long lasting effects no data available no data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice[™] Windsong Balsam Pine -Product:

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com	EO & FO Blend	Page 7 of 8 Print Date: 2023-05-16
12.2 Persistence and degradability	no data available	
12.3 Bioaccumulative potential	no data available	
12.4 Mobility in soil	no data available	
12.5 Other adverse effects	no data available	

13. **Disposal Conditions**

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. **Transport Information**

Marine Pollutant	Yes. Ingredient of 127-91-3 : (2 - 5 9				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International Ro	ad/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s		9	111		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s		9	Ш		UN3082
15. Regulatory Information U.S. Federal Regulations TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt					
40 CFR(EPCRA, SARA, U.S. State Regulations	CERCLA and CAA) This produ	ct contains NO c	components of concern	
-		-			
California Proposition 6	-	•		ollowing components:	
	2-5 1-2%	beta-Myrcene		-)	
123-35-3(NF 204-62	2-5 0.1 - 1.0 %	beta-wyrcene	e (Natural Source	e)	
Canadian Regulations					
DSL			of the component its are NOT on th	s are listed or exempt. he List:	The following
67801-20-1 267-14	0-4 <= 5 ppm	3-Methyl-5-(2	2,2,3-trimethyl-3-	cyclopenten-1-yl)pent-4	l-en-2-ol
198404-98-7 427-90	0-1 <= 3 ppm	Cyclopropan 1-methyl-2-[(cyclo[3.1.0]hex-3-yl)me	thyl]
94201-73-7 303-66	i2-1 <= 1 ppm	• • •	-methyl-2-pheny	• • • • • •	· -

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice[™] Windsong Balsam Pine -

EO & FO Blend

Page 8 of 8 Print Date: 2023-05-16

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

131812-67-4 412-950-7

54440-17-4

<= 0 ppm

<= 0 ppm

2,4-Dimethyl-2-(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl-2-naphthalenyl)-1,3dioxolane (Okoumal) 2,3,3-Trimethylindanone

16. **Other Information**

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H228 : Flammable Solid
H301 : Toxic if swallowed	H302 : Harmful if swallowed
H316 : Causes mild skin irritation	H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation	H320 : Causes eye irritation
H332 : Harmful if inhaled	H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(56.17) Aquatic Chronic Toxicity, Category 3	(54.33) Acute Toxicity Inhalation, Category 5
(10.50) Sensitization, Skin, Category 1	(10.50) Sensitization, Skin, Category 1A
(8.01) Skin Corrosion/Irritation, Category 3	(5.61) Aquatic Chronic Toxicity, Category 2
(3.71) Sensitization, Skin, Category 1B	(1.51) Skin Corrosion/Irritation, Category 2
(1.49) Aspiration Hazard, Category 1	(1.44) Acute Toxicity Dermal, Category 5
(1.04) Acute Toxicity Oral, Category 5	

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.

Product: