

7820 E Pleasant Valley Road
 Independence, OH 44131
 (800) 359-0944
 www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Yuzu ORIGINAL -
 EO & FO Blend**

Page 1 of 9
 Print Date: 2023-05-03

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Yuzu ORIGINAL - EO & FO Blend

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus
 7820 E Pleasant Valley Road
 Independence, OH 44131
 (800) 359-0944
 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands
+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 4	H332 : Harmful if inhaled
Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4	H227 : Combustible liquid
Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 4	H332 : Harmful if inhaled
Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child

Classification Other

7820 E Pleasant Valley Road
 Independence, OH 44131
 (800) 359-0944
 www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Yuzu ORIGINAL -
 EO & FO Blend**

Page 2 of 9
 Print Date: 2023-05-03

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



Signal Word: Danger

Hazard statements

- | | |
|------|---|
| H227 | Combustible liquid |
| H303 | May be harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H313 | May be harmful in contact with skin |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H332 | Harmful if inhaled |
| H360 | May damage fertility or the unborn child |
| H400 | Very Toxic to aquatic life |
| H411 | Toxic to aquatic life with long lasting effects |

Precautionary Statements

Prevention:

- | | |
|------|--|
| P201 | Obtain special instructions before use |
| P202 | Do not handle until all safety precautions have been read and understood |
| P235 | Keep cool |
| P264 | Wash hands thoroughly after handling |
| P271 | Use only outdoors or in a well-ventilated area |
| P272 | Contaminated work clothing should not be allowed out of the workplace |
| P273 | Avoid release to the environment |
| P281 | Use personal protective equipment as required |

Response:

- | | |
|--------------------|---|
| P301 + P310 + P331 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting |
| P302 + P352 | IF ON SKIN: Wash with soap and water |
| P304 + P312 + P340 | IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell Remove victim to fresh air and keep at rest in a position comfortable for breathing |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing |
| P308 + P313 | IF exposed or concerned: Get medical advice/attention |
| P312 | Call a POISON CENTER or doctor/physician if you feel unwell |
| P333 + P313 | If skin irritation or a rash occurs: Get medical advice/attention |
| P337 + P313 | If eye irritation persists: Get medical advice/attention |

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Yuzu ORIGINAL -
EO & FO Blend**

Page 3 of 9
Print Date: 2023-05-03

P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO ₂), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
88-41-5 <i>2-t-Butylcyclohexyl acetate</i>	201-828-7	10 - 20 %	H227; H303; H316; H401; H411
5989-27-5 <i>Limonene</i>	227-813-5	10 - 20 %	H226; H304; H315; H317; H400; H412
103-60-6 <i>2-Phenoxyethyl isobutyrate</i>	203-127-1	10 - 20 %	H316
78-70-6 <i>Linalool</i>	201-134-4	5 - 10 %	H227; H303; H315; H317; H319; H402
120-51-4 <i>Benzyl Benzoate</i>	204-402-9	5 - 10 %	H302; H313; H400; H411
101-86-0 <i>Hexyl cinnamal</i>	202-983-3	5 - 10 %	H303; H316; H317; H400; H411
18479-58-8 <i>2,6-dimethyloct-7-en-2-ol</i>	242-362-4	5 - 10 %	H227; H303; H315; H319; H402
140-11-4 <i>Benzyl acetate</i>	205-399-7	2 - 5 %	H303; H401; H412
142-19-8 <i>Allyl heptanoate</i>	205-527-1	2 - 5 %	H227; H301; H311; H400; H412
93-92-5 <i>methylbenzyl acetate</i>	202-288-5	2 - 5 %	H227; H402
68737-61-1 <i>Dimethyltetrahydro Benzaldehyde</i>	272-113-5	2 - 5 %	H227; H303; H313; H315; H317; H401; H411
60-12-8 <i>phenethyl alcohol</i>	200-456-2	2 - 5 %	H302; H313; H316; H319
80-54-6 <i>Butylphenyl Methylpropional</i>	201-289-8	2 - 5 %	H227; H302; H315; H317; H360; H401; H412
1222-05-5 <i>Hexamethylindanopyran</i>	214-946-9	2 - 5 %	H316; H400; H410

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Yuzu ORIGINAL -
EO & FO Blend**

Page 4 of 9

Print Date: 2023-05-03

CAS# Ingredient	EC#	Conc. Range	GHS Classification
99-87-6 <i>p-cymene</i>	202-796-7	2 - 5 %	H226; H303; H304; H331; H361; H401; H411
6259-76-3 <i>Hexyl salicylate</i>	228-408-6	1 - 2 %	H316; H317; H400; H410
10094-34-5 <i>Dimethyl Phenethyl Butyrate</i>	233-221-8	1 - 2 %	H401; H411
706-14-9 <i>gamma-Decalactone</i>	211-892-8	1 - 2 %	H316
115-95-7 <i>Linalyl Acetate</i>	204-116-4	1 - 2 %	H227; H315; H317; H320; H402
54830-99-8 <i>Acetoxymethylenecyclopentadiene</i>	259-367-2	1 - 2 %	H303; H316; H402
68912-13-0 <i>Hexahydro-methanoindenyl Propionate</i>	272-805-7	1 - 2 %	H401; H411
5392-40-5 <i>Citral</i>	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401
1335-66-6 <i>IsoCycloCitral</i>	215-638-7	0.1 - 1.0 %	H227; H303; H317; H319; H401; H412
24720-09-0 <i>alpha-damascone</i>	246-430-4	0.1 - 1.0 %	H302; H313; H317; H401; H411

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which were not shown in section 2

Total Hydrocarbon Content (% w/w) = 12.34

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment:	Refer to Section 2.2 "Response"
-------------------	---------------------------------

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

140-11-4 *Benzyl acetate*

ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
			10

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Yuzu ORIGINAL -
EO & FO Blend**

Page 6 of 9
Print Date: 2023-05-03

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Colorless to Y Golden Yellow(G3)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	160 F (71.11 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.1858
%VOC:	25.45
Specific Gravity @ 25 C:	0.9470
Density (g/mL) @ 25 C:	0.9440
Refractive Index @ 20 C:	1.4820
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2055.3793) May be harmful if swallowed

Product: **Crafter's Choice™ Yuzu ORIGINAL - EO & FO Blend**

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Page 7 of 9
Print Date: 2023-05-03

Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3103.2861) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 19.8628) Harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	May damage fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity	Very Toxic to aquatic life
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability no data available

12.3 Bioaccumulative potential no data available

12.4 Mobility in soil no data available

12.5 Other adverse effects no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :
5989-27-5 : (10 - 20 %) : Limonene

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk) Chemicals NOI	Not Regulated - Not Dangerous Goods			
ADR/RID (International Road/Rail)				

7820 E Pleasant Valley Road
 Independence, OH 44131
 (800) 359-0944
 www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Yuzu ORIGINAL -
 EO & FO Blend**

Page 8 of 9
 Print Date: 2023-05-03

Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082
IATA (Air Cargo)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082
IMDG (Sea)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:
 1222-05-5 214-946-9 2 - 5 % Hexamethylindanopyran

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:
 123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

- | | |
|--|---|
| H226 : Flammable liquid and vapour | H301 : Toxic if swallowed |
| H302 : Harmful if swallowed | H311 : Toxic in contact with skin |
| H316 : Causes mild skin irritation | H317 : May cause an allergic skin reaction |
| H320 : Causes eye irritation | H331 : Toxic if inhaled |
| H361 : Suspected of damaging fertility or the unborn child | H401 : Toxic to aquatic life |
| H402 : Harmful to aquatic life | H410 : Very toxic to aquatic life with long lasting effects |
| H412 : Harmful to aquatic life with long lasting effects | |

Total Fractional Values

- | | |
|---|--|
| (TFV) Risk | (TFV) Risk |
| (30.44) Aquatic Chronic Toxicity, Category 3 | (30.00) Reproductive Toxicity, Category 1B |
| (20.00) Reproductive Toxicity, Category 2 | (18.00) Sensitization, Skin, Category 1 |
| (18.00) Sensitization, Skin, Category 1A | (10.25) Sensitization, Skin, Category 1B |
| (10.00) Reproductive Toxicity, Category 1B | (7.30) Skin Corrosion/Irritation, Category 3 |
| (3.30) Skin Corrosion/Irritation, Category 2 | (2.96) Aquatic Chronic Toxicity, Category 2 |
| (2.47) Aquatic Chronic Toxicity, Category 4 | (2.42) Acute Toxicity Oral, Category 5 |
| (1.79) Eye Damage/Eye Irritation, Category 2A | (1.45) Acute Toxicity Dermal, Category 5 |
| (1.23) Aquatic Acute Toxicity, Category 1 | (1.23) Aspiration Hazard, Category 1 |
| (1.01) Acute Toxicity Inhalation, Category 4 | |



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-02-11 00:00

Product: **Crafter's Choice™ Yuzu ORIGINAL -
EO & FO Blend**

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Page 9 of 9
Print Date: 2023-05-03

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.