Product: Bazooka Bubblegum

SKU:

Page 1 of 8 2018-04-23

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Bazooka Bubblegum

Product/Sales No:

- 1.2 Relevant indentified product use
 - Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer:

1.4 Emergency telephone number

(800) 255-3924Domestic USA, Canada, Puerto Rico, and US Virgin Islands+1 813 248-0585International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4	H227: Combustible liquid
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Aspiration Hazard, Category 1	H304: May be fatal if swallowed and enters airways
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319: Causes serious eye irritation
Aquatic Acute Toxicity, Category 1	H400: Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

Classification EU (67/548/EEC, 199/45/EC)

- N Dangerous for the Environment
 - R51/53 : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
- Xi Irritant
 - R38 : Irritating to skin
 - R43 : May cause sensitization by skin contact
- Xn Harmful
 - R22 : Harmful if swallowed
 - R65 : Harmful: may cause lung damage if swallowed

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Product: Bazooka Bubblegum

ZI I *U*

Page 2 of 8 2018-04-23







Signal Word: Danger

Hazard statments	
H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT
	induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

EC#

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient Conc. Range

GHS Classification

Product: Bazooka Bubblegum

Page 3 of 8 2018-04-23

CAS# Ingredient	EC#	Conc. Range	GHS Classification	EU Classification
120-51-4	204-402-9	30 - 40 %	H302; H313; H400; H411	N - R51/53; Xn - R22
Benzyl Be	enzoate			
5392-40-5	226-394-6	20 - 30 %	H313; H315; H317; H319; H401	Xi - R38, R43
Citral				
68647-72-3 Limonene	232-433-8 9	10 - 20 %	H226; H304; H315; H317; H400; H410	R10; N - R50/53; Xi - R38, R43; Xn - R65
540-18-1	208-739-2	10 - 20 %	H226	R10
Amyl buty	/rate			
140-11-4	205-399-7	2 - 5 %	H303; H316; H401; H412	
Benzyl ad	cetate			
123-92-2	204-662-3	1 - 2 %	H226; H402	R10, R66
Isoamyl a	cetate (Isopenty	/l acetate)		
121-32-4	204-464-7	1 - 2 %	H303; H320; H402	
Ethyl van	illin			
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402	Xi - R38
Linalool				
127-43-5	204-843-7	0.1 - 1.0 %	H316; H317; H401; H411	N - R51/53; Xi - R36, R38
Methyl-ß-ionone				
127-51-5	204-846-3	0.1 - 1.0 %	H315; H317; H320; H401; H411	N - R51/53; Xi - R36, R38, R43
a-Isometl	hyl ionone			

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 11.76

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
Ingestion:Rinse mouth with water and obtain medical advice.4.2Most important symptoms and effects, both acute and delayed		
Symptoms:	no data available	
Risks:	Refer to Section 2.2 "Hazard Statements"	
4.3 Indication of any immediate medical attention and special treatment needed		
Treatment: Refer to Section 2.2 "Response"		

Product: Bazooka Bubblegum

SKU#:

Page 4 of 8 2018-04-23

5. Fire-Fighting measures 5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable 5.2 Special hazards arising from the substa	Do not use a direct water jet on burning material nce or mixture
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective
Further information:	Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure I	Limits:
------------	---------

_	Component		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
	140-11-4	Benzyl acetate	10			
	123-92-2	lsoamyl acetate (Isopentyl acetate)	50	100	100	

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

	Product: Bazooka Bubblegum	
		Page 5 of 8
	SKU#:	2018-04-23
Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and sid as may be appropriate for the exposure	e shields, etc.
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation when	re appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.	

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Conforms to Standard
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	156 F (68.89 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.3209
%VOC:	29
Specific Gravity @ 25 C:	Not determined
Density @ 25 C:	Not determined
Refractive Index @ 20 C:	Not determined
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Product: Bazooka Bubblegum

SKU#:	Page 6 of 8 2018-04-23
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: Undetermined) Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: Undetermined) Not classified - the classification criteria are not met
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways
12. Ecological Information	
Acute acquatic toxicity	Very Toxic to aquatic life

Acute acquatic toxicity	Very Toxic to aquatic life		
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects		
Toxicity Data on soil	no data available		
Toxicity on other organisms	no data available		
12.2 Persistence and degradability	no data available		
12.3 Bioaccumulative potential	no data available		
12.4 Mobility in soil	no data available		
12.5 Other adverse effects	no data available		

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI ADR/RID (International Road/Rail) ClassPack GroupSub RiskNot Regulated - Not Dangerous Goods

UN-nr.

Product: Bazooka Bubblegum

Page 7 of 8 2018-04-23

Environmentally Hazardous Liquid, n.o.s.	Substance,	9	111	UN3082
IATA (Air Cargo)				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082
IMDG (Sea)				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082
15. Regulatory Inf	ormation			
Additional European Regula	ations:			
European Union (EINECS, ELINCS or NLP):		100.00% (by Wt) of the components are listed or exempt.		
Additional Asian Regulation	IS:			
Australian AICS:		100.00% (by Wt) of the ingredients on AICS or notified.		
Chinese IECS:		100.00% (by Wt) of the ingredients on IECS.		
Japan ENCS:			100.00% (by Wt) of the ingredients on ENCS, fall within the 1000 kilogram per annum exemption or have been notified.	
Korea KECL:			100.00% (by Wt) of the ingredients on KECL, fall within the 100 kilogram per annum exemption or have been notified.	
				nave been noullieu.
New Zealand NZIoC:			100.00% (by Wt) of the ingredient	
New Zealand NZIoC: Philippines PICCS:			100.00% (by Wt) of the ingredient 100.00% (by Wt) of the ingredient	s on NZloc.

NONE

16. Other Information

GHS H-Statements referred to under section 3

- H226 : Flammable liquid and vapour
- H313 : May be harmful in contact with skin
- H317 : May cause an allergic skin reaction
- H401 : Toxic to aquatic life
- H410 : Very toxic to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(1.20) Aspiration Hazard, Category 1
(280.00) Sensitization, Skin, Category 1B
(2.04) Aquatic Acute Toxicity, Category 1

- H302 : Harmful if swallowed
- H316 : Causes mild skin irritation
- H320 : Causes eye irritation
- H402 : Harmful to aquatic life
- H412 : Harmful to aquatic life with long lasting effects
- (TFV) Risk
 (4.07) Skin Corrosion/Irritation, Category 2
 (3.15) Eye Damage/Eye Irritation, Category 2A
 (6.30) Aquatic Chronic Toxicity, Category 2

Department issuing data sheet:	Regulatory Affairs Group
Department E-mail address:	RegAffairs@Agilexfragrances.com

Product: Bazooka Bubblegum

Page 8 of 8 2018-04-23

Remarks

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Just Scent holds no responsibility. This document is not intended for quality assurance purposes.