SDS Type: GHS / OSHA

# **Safety Data Sheet**

Product: Campfire Delights

Page 1 of 7 2019-09-04

## Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade Name: Campfire Delights

#### 1.2 Relevant indentified product use

**Intended use:** Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 4 H302: Harmful if swallowed

Acute Toxicity Dermal, Category 5

H313: May be harmful in contact with skin
H317: May cause an allergic skin reaction
H319: Causes serious eye irritation

Acute Toxicity Inheletion, Category 5

H323: May be harmful if inheled

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid
Acute Dermal/Eye 12 : Causes moderate skin irritation.

15: May cause eye irritation.

9: Harmful if absorbed through the skin.

Acute Oral 2: Harmful if swallowed

Sensitization/Allergic Response 31: May cause allergic skin reaction.

Target Organ Effects 26: Prolonged or repeated ingestion may cause damage to: kidneys, liver, spleen,

blood, bile duct.

28: Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

**Hazard pictograms** 

#### SDS Type: GHS / OSHA

# **Safety Data Sheet**

Product: Campfire Delights

Page 2 of 7 2019-09-04





#### Signal Word: Warning

#### **Hazard statments**

H302	Harmful if swallowed
H313	May be harmful in contact with skin
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

### **Precautionary Statements**

#### Prevention:

P273	Avoid release to the environment
P272	Contaminated work clothing should not be allowed out of the workplace
P270	Do not eat, drink or smoke when using this product
P264	Wash hands thoroughly after handling

#### Response:

P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

#### 2.3 Other Hazards

#### no data available

# 3. Composition/Information on Ingredients

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
<b>120-51-4</b> Benzyl Ber	204-402-9 nzoate	60 - 70 %	H302; H313; H400; H411	28, 3
<b>121-33-5</b> <i>Vanillin</i>	204-465-2	5 - 10 %	H303; H319	31

Product: Campfire Delights

Page 3 of 7 2019-09-04

SDS Type: GHS / OSHA

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
121-32-4	204-464-7	5 - 10 %	H303; H320; H402	
Ethyl van	illin			
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410	11, 15
Hexamet	hylindanopyran			
105-95-3	203-347-8	1 - 2 %	H401	11, 15
Ethylene	brassylate			
120-57-0	204-409-7	1 - 2 %	H303; H317; H401	31
Heliotrop	ine			
5471-51-2	226-806-4	1 - 2 %	H402	2
Raspberr	ry Ketone			
91-64-5	202-086-7	1 - 2 %	H302; H317; H402	12, 15, 2, 26, 31, 9
Coumarii	า			
123-11-5	204-602-6	1 - 2 %	H303; H402; H412	11, 15
Anisaldel	hyde			
77-83-8	201-061-8	1 - 2 %	H317; H401; H411	11, 15
Ethyl Me	thylphenylglycid	ate		
4940-11-8	225-582-5	1 - 2 %	H302; H401	2
Ethyl Ma	ltol			
See Section	16 for full text of	GHS classificat	tion codes	

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.00

#### 4. First Aid Measures

#### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

**Treatment:** Refer to Section 2.2 "Response"

# 5. Fire-Fighting measures

### 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

Product: Campfire Delights

Page 4 of 7 2019-09-04

SDS Type: GHS / OSHA

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

#### 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

## 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

# 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

## 7.3 Specific end uses

No information available

# 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

**Exposure Limits:** Contains no substances with occupational exposure limit values

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

Product: Campfire Delights

Page 5 of 7 2019-09-04

SDS Type: GHS / OSHA

# 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Pale Yellow - Yellow (G2-4)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

>200 F (93.33 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

 Vapor Pressure (mmHg@20 C):
 0.2991

 %VOC:
 1.2411

 Specific Gravity @ 25 C:
 1.1790

 Density @ 25 C:
 1.1760

 Refractive Index @ 20 C:
 1.5650

 Soluble in:
 Oil

# 10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

# 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 1,699.11) Harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3,470.83) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 138.13) May be harmful if inhaled

**Skin corrosion / irritation**Not classified - the classification criteria are not met

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Product: Campfire Delights

Page 6 of 7 2019-09-04

SDS Type: GHS / OSHA

Skin sensitizationMay cause an allergic skin reactionGerm cell mutagenicityNot classified - the classification criteria are not metCarcinogenicityNot classified - the classification criteria are not metReproductive toxicityNot classified - the classification criteria are not metSpecific target organ toxicity - single exposureNot classified - the classification criteria are not metSpecific target organ toxicity - repeated exposureNot classified - the classification criteria are not metAspiration hazardNot classified - the classification criteria are not met

### 12. Ecological Information

## 12.1 Toxicity

Acute aquatic toxicity Very Toxic to aquatic life

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

# 14. Transport Information

Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International Roa	d/Rail)				
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

Product: Campfire Delights

Page 7 of 7 2019-09-04

SDS Type: GHS / OSHA

# 15. Regulatory Information

**U.S. Federal Regulations:** 

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

**U.S. State Regulations:** 

California Proposition 65 Warning No Warning required

**Canadian Regulations:** 

**DSL / NDSL** 100.00% of the components are listed or exempt.

#### 16. Other Information

### GHS H-Statements referred to under section 3

H303 : May be harmful if swallowed H316 : Causes mild skin irritation H320 : Causes eye irritation H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting effects

H412: Harmful to aquatic life with long lasting effects

#### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(1.50) Sensitization, Skin, Category 1B (1.50) Eye Damage/Eye Irritation, Category 2A (2.91) Aquatic Acute Toxicity, Category 1 (3.96) Aquatic Chronic Toxicity, Category 2

#### Remarks

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Just Scent holds no responsibility. This document is not intended for quality assurance purposes.