Product: Drakkar Type

DOC ID: 42161.993928.1058818

Page 1 of 7 2015-06-08

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Drakkar Type

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the saftey data sheet

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands +1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS Regulation (EC) No 1272/2008

Acute Toxicity Oral, Category 4	H302: Harmful if swallowed
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 3	H316: Causes mild skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319: Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Target Organ Systemic Toxicity - Single Exposure, Category 2	H371: May cause damage to organs
Aquatic Acute Toxicity, Category 1	H400: Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects
Exposure, Category 2 Aquatic Acute Toxicity, Category 1	H400: Very Toxic to aquatic life

Classification EU (67/548/EEC, 199/45/EC)

- N Dangerous for the Environment
 - R51/53 : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment Irritant
 - R43 : May cause sensitization by skin contact
- Xn Harmful R22 : Harmful if swallowed

2.2 Label elements

Xi

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

DOC ID: 42161.993928.1058818

Product: Drakkar Type

Page 2 of 7 2015-06-08





Signal Word: Warning

Hazard statments

H302	Harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H371	May cause damage to organs
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P260	Do not breathe dust/fume/gas/mist/vapors/spray
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P309	IF exposed or you feel unwell:
P311	Call a POISON CENTER or doctor/physician
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

SDS Type: GHS / EU

DOC ID: 42161.993928.1058818

Product: Drakkar Type

Page 3 of 7 2015-06-08

CAS# Ingredient	EC#	Conc. Range	GHS Classification	EU Classification
120-51-4	204-402-9	> 80 %	H302; H313; H400; H411	N - R51/53; Xn - R22
Benzyl Be	enzoate			
118-58-1	204-262-9	2 - 5 %	H303; H317; H320; H371; H401; H412	N - R51/53; Xi - R43
Benzyl Sa	alicylate			
18479-58-8	242-362-4	2 - 5 %	H227; H303; H316; H319; H402	Xi - R38
2,6-dimeti	hyloct-7-en-2-ol			
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H319; H402	Xi - R38
Linalool				
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H361; H401;	N - R51/53; Xi - R38, R43; Xn -
Butylphen	nyl Methylpropio	nal	H411	R22, R62, Repr Cat 3
8015-73-4(S	283-900-8	0.1 - 1.0 %	H227; H302; H316; H317; H341; H351;	R52/53; Xi - R43; Xn - R22, R40,
Ocimum E	Basilicum (Basil,) Oil	H402; H412	R68
See Section 1	6 for full text of	GHS classification	on codes	

Total Hydrocarbon Content (% w/w) = 2.15

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion: 4.2 Most important symptoms and effects, I	Rinse mouth with water and obtain medical advice. both acute and delayed
Symptoms:	no data available
Risks: Refer to Section 2.2 "Hazard Statements" 3 Indication of any immediate medical attention and special treatment needed	
Treatment:	Refer to Section 2.2 "Response"

5. Fire-Fighting measures	
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material
5.2 Special hazards arising from the substa	ance or mixture
During fire fighting:	Water may be ineffective
5.3 Advice for firefighters	
Further information:	Standard procedure for chemical fires

DOC ID: 42161.993928.1058818

Product: Drakkar Type

Page 4 of 7 2015-06-08

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:	Contains no substances with occupational exposure limit values	
Engineering Controls:	Use local exhaust as needed.	
8.2 Exposure controls - Personal protective equipment		
Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure	
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.	
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.	

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Conforms to Standard
Odor:	Conforms to Standard
Color:	Amber to Olive Yellow
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined

DOC ID: 42161.993928.1058818

Product: Drakkar Type

Page 5 of 7 2015-06-08

Melting Point:	Not determined
Flashpoint:	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.032
%VOC:	3.5501
Specific Gravity @ 25 C:	1.0850
Density @ 25 C:	1.0820
Refractive Index @ 20 C:	1.5520
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 1,635.86) Harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4,054.04) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 158.36) May be harmful if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	May cause damage to organs
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

SDS Type: GHS / EU

DOC ID: 42161.993928.1058818

Product: Drakkar Type

Page 6 of 7 2015-06-08

12. Ecological Information	
12.1 Toxicity	
Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI ADR/RID (International Road	d/Rail)	Class Not Regulated	Pack Group - Not Dangerous	Sub Risk Goods	UN-nr.
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	Ш		UN3082
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	Ш		UN3082

15. Regulatory Information

Additional European Regulations:

European Union (EINECS, ELINCS or NLP): 99.73% (by Wt) of the components are listed or exempt.

Additional Asian Regulations:

Australian AICS: 99

Chinese IECS:

99.72% (by Wt) of the ingredients on AICS or notified.99.45% (by Wt) of the ingredients on IECS.

SDS Type: GHS / EU

DOC ID: 42161.993928.1058818

Product:	Drakkar	Туре
----------	---------	------

Page 7 of 7 2015-06-08

Japan ENCS:	99.37% (by Wt) of the ingredients on ENCS, fall within the 1000 kilogram per annum exemption or have been notified.
Korea KECL:	99.46% (by Wt) of the ingredients on KECL, fall within the 100 kilogram per annum exemption or have been notified.
New Zealand NZIoC:	98.50% (by Wt) of the ingredients on NZIoc.
Philippines PICCS:	99.70% (by Wt) of the ingredients on PICCS.

Lists noted within <> brackets after name

67634-00-8	266-803-5	0.1 - 1.0 %	Isoamyl Allylglycollate : < ENCS>
13567-39-0	236-971-4	<= 62 ppm	Cedr-8-ene epoxide (Andrane) : < KECL>
33407-62-4	245-890-3	0.01 - 0.1%	Isolongifolene ketone : < IECS, NZIoC>
8007-35-0	232-357-5	0.1 - 1.0 %	Terpineol acetate : < NZIoC>
29461-13-0	249-648-8	0.1 - 1.0 %	2.a.,4a.a.,8.ß.)-Hexahydro-1,1,5,5-tetramethyl-2H-2,4a-methanonaphthale ne-8(5H)-one : < IECS, KECL, NZIoC>
Resins-Gums	3	0.1 - 1.0 %	Total Resinous and Gum-Like Materials : < ENCS>

16. Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk	(TFV) Risk
(1.22) Skin Corrosion/Irritation, Category 3	(4.26) Sensitization, Skin, Category 1B
(1.33) Eye Damage/Eye Irritation, Category 2A	(4.26) Target Organ Systemic Toxicity - Single Exposure, Category 2
(3.34) Aquatic Acute Toxicity, Category 1	(4.43) Aquatic Chronic Toxicity, Category 2

Remarks

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Just Scent holds no responsibility. This document is not intended for quality assurance purposes.