Flannel Sheets Product:

SDS v1 GHS / OSHA

Revised Date: 2020-06-04 00:00

Page 1 of 8 Print Date: 2020-06-10 16:10

Identification of the substance/mixture and of the company/undertaking **Product identifier** 1.1

Trade Name: Flannel Sheets

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands +1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 1	H318 : Causes serious eye damage
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Reproductive Toxicology, Category 1B	H360 : May damage fertility or the unborn child
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of	title 29)
Flammable Liquids, Category 4	H227 : Combustible liquid
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization Skin Category 1B	H317 : May cause an allergic skin reaction

Sensitization, Skin, Category 1B H317 : May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 1 H318 : Causes serious eye damage Reproductive Toxicology, Category 1B

H360 : May damage fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms

SDS v1 GHS / OSHA

Safety Data Sheet

Product: Flannel Sheets

Revised Date: 2020-06-04 00:00

Page 2 of 8 Print Date: 2020-06-10 16:10



Signal Word: Danger

Hazard statments

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H333	May be harmful if inhaled
H360	May damage fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P310	Immediately call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage
Othern Hemende	

2.3 Other Hazards

no data available

SDS v1 GHS / OSHA

Product: Flannel Sheets

Revised Date: 2020-06-04 00:00

Page 3 of 8 Print Date: 2020-06-10 16:10

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
32210-23-4	250-954-9	30 - 40 %	H303; H317; H401	
4-tert-Buty	lcyclohexyl acet	ate		
140-11-4	205-399-7	20 - 30 %	H303; H401; H412	
Benzyl ace	etate			
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H410	
Limonene				
54830-99-8	259-367-2	2 - 5 %	H303; H316; H402	
Acetoxydil	nydrodicyclopent	tadiene		
18479-58-8	242-362-4	2 - 5 %	H227; H303; H315; H319; H402	
2,6-dimeth	yloct-7-en-2-ol			
83926-73-2	420-630-3	2 - 5 %	H316; H318; H401; H411	
4-Cyclohe	xyl-2-methyl-2-b	utanol		
127-51-5	204-846-3	2 - 5 %	H316; H317; H320; H401; H411	
a-Isomethyl ionone				
80-54-6	201-289-8	2 - 5 %	H227; H302; H315; H317; H360; H401;	
Butylphen	yl Methylpropion	al	H412	
14901-07-6	238-969-9	1 - 2 %	H316; H401; H411	
lonone				
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401	
Citral				
See Section 16	6 for full text of G	GHS classification	n codes	

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 4.99

4.First Aid Measures4.1Description of first aid measures			
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.		
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.		
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.		
Ingestion:	Rinse mouth with water and obtain medical advice.		
4.2 Most important symptoms and effects, both acute and delayed			

Symptoms:

no data available

SDS v1 GHS / OSHA

Revised Date: 2020-06-04 00:00

Product: Flannel Sheets

Page 4 of 8 Print Date: 2020-06-10 16:10

Risks: Refer to Section 2.2 "Hazard Statements" 4.3 Indication of any immediate medical attention and special treatment needed				
Treatment:	Refer to Section 2.2 "Response"			
5. Fire-Fighting measures5.1 Extinguishing media				
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam			
Unsuitable 5.2 Special hazards arising from the subst	Do not use a direct water jet on burning material ance or mixture			
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective			
Further information:	Standard procedure for chemical fires			

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

SDS v1 GHS / OSHA

Revised Date: 2020-06-04 00:00

Product: Flannel Sheets

> Page 5 of 8 Print Date: 2020-06-10 16:10

8. Exposure Controls/Personal Protection 8.1 Control parameters					
Exposure Limits:					
Component	ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm				
140-11-4 Benzyl ace	etate 10				
Engineering Controls: Use local exhaust as needed. 8.2 Exposure controls - Personal protective equipment					
Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure				
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.				
Skin protection:	protection: Avoid Skin contact. Use chemically resistant gloves as needed.				

9.

9. Physical and Chemical Properties 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Colorless to Greenish Yellow (G0-3)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	178 F (81.11 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0951
%VOC:	30.10
Specific Gravity @ 25 C:	0.9690
Density @ 25 C:	0.9660
Refractive Index @ 20 C:	1.4760
Soluble in:	Oil

10. **Stability and Reactivity**

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known

SDS v1 GHS / OSHA

Revised Date: 2020-06-04 00:00

Product: Flannel Sheets

Page 6 of 8 Print Date: 2020-06-10 16:10

10.5 Incompatible materials

Strong oxidizing agents, strong acids, and alkalis None known

11. Toxicological Information

10.6 Hazardous decomposition products

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 3159.6983) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4653.2893) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 49.0747) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye damage
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	May damage fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity	
Acute acquatic toxicity	Not classified - the classification criteria are not met
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

SDS v1 GHS / OSHA

Revised Date: 2020-06-04 00:00

Product: Flannel Sheets

Page 7 of 8 Print Date: 2020-06-10 16:10

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 5989-27-5 : (2 - 5 %) : Limonene				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International Roa	ad/Rail)				
Environmentally Hazardous		9	III		UN3082
Substance, Liquid, n.o.s.					
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082

15. Regula	tory Infor	nation	
U.S. Federal Regula	-		
TSCA (Toxic Substance Control Act)			All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA)			This product contains NO components of concern.
U.S. State Regulati	ons		
California Proposition 65 Warning			This product contains the following components:
123-35-3(NF	204-622-5	0.01 - 0.1%	beta-Myrcene (Natural Source)
94-59-7	202-345-4	<= 6 ppm	Safrole (Natural Source)
93-15-2	202-223-0	<= 3 ppm	Methyl Eugenol (Natural Source)
Canadian Regulation	ons		
DSL			99.75% of the components are listed or exempt. The following components are NOT on the List:
94201-73-7	303-662-1	0.1 - 1.0 %	Tetrahydro-4-methyl-2-phenyl-2H-pyran

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H302 : Harmful if swallowed
H304 : May be fatal if swallowed and enters airways	H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction	H319 : Causes serious eye irritation
H320 : Causes eye irritation	H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(101.89) Acute Toxicity Inhalation, Category 5	(35.00) Sensitization, Skin, Category 1B

Product: Flannel Sheets

SDS v1 GHS / OSHA

Revised Date: 2020-06-04 00:00

Page 8 of 8 Print Date: 2020-06-10 16:10

(26.46) Aquatic Chronic Toxicity, Category 3
(5.00) Sensitization, Skin, Category 1
(3.95) Eye Damage/Eye Irritation, Category 2A
(2.49) Skin Corrosion/Irritation, Category 3

(1.58) Acute Toxicity Oral, Category 5(1.13) Eye Damage/Eye Irritation, Category 1

(8.33) Reproductive Toxicology, Category 1B
(4.28) Eye Damage/Eye Irritation, Category 2
(2.53) Aquatic Chronic Toxicity, Category 2
(1.70) Aquatic Chronic Toxicity, Category 4
(1.31) Skin Corrosion/Irritation, Category 2

(1.07) Acute Toxicity Dermal, Category 5

Remarks

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Just Scent holds no responsibility. This document is not intended for quality assurance purposes.