Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 04/01/2019 Revision date: 04/01/2019 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : LEMON SUGAR POUND CAKE

CAS-No. : N/A

1.2. Recommended use and restrictions on use

No additional information available

1.4. Emergency telephone number

Emergency number : Chemtrec - USA: 800-424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Acute toxicity (inhalation:vapour) Category 3

Skin sensitization, Category 1

Toxic if inhaled

May cause an allergic skin reaction

2.2. GHS Label elements, including precautionary statements

GHS-US labeling

Hazard pictograms (GHS-US)





GHS06

S06 GHS07

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : May cause an allergic skin reaction

Toxic if inhaled

Precautionary statements (GHS-US) : Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water

If inhaled: Remove person to fresh air and keep comfortable for breathing

Call a poison center or doctor

Specific treatment (see supplemental first aid instruction on this label)

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

04/02/2019 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
DIETHYL PHTHALATE	(CAS-No.) 84-66-2	>= 50	Acute Tox. 3 (Inhalation:vapour), H331
BENZYL BENZOATE	(CAS-No.) 120-51-4	5 - 10	Acute Tox. 4 (Oral), H302
VANILLIN	(CAS-No.) 121-33-5	1 - 5	Eye Irrit. 2, H319
ETHYL VANILLIN	(CAS-No.) 121-32-4	1 - 5	Eye Irrit. 2B, H320
DIACETYL	(CAS-No.) 431-03-8	0.1 - 1	Flam. Liq. 1, H224 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 2, H373
CITRAL	(CAS-No.) 5392-40-5	0.1 - 1	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
GRAPEFRUIT OIL TERPENES	(CAS-No.) 68917-32-8	0.1 - 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
LINALOOL	(CAS-No.) 78-70-6	0.1 - 1	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
LINALYL ACETATE	(CAS-No.) 115-95-7	0.1 - 1	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a doctor.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

04/02/2019 EN (English US) 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with

skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid breathing

dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Wear personal protective

equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated

clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands

after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DIETHYL PHTHALATE (84-66-2)		
ACGIH	ACGIH TWA (mg/m³)	5 mg/m³
ACGIH	Remark (ACGIH)	URT irr

ETHYL VANILLIN (121-32-4)

Not applicable

BENZYL BENZOATE (120-51-4)

Not applicable

VANILLIN (121-33-5)

Not applicable

CITRAL (5392-40-5)		
ACGIH	ACGIH TWA (ppm)	5 ppm
ACGIH	Remark (ACGIH)	Body weight eff; URT irr; eye dam; Skin; DSEN; A4 (Not classifiable as a Human Carcinogen: Agents which cause concern that they could be carcinogenic for humans but which cannot be assessed conclusively because of a lack of data. In vitro or animal studies do not provide indications of carcinogenicity which are sufficient to classify the agent into one of the other categories)
DIACETYL (431-03-8)		
ACGIH	ACGIH TWA (ppm)	0.01 ppm
ACGIH	ACGIH STEL (ppm)	0.02 ppm
ACGIH	Remark (ACGIH)	Lung dam

04/02/2019 EN (English US) 3/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

GRAPEFRUIT OIL TERPENES (68917-32-8)

Not applicable

LINALOOL (78-70-6)

Not applicable

LINALYL ACETATE (115-95-7)

Not applicable

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : LIGHT YELLOW TO YELLOW

Odor : CHARACTERISTIC, MATCHING RETAINER SAMPLE

Odor threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Flash point : 112 °C

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable.

Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : 1.114 (1.104 - 1.124)

Solubility : Insoluble.

: No data available Log Pow Auto-ignition temperature : No data available Decomposition temperature : No data available : No data available Viscosity, kinematic Viscosity, dynamic : No data available **Explosion limits** : No data available : No data available Explosive properties Oxidizing properties : No data available

9.2. Other information

Refractive index : 1.51 (1.500 - 1.520)

04/02/2019 EN (English US) 4/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Acute toxicity	. Not classified	
LEMON SUGAR POUND CAKE(N/A)		
ATE US (vapors)	3.594 mg/l/4h	
DIETHYL PHTHALATE (84-66-2)		
LD50 oral rat	8600 mg/kg (Rat, Oral)	
LD50 dermal rabbit	> 7940 mg/kg (Rabbit, Dermal)	
LC50 inhalation rat (mg/l)	> 5 mg/l (4 h, Rat, Inhalation)	
ATE US (oral)	8600 mg/kg body weight	
ATE US (vapors)	3 mg/l/4h	
ETHYL VANILLIN (121-32-4)		
ATE US (oral)	3000 mg/kg body weight	
BENZYL BENZOATE (120-51-4)		
LD50 oral rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))	
LD50 dermal rabbit	> 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)	
ATE US (oral)	1500 mg/kg body weight	
ATE US (dermal)	4000 mg/kg body weight	
VANILLIN (121-33-5)		
LD50 oral rat	3300 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male/female, Experimental value, Oral, 14 day(s))	
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Dermal, 14 day(s))	
ATE US (oral)	3300 mg/kg body weight	
CITRAL (5392-40-5)		
ATE US (dermal)	2250 mg/kg body weight	
DIACETYL (431-03-8)		
ATE US (oral)	1580 mg/kg body weight	
ATE US (gases)	700 ppmV/4h	
ATE US (vapors)	3 mg/l/4h	
ATE US (dust, mist)	0.5 mg/l/4h	
LINALOOL (78-70-6)		
LD50 oral rat	2790 mg/kg (Rat)	
LD50 dermal rat	5610 mg/kg (Rat)	
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)	
ATE US (oral)	2790 mg/kg body weight	

04/02/2019 EN (English US) 5/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LINALOOL (78-70-6)	
ATE US (dermal)	5610 mg/kg body weight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

Reproductive toxicity : Not classified Specific target organ toxicity – single exposure : Not classified

Specific target organ toxicity – repeated

exposure

: Not classified

Aspiration hazard : Not classified

Symptoms/effects after skin contact : May cause an allergic skin reaction.

SECTION 12: Ecological information

BENZYL BENZOATE (120-51-4)

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

DIETHYL PHTHALATE (84-66-2)	
LC50 fish 1	17 ppm (96 h, Pimephales promelas, Flow-through system)
EC50 Daphnia 1	52 mg/l (48 h, Daphnia magna)

LC50 fish 1	2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 Daphnia 1	3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
VANILLIN (121-33-5)	
LC50 fish 1	57 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 Daphnia 1	36.79 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 (algae)	120 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)

LINALOOL (78-70-6)		
EC50 Daphnia 1	59 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna)	
EC50 other aquatic organisms 1	>= 100 mg/l (3 h; Activated sludge)	
LC50 fish 2	27.8 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Salmo gairdneri)	
Threshold limit algae 1	88.3 mg/l (EC50; 96 h)	
LINALYL ACETATE (115-95-7)		
LC50 fish 1	11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio)	
EC50 Daphnia 1	15 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna)	

12.2. Persistence and degradability

DIETHYL PHTHALATE (84-66-2)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	
BENZYL BENZOATE (120-51-4)		
BENZYL BENZOATE (120-51-4)		

04/02/2019 EN (English US) 6/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

VANILLIN (121-33-5)		
Persistence and degradability	Readily biodegradable in water.	
LINALOOL (78-70-6)		
Persistence and degradability	Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	1.531 g O ₂ /g substance	
Chemical oxygen demand (COD)	2.808 g O ₂ /g substance	
LINALYL ACETATE (115-95-7)		
Persistence and degradability	Readily biodegradable in water.	

12.3. Bioaccumulative potential

DIETHYL PHTHALATE (84-66-2)	
BCF fish 1	15 - 16 (Mugil cephalus)
BCF fish 2	117.5 (504 h, Lepomis macrochirus)
BCF other aquatic organisms 1	1100 ppb (Ostreidae, Fresh weight)
BCF other aquatic organisms 2	340 - 450 ppb (Lamellibranchiata, Fresh weight)
Log Pow	1.4 - 2.82
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

BENZYL BENZOATE (120-51-4)	
BCF fish 1	2.286 (BCFBAF v3.00, Pisces, QSAR)
Log Pow	3.97 (Experimental value, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
VANILLIN (121-33-5)	
Log Pow	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

LINALOOL (78-70-6)		
Log Pow	2.84 - 3.145	
Bioaccumulative potential	Bioaccumable.	
LINALYL ACETATE (115-95-7)		
Log Pow	3.93 (Experimental value)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

12.4. Mobility in soil

DIETHYL PHTHALATE (84-66-2)		
Surface tension	0.0375 N/m (20 °C)	
BENZYL BENZOATE (120-51-4)		
Surface tension	0.027 N/m (210 °C)	
Log Koc	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)	
Ecology - soil	Low potential for mobility in soil.	
VANILLIN (121-33-5)		
Log Koc	3.438 (log Koc, Experimental value)	
Ecology - soil	Low potential for mobility in soil.	

LINALYL ACETATE (115-95-7)	
Ecology - soil	Adsorbs into the soil.

12.5. Other adverse effects

No additional information available

04/02/2019 EN (English US) 7/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

DIETHYL PHTHALATE (84-66-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporting requirements of the United States SARA Section 313

CERCLA RQ 1000 lb

ETHYL VANILLIN (121-32-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

BENZYL BENZOATE (120-51-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

VANILLIN (121-33-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

CITRAL (5392-40-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

DIACETYL (431-03-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

GRAPEFRUIT OIL TERPENES (68917-32-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

LINALOOL (78-70-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

LINALYL ACETATE (115-95-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

DIETHYL PHTHALATE (84-66-2)

Listed on the Canadian DSL (Domestic Substances List)

ETHYL VANILLIN (121-32-4)

Listed on the Canadian DSL (Domestic Substances List)

BENZYL BENZOATE (120-51-4)

Listed on the Canadian DSL (Domestic Substances List)

04/02/2019 EN (English US) 8/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

VANILLIN (121-33-5)

Listed on the Canadian DSL (Domestic Substances List)

CITRAL (5392-40-5)

Listed on the Canadian DSL (Domestic Substances List)

DIACETYL (431-03-8)

Listed on the Canadian DSL (Domestic Substances List)

GRAPEFRUIT OIL TERPENES (68917-32-8)

Listed on the Canadian DSL (Domestic Substances List)

LINALOOL (78-70-6)

Listed on the Canadian DSL (Domestic Substances List)

LINALYL ACETATE (115-95-7)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

MARNING:

This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

DIETHYL PHTHALATE (84-66-2)

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

DIACETYL (431-03-8)

U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

Revision date : 04/01/2019

Full text of H-phrases:

H224	Extremely flammable liquid and vapour
11224	Extremely naminable riquid and vapour
H226	Flammable liquid and vapour
11007	Openhane Philade Proceeds
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
11010	oddoo skii iiiddioii
H317	May cause an allergic skin reaction
H318	Course serious ave demore
пото	Causes serious eye damage
H319	Causes serious eye irritation
H320	Causes eye irritation
H331	Toxic if inhaled
H373	May cause damage to organs through prolonged or repeated exposure

04/02/2019 EN (English US) 9/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

04/02/2019 EN (English US) 10/10