SDS Type: GHS / OSHA

# **Safety Data Sheet**

Product: Pretzel

Page 1 of 7 2019-06-27

# Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade Name: Pretzel

## 1.2 Relevant indentified product use

**Intended use:** Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

**+1 813 248-0585** International

## 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

### Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 5

Sensitization, Skin, Category 1B

Eye Damage/Eye Irritation, Category 2A

Acute Toxicity Inhalation, Category 5

H303: May be harmful if swallowed

H317: May cause an allergic skin reaction

H319: Causes serious eye irritation

H333: May be harmful if inhaled

Aquatic Chronic Toxicity, Category 3 H412: Harmful to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid
Acute Dermal/Eye 11 : May cause skin irritation.
16 : Causes eye irritation.

Acute Inhalation 23 : May cause respiratory tract irritation.

Acute Oral 3: May be harmful if swallowed.

Carcinogenicity 35: This product has been shown to cause cancer in animals.

Target Organ Effects 28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [ ] ACGIH [X] IARC [ ] NTP [ ] OSHA [ ]

## 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

## Hazard pictograms



Product: Pretzel

Page 2 of 7 2019-06-27

SDS Type: GHS / OSHA

Signal Word: Warning

## **Hazard statments**

H303	May be harmful if swallowed
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H412	Harmful to aquatic life with long lasting effects

## **Precautionary Statements**

### Prevention:

P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

#### Response:

sponse.	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P363	Wash contaminated clothing before reuse

#### 2.3 Other Hazards

no data available

# 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

	CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification		
	<b>705-86-2</b> delta-Deca	211-889-1 lactone	1 - 2 %	H227; H402			
	97-64-3	202-598-0	1 - 2 %	H226; H318; H335	16, 23		
Ethyl lactate							
	120-51-4	204-402-9	1 - 2 %	H302; H313; H400; H411	28, 3		
	Benzyl Ber	nzoate					
	103-26-4	203-093-8	1 - 2 %	H303; H317			
Methyl cinnamate							
	86803-90-9	429-860-9	0.1 - 1.0 %	H303; H317; H401; H411	11, 15, 31		
Methoxy dicyclopentadiene carboxaldehyde							
	600-14-6	209-984-8	0.1 - 1.0 %	H225; H303; H313; H316; H317; H318;	12, 16, 21		
	2,3-Pentan	nedione		H373; H402			

Product: **Pretzel** 

2019-06-27

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification			
1843-05-6	217-421-2	0.1 - 1.0 %	H317				
Methanone, [2-hydroxy-4-(octyloxy)phenyl]phenyl-							
82356-51-2	429-900-5	0.1 - 1.0 %	H317; H400; H410				
3-Methylo							
77-83-8	201-061-8	0.1 - 1.0 %	H317; H401; H411	11, 15			
Ethyl Methylphenylglycidate							
98-01-1	202-627-7	0.1 - 1.0 %	H226; H301; H312; H315; H319; H330;	12, 2, 21, 24, 26, 27, 28, 35, 37,			
Furfural			H335; H351; H402; H412	9, ACGIH			
Soo Section 1	6 for full toxt of	CHS classification	on codes				

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.00

#### 4. **First Aid Measures**

#### 4.1 **Description of first aid measures**

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements" 4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

#### 5. **Fire-Fighting measures**

#### 5.1 **Extinguishing media**

Suitable: Carbon dioxide (CO2), Dry chemical, Foam Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

#### 6. Accidental Release Measures

## Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Page 3 of 7

SDS Type: GHS / OSHA

Product: **Pretzel** 

> Page 4 of 7 2019-06-27

SDS Type: GHS / OSHA

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### Reference to other sections

Not Applicable

#### 7. Handling and Storage

#### 7.1 **Precautions for safe handling**

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

### 7.3 Specific end uses

No information available

#### 8. **Exposure Controls/Personal Protection**

## 8.1 Control parameters

**Exposure Limits:** 

Component		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm	
600-14-6	2,3-Pentanedione				0	
98-01-1	Furfural	2		5		

**Engineering Controls:** Use local exhaust as needed. 8.2 Exposure controls - Personal protective equipment

Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. Eye protection:

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

#### 9. **Physical and Chemical Properties**

## 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard Color: Greenish Yellow(G4-G6)

Viscosity: Liquid

Not determined Freezing Point: **Boiling Point:** Not determined **Melting Point:** Not determined

Product: Pretzel

Page 5 of 7 2019-06-27

SDS Type: GHS / OSHA

Flashpoint (CCCFP): >200 F (93.33 C)

Auto flammability: Not determined

Explosive Properties: None Expected

Oxidizing properties: None Expected

 Vapor Pressure (mmHg@20 C):
 0.2667

 %VOC:
 2.7078

 Specific Gravity @ 25 C:
 0.9390

 Density @ 25 C:
 0.9360

 Refractive Index @ 20 C:
 1.4520

 Soluble in:
 Oil

# 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

**10.6 Hazardous decomposition products** None known

## 11. Toxicological Information

## 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4,885.84) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 7,282.41) Not classified - the classification criteria are

not me

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 272.57) May be harmful if inhaled

**Skin corrosion / irritation**Not classified - the classification criteria are not met

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

**Skin sensitization** May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

Product: Pretzel

Page 6 of 7 2019-06-27

SDS Type: GHS / OSHA

# 12. Ecological Information

## 12.1 Toxicity

Acute aquatic toxicity

Not classified - the classification criteria are not met

Chronic aquatic toxicity Harmful to aquatic life with long lasting effects

Toxicity Data on soil no data available

Toxicity on other organisms no data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

# 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

# 14. Transport Information

Regulator Class Pack Group Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

ADR/RID (International Road/Rail) Not Regulated - Not Dangerous Goods

Chemicals NOI

IATA (Air Cargo) Not Regulated - Not Dangerous Goods

Chemicals NOI

IMDG (Sea) Not Regulated - Not Dangerous Goods

Chemicals NOI

# 15. Regulatory Information

## **U.S. Federal Regulations:**

TSCA (Toxic Substance Control Act):

All components of the substance/mixture are listed or exempt

**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains NO components of concern.

**U.S. State Regulations:** 

California Proposition 65 Warning No Warning required

**Canadian Regulations:** 

**DSL / NDSL** 100.00% of the components are listed or exempt.

Page 7 of 7 2019-06-27

SDS Type: GHS / OSHA

#### 16. Other Information

#### GHS H-Statements referred to under section 3

H225: Highly flammable liquid and vapor H226: Flammable liquid and vapour

H227: Combustible liquid H301: Toxic if swallowed

H302: Harmful if swallowed H312: Harmful in contact with skin

**Pretzel** 

H313: May be harmful in contact with skin H315: Causes skin irritation

H316: Causes mild skin irritation H317: May cause an allergic skin reaction

H318: Causes serious eye damage H330: Fatal if inhaled

H335: May cause respiratory irritation H351: Suspected of causing cancer H400: Very Toxic to aquatic life

H373: May cause damage to organs through prolonged or

Product:

repeated exposure

H401: Toxic to aquatic life H402: Harmful to aquatic life

H410: Very toxic to aquatic life with long lasting effects H411: Toxic to aquatic life with long lasting effects

#### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(10.00) Sensitization, Skin, Category 1B (2.31) Eye Damage/Eye Irritation, Category 2A

(1.46) Aquatic Chronic Toxicity, Category 3

#### Remarks

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Just Scent holds no responsibility. This document is not intended for quality assurance purposes.