Product: Rainy Day

Page 1 of 9 2019-05-02

SDS Type: GHS / OSHA

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Rainy Day

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A

H317: May cause an allergic skin reaction

Fig. Demogra/Fig. Irritation, Category 3A

H310: Causes against a spiritation

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Reproductive Toxicology, Category 2 H361: Suspected of damaging fertility or the unborn child

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIA Combustible Liquid
Acute Dermal/Eye 12 : Causes skin irritation.

15 : May cause eye irritation.

19: May cause photo-induced skin irritation.

Acute Inhalation 25: Inhalation at high levels may cause: tremors, labored breathing, hypothermia,

lethargy, ataxia.

Acute Oral 3: May be harmful if swallowed or if aspirated into the lungs Reproductive/Developmental 39: Causes reproductive/developmental toxicity in animals.

Sensitization/Allergic Response 31: May cause allergic skin reaction.

Target Organ Effects 26 : Prolonged or repeated ingestion may cause damage to: kidneys, adrenal

glands, liver, stomach, gastrointestinal tract, brain, tongue, mucous membranes,

musculo-skeletal system, respiratory tract,, male reproductive system.

SDS Type: GHS / OSHA

Safety Data Sheet

Product: **Rainy Day**

> Page 2 of 9 2019-05-02

28: Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin,

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal Word: Warning

Hazard statments

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

Collect Spillage

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Res

P391

S	sponse:	
	P302 + P352	IF ON SKIN: Wash with soap and water
	P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
	P308 + P313	IF exposed or concerned: Get medical advice/attention
	P312	Call a POISON CENTER or doctor/physician if you feel unwell
	P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
	P337 + P313	If eye irritation persists: Get medical advice/attention
	P362	Take off contaminated clothing and wash before reuse
	P363	Wash contaminated clothing before reuse
	P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material

SDS Type: GHS / OSHA

Safety Data Sheet

Product: Rainy Day

Page 3 of 9 2019-05-02

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
80-54-6	201-289-8	2 - 5 %	H227; H302; H315; H317; H361; H401; H412	11, 15, 26, 28, 3, 31, 39
<i>6</i> 0-12-8	yl Methylpropior			44 45 0
	200-456-2	2 - 5 %	H302; H313; H316; H319	11, 15, 3
phenethyl 140-11-4		O F 0/	H202: H404: H442	1E 0E 06 01 00
	205-399-7	2 - 5 %	H303; H401; H412	15, 25, 26, 31, 39
Benzyl ac		O F 0/	H402	
24851-98-7	246-495-9	2 - 5 %	H402	
34590-94-8	ydrojasmonate 252-104-2	O F 0/	H227	
		2 - 5 %	H227	
PPG-2 me	242-362-4	2 - 5 %	H227: H202: H215: H210: H210: H402	11 15
		2-5%	H227; H303; H315; H319; H319; H402	11, 15
2,0-dimetr	nyloct-7-en-2-ol 204-402-9	2 - 5 %	H302; H313; H400; H411	20.2
Benzyl Be		2-5 //	11302, 11313, 11400, 11411	28, 3
106-22-9	203-375-0	2 - 5 %	H303; H313; H315; H317; H319; H319;	11, 15
Citronellol		2-5 /6	H401	11, 15
63500-71-0	405-040-6	2 - 5 %	H319	
	lethyl Tetrahydro		11319	
4707-47-5	225-193-0	2 - 5 %	H317; H401	
Methyl atr		2 3 70	11017, 11401	
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402	12, 26
Linalool	201 104 4	1 2 70	11227, 11000, 11010, 11017, 11010, 11402	12, 20
103-95-7	203-161-7	1 - 2 %	H227; H303; H315; H317; H401; H412	11, 15, 31
		enyl)propionalde		, ,
68647-72-3	232-433-8	1 - 2 %	H226; H304; H315; H317; H400; H410	12, 3, 31
Limonene			-, ,, - , ,	, -, -
93-92-5	202-288-5	1 - 2 %	H227; H402	
	zyl acetate		,	
67634-15-5	266-819-2	1 - 2 %	H315; H317; H400; H411	11, 15
Ethyl 2,2-0	dimethylhydrocin			
54830-99-8	259-367-2	1 - 2 %	H303; H316; H402	
Acetoxydi	hydrodicyclopen	tadiene		
5392-40-5	226-394-6	1 - 2 %	H313; H315; H317; H319; H401	26
Citral				

Product: Rainy Day

Page 4 of 9 2019-05-02

SDS Type: GHS / OSHA

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
1335-46-2	215-635-0	1 - 2 %	H227; H315; H320; H401; H411	11, 15, 19, 26, 28, 31
Methyl ion	one (mixture o	f isomers)		
105-87-3	203-341-5	0.1 - 1.0 %	H315; H317; H401; H412	11, 15
Geranyl A	cetate			
1335-66-6	215-638-7	0.1 - 1.0 %	H227; H303; H317; H319; H319; H401;	
IsoCycloC	itral		H412	
8022-56-8	282-025-9	0.1 - 1.0 %	H226; H302; H304; H316; H317; H332;	11, 2, 21, 3, 31
Salvia offic	cinalis (sage) o	il	H371; H401; H411	
70788-30-6	274-892-7	0.1 - 1.0 %	H317	11
Trimethyl- _l	propylcyclohex	anepropanol		
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;	12, 15, 31
Dimethylte	etrahydro Benz	aldehyde	H411	
86803-90-9	429-860-9	0.1 - 1.0 %	H303; H317; H401; H411	11, 15, 31
Methoxy a	licyclopentadie	ne carboxaldehyd	le	
141-12-8	205-459-2	0.1 - 1.0 %	H315; H317; H401	
Neryl acet	ate			
5462-06-6	226-749-5	0.1 - 1.0 %	H303; H317; H401	11, 15, 31
4-Methoxy	v-alpha-methylb	penzenepropanal		
19870-74-7	243-384-7	0.1 - 1.0 %	H317; H400; H410	15
Cedrol me	thyl ether			
57378-68-4	260-709-8	0.01 - 0.1%	H302; H315; H317; H318; H400; H410	11, 15, 31
delta-1-(2,	6,6-Trimethyl-3	3-cyclohexen-1-yl)	-2-buten-1-one (delta-Damascone)	
See Section 1	6 for full text of	GHS classificatio	n codes	

Total Hydrocarbon Content (% w/w) = 1.54

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

Product: Rainy Day

Page 5 of 9 2019-05-02

SDS Type: GHS / OSHA

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting:Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component	ponent		ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
140-11-4	Benzyl acetate	10			
34590-94-8	PPG-2 methyl ether	100	150	100	

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Product: Rainy Day

Page 6 of 9 2019-05-02

SDS Type: GHS / OSHA

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard Color: Conforms to Standard

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Not determined

198 F (92.22 C)

Auto flammability:

Not determined

None Expected

None Expected

None Expected

Vapor Pressure (mmHg@20 C): 0.0353 **%VOC:** 8.805

Specific Gravity @ 25 C: Not determined

Density @ 25 C: Not determined

Refractive Index @ 20 C: Not determined

Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3,558.19) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3,847.05) May be harmful in contact with skin

Product: Rainy Day

Page 7 of 9 2019-05-02

SDS Type: GHS / OSHA

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 22.23) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Specific target organ toxicity - single exposure

Specific target organ toxicity - repeated exposure

Aspiration hazard

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator Class Pack Group Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

ADR/RID (International Road/Rail)

Environmentally Hazardous Substance, 9 III UN3082

Liquid, n.o.s.

IATA (Air Cargo)

Rainy Day

Page 8 of 9 2019-05-02

SDS Type: GHS / OSHA

Environmentally Hazardous Substance, 9 Ш UN3082

Liquid, n.o.s.

IMDG (Sea)

Ш UN3082 **Environmentally Hazardous** Substance, 9

Liquid, n.o.s.

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning This product contains the following components:

94-59-7 Safrole (NFS) 202-345-4 <= 4 ppm

93-15-2 202-223-0 <= 2 ppm Methyl Eugenol (NFS) 123-35-3(NF 204-622-5 <= 60 ppm beta-Myrcene (NFS)

Product:

Canadian Regulations:

DSL/NDSL 101.05% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

H226: Flammable liquid and vapour H302: Harmful if swallowed H304: May be fatal if swallowed and enters airways H316: Causes mild skin irritation H317: May cause an allergic skin reaction H318: Causes serious eye damage

H320: Causes eve irritation H332: Harmful if inhaled

H371: May cause damage to organs H400 : Very Toxic to aquatic life H402: Harmful to aquatic life H401: Toxic to aquatic life

H410: Very toxic to aquatic life with long lasting effects H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk (2.55) Skin Corrosion/Irritation, Category 2

(5.00) Sensitization, Skin, Category 1A (2.26) Eye Damage/Eye Irritation, Category 2A (1.38) Reproductive Toxicology, Category 2

(1.49) Aquatic Chronic Toxicity, Category 2

Remarks

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Just Scent holds no responsibility. This document is not intended for quality assurance purposes.

SDS Type: GHS / OSHA

Product: Rainy Day

Page 9 of 9 2019-05-02