

Safety Data Sheet

Product: **Red Current-Votivo Type**

Page 1 of 8
2018-06-08

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Red Current-Votivo Type

P

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4	H227: Combustible liquid
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Aspiration Hazard, Category 1	H304: May be fatal if swallowed and enters airways
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1A	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 1	H318: Causes serious eye damage
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

Classification EU (67/548/EEC, 199/45/EC)

N	Dangerous for the Environment
	R51/53 : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
Xi	Irritant
	R38 : Irritating to skin
	R43 : May cause sensitization by skin contact
Xn	Harmful
	R65 : Harmful: may cause lung damage if swallowed

2.2 Label elements


Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Safety Data Sheet

Product: **Red Current-Votivo Type**

Page 2 of 8
2018-06-08



Signal Word: Danger

Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P310	Immediately call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO ₂), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

Safety Data Sheet

Product: **Red Current-Votivo Type**Page 3 of 8
2018-06-08

CAS# Ingredient	EC#	Conc. Range	GHS Classification	EU Classification
101-86-0 <i>Hexyl cinnamaldehyde</i>	202-983-3	10 - 20 %	H303; H316; H317; H400; H411	Xi - R38, R43
64742-47-8 <i>Distillates, petroleum, hydrotreated light</i>	265-149-8	10 - 20 %	H227; H304; H336; H401; H411	Xn - R65
106-24-1 <i>Geraniol</i>	203-377-1	5 - 10 %	H303; H315; H317; H318; H402	Xi - R38, R41, R43
88-41-5 <i>2-t-Butylcyclohexyl acetate</i>	201-828-7	2 - 5 %	H227; H303; H316; H401; H411	N - R51/53
106-22-9 <i>Citronellol</i>	203-375-0	2 - 5 %	H303; H313; H315; H317; H319; H401	N - R51/53; Xi - R38, R43
127-91-3 <i>β-Pinene</i>	204-872-5	2 - 5 %	H226; H304; H315; H317; H400; H410	R10; Xi - R38, R43; Xn - R65
106-25-2 <i>Nerol</i>	203-378-7	2 - 5 %	H303; H315; H317; H318; H401	Xi - R36, R38, R43
8007-35-0 <i>Terpineol acetate</i>	232-357-5	2 - 5 %	H316; H401; H411	N - R51/53; Xi - R38
120-51-4 <i>Benzyl Benzoate</i>	204-402-9	2 - 5 %	H302; H313; H400; H411	N - R51/53; Xn - R22
24851-98-7 <i>Methyldihydrojasmonate</i>	246-495-9	1 - 2 %	H402	
65443-14-3 <i>2,2,5-Trimethyl-5-pentylcyclopentanone</i>	265-779-3	1 - 2 %	H227; H401; H411	N - R51/53
68737-61-1 <i>Dimethyltetrahydro Benzaldehyde</i>	272-113-5	1 - 2 %	H227; H303; H313; H315; H317; H401; H411	R52/53; Xi - R36, R38, R43
15760-18-6 <i>3-(4-Methyl-3-cyclohexenyl)butanol</i>	239-845-7	1 - 2 %	H303; H315; H317; H401	N - R51/53; Xi - R38, R43
93-92-5 <i>methylbenzyl acetate</i>	202-288-5	1 - 2 %	H227; H402	
115-95-7 <i>Linalyl acetate</i>	204-116-4	1 - 2 %	H227; H315; H317; H319; H402	Xi - R38
103-48-0 <i>Phenethyl isobutyrate</i>	203-116-1	1 - 2 %	H401	
68647-72-3 <i>Limonene</i>	232-433-8	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	R10; N - R50/53; Xi - R38, R43; Xn - R65
105-87-3 <i>Geranyl acetate</i>	203-341-5	0.1 - 1.0 %	H315; H317; H401; H412	N - R51/53; Xi - R38, R43
141-12-8 <i>Neryl acetate</i>	205-459-2	0.1 - 1.0 %	H315; H317; H401	
16409-43-1 <i>IsoButenyl Methyltetrahydropyran</i>	240-457-5	0.1 - 1.0 %	H227; H303; H315; H319; H361; H402	Xi - R38; Xn - R62
57378-68-4 <i>delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one (delta-Damascone)</i>	260-709-8	0.01 - 0.1%	H302; H315; H317; H318; H400; H410	N - R50/53; Xi - R38, R43; Xn - R22

See Section 16 for full text of GHS classification codes

Safety Data Sheet

Product: **Red Current-Votivo Type**Page 4 of 8
2018-06-08

Total Hydrocarbon Content (% w/w) = 13.90

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment:	Refer to Section 2.2 "Response"
-------------------	---------------------------------

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable:	Carbon dioxide (CO ₂), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting:	Water may be ineffective
------------------------------	--------------------------

5.3 Advice for firefighters

Further information:	Standard procedure for chemical fires
-----------------------------	---------------------------------------

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

Safety Data Sheet

Product: **Red Current-Votivo Type**

Page 5 of 8
2018-06-08

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component	ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
127-91-3 <i>β-Pinene</i>			20	

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Colorless to Nearly Colorless G0
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	180 F (82.22 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0808
%VOC:	5.565
Specific Gravity @ 25 C:	0.9070
Density @ 25 C:	0.9040

Safety Data Sheet

Product: **Red Current-Votivo Type**

Page 6 of 8
2018-06-08

Refractive Index @ 20 C: 1.4670
Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4,145.40) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4,221.56) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 37.56) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye damage
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity	Not classified - the classification criteria are not met
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability no data available

12.3 Bioaccumulative potential no data available

Safety Data Sheet

Product: **Red Current-Votivo Type**Page 7 of 8
2018-06-08

12.4 Mobility in soil no data available

12.5 Other adverse effects no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk) Chemicals NOI	Not Regulated - Not Dangerous Goods			
ADR/RID (International Road/Rail)				
Environmentally Hazardous Liquid, n.o.s.	Substance, 9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Liquid, n.o.s.	Substance, 9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous Liquid, n.o.s.	Substance, 9	III		UN3082

15. Regulatory Information

Additional European Regulations:

European Union (EINECS, ELINCS or NLP): 100.00% (by Wt) of the components are listed or exempt.

Additional Asian Regulations:

Australian AICS: 100.00% (by Wt) of the ingredients on AICS or notified.

Chinese IECS: 100.00% (by Wt) of the ingredients on IECS.

Japan ENCS: 89.96% (by Wt) of the ingredients on ENCS, fall within the 1000 kilogram per annum exemption or have been notified.

Korea KECL: 98.39% (by Wt) of the ingredients on KECL, fall within the 100 kilogram per annum exemption or have been notified.

New Zealand NZIoC: 100.00% (by Wt) of the ingredients on NZIoC.

Philippines PICCS: 99.78% (by Wt) of the ingredients on PICCS.

The Status of the following ingredient(s) is NOT known for the registration lists noted;

Lists noted within <> brackets after name

491-07-6	207-727-4	0.01 - 0.1%	d,l-Isomenthone : < KECL>
41816-03-9	255-560-0	0.01 - 0.1%	3,4,4a,5,8,8a-Hexahydro-3',7-dimethylspiro[1,4-methanonaphthalene-2(1H),2'-oxirane] (Rhubofix) : < KECL>

Safety Data Sheet

Product: **Red Current-Votivo Type**

Page 8 of 8
2018-06-08

94201-73-7	303-662-1	0.1 - 1.0 %	Tetrahydro-4-methyl-2-phenyl-2H-pyran : < KECL>
59323-76-1	261-699-8	0.01 - 0.1%	cis-2-Methyl-4-propyl-1,3-oxathiane : < ENCS>
64742-47-8	265-149-8	10 - 20 %	Distillates, petroleum, hydrotreated light : < ENCS>
primary		1 - 2 %	primary Alcohol for HC-CCCR2001 Aspiration Hazard : < KECL>

16. Other Information

GHS H-Statements referred to under section 3

H226 : Flammable liquid and vapour	H302 : Harmful if swallowed
H316 : Causes mild skin irritation	H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation	H336 : May cause drowsiness or dizziness
H361 : Suspected of damaging fertility or the unborn child	H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk	(TFV) Risk
(1.39) Aspiration Hazard, Category 1	(2.22) Skin Corrosion/Irritation, Category 2
(8.00) Sensitization, Skin, Category 1A	(2.73) Eye Damage/Eye Irritation, Category 1
(3.37) Aquatic Chronic Toxicity, Category 2	

Remarks

This safety data sheet is based on the properties of the material known to at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Just Scent holds no responsibility. This document is not intended for quality assurance purposes.