SDS Type: GHS / EU

Product: Satsuma

Page 1 of 8 2018-06-08

Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

Trade Name: Satsuma

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. **Hazards Identification**

Classification of the substance or mixture 2.1

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 3 H226: Flammable liquid and vapour

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Aquatic Chronic Toxicity, Category 1 H410: Very toxic to aquatic life with long lasting effects

Classification EU (67/548/EEC, 199/45/EC)

Ν Dangerous for the Environment

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Χi Irritant

R38: Irritating to skin

R43: May cause sensitization by skin contact

Xn

R65: Harmful: may cause lung damage if swallowed

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms









Signal Word: Danger

Satsuma

Product:

Page 2 of 8 2018-06-08

SDS Type: GHS / EU

Hazard statments	
H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H410	Very toxic to aquatic life with long lasting effects
Precautionary Statements	
Prevention:	
P233	Keep container tightly closed
P235	Keep cool
P240	Ground/bond container and receiving equipment
P241	Use explosion-proof electrical/ventilating/light//equipment
P242	Use only non-sparking tools
P243	Take precautionary measures against static discharge
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin with water/shower
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P352	Wash with soap and water
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage
3 Other Hazards	

2.3 Other Hazards

no data available

3. **Composition/Information on Ingredients**

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	EU Classification	
68608-34-4 <i>Citrus (Te</i>	304-454-3 rpenes) extract	70 - 80 %	H226; H304; H315; H317; H400; H410	N - R50/53; Xi - R38, R43; Xn - R65	
105-95-3	203-347-8	2 - 5 %	H401	N - R51/53	
Ethylene i	brassylate				

Product: Satsuma

Page 3 of 8 2018-06-08

CAS# Ingredient	EC#	Conc. Range	GHS Classification	EU Classification
112-31-2 <i>Decanal</i>	203-957-4	2 - 5 %	H227; H316; H319; H401; H412	N - R51/53
124-13-0 <i>Octanal</i>	204-683-8	2 - 5 %	H226; H315; H319; H401; H402; H411	R10; N - R51/53; Xi - R36, R38
5989-27-5 <i>Limonene</i>	227-813-5	1 - 2 %	H226; H304; H315; H317; H400; H410	R10; N - R50/53; Xi - R38, R43; Xn - R65
68917-33-9 <i>Citrus Lim</i>	284-515-8 non Peel Oil Ter	1 - 2 % penes	H226; H304; H315; H400; H410	R10; N - R50/53; Xi - R38, R43; Xn - R65
24851-98-7 Methyldih	246-495-9 ydrojasmonate	1 - 2 %	H402	
68647-72-3 Limonene	232-433-8	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	R10; N - R50/53; Xi - R38, R43; Xn - R65
127-91-3 ß-Pinene	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	R10; Xi - R38, R43; Xn - R65
91-64-5 Coumarin	202-086-7	0.1 - 1.0 %	H302; H317; H402	Xi - R43; Xn - R22
4180-23-8 trans-Ane	224-052-0 ethole [(E)-Aneth	0.1 - 1.0 % nole]	H303; H316; H317; H401	N - R51/53; Xi - R43

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 78.01

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

SDS Type: GHS / EU

Product: Satsuma

Page 4 of 8 2018-06-08

SDS Type: GHS / EU

During fire fighting:Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

 Component
 ACGIH
 ACGIH
 OSHA
 OSHA

 TWA ppm
 STEL ppm
 TWA ppm
 STEL ppm
 STEL ppm

127-91-3 *β-Pinene* 20

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

Product: Satsuma

Page 5 of 8 2018-06-08

SDS Type: GHS / EU

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard
Color: Pale Orange (G4-8)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Plashpoint (CCCFP):

Auto flammability:

Explosive Properties:

None Expected

Oxidizing properties:

None Expected

 Vapor Pressure (mmHg@20 C):
 0.9501

 %VOC:
 82.0724

 Specific Gravity @ 25 C:
 0.8630

 Density @ 25 C:
 0.8600

 Refractive Index @ 20 C:
 1.4670

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: Undetermined) Not classified - the classification criteria

are not met

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: Undetermined) Not classified - the classification criteria

are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: Undetermined) Not classified - the classification criteria

are not met

Skin corrosion / irritation Causes skin irritation

Product Satsuma

Page 6 of 8 2018-06-08

SDS Type: GHS / EU

Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity	Not classified - the classification criteria are not met
Chronic acquatic toxicity	Very toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator		Class	Pack Group	Sub Risk	UN-nr.	
U.S. DOT (Non-Bulk)						
Perfumery Products		3	III	Flammable Liquid	UN1266	
ADR/RID (International Road/Rail)						
Perfumery Products		3	III	Flammable Liquid	UN1266	
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082	
IATA (Air Cargo)						
Perfumery Products		3	III	Flammable Liquid	UN1266	

SDS Type: GHS / EU

Product: Satsuma

Page 7 of 8 2018-06-08

Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082
Perfumery Products		3	III	Flammable Liquid	UN1266
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

15. Regulatory Information

Additional European Regulations:

European Union (EINECS, ELINCS or NLP): 100.00% (by Wt) of the components are listed or exempt.

Additional Asian Regulations:

Australian AICS: 100.00% (by Wt) of the ingredients on AICS or notified.

Chinese IECS: 100.00% (by Wt) of the ingredients on IECS.

Japan ENCS: 99.81% (by Wt) of the ingredients on ENCS, fall within the 1000

kilogram per annum exemption or have been notified.

Korea KECL: 100.00% (by Wt) of the ingredients on KECL, fall within the 100

kilogram per annum exemption or have been notified.

New Zealand NZIoC: 100.00% (by Wt) of the ingredients on NZIoc. Philippines PICCS: 100.00% (by Wt) of the ingredients on PICCS.

The Status of the following ingredient(s) is NOT known for the registration lists noted;

Lists noted within <> brackets after name

67634-00-8 266-803-5 0.1 - 1.0 % Isoamyl Allylglycollate : < ENCS>

4826-62-4 225-402-5 0.01 - 0.1% 2-Dodecenal: < ENCS>

68398-18-5 269-970-2 0.01 - 0.1% 4,7,7-Trimethyl-6-thiabicyclo[3.2.1]octane : < ENCS>

16. Other Information

GHS H-Statements referred to under section 3

H227 : Combustible liquid H302 : Harmful if swallowed H303 : May be harmful if swallowed H316 : Causes mild skin irritation H317 : May cause an allergic skin reaction H319 : Causes serious eye irritation

H400 : Very Toxic to aquatic life H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H411 : Toxic to aquatic life with long lasting effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(7.95) Aspiration Hazard, Category 1 (8.20) Skin Corrosion/Irritation, Category 2 (14.85) Sensitization, Skin, Category 1B (3.18) Aquatic Chronic Toxicity, Category 1

SDS Type: GHS / EU

Safety Data Sheet

Product: Satsuma

Page 8 of 8 2018-06-08

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Just Scent holds no responsibility. This document is not intended for quality assurance purposes.