Product: Snow Kissed Mittens

Page 1 of 8 2018-06-08

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Snow Kissed Mittens

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

1.4 Emergency telephone number

(800) 255-3924Domestic USA, Canada, Puerto Rico, and US Virgin Islands+1 813 248-0585International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4	H227: Combustible liquid
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 3	H316: Causes mild skin irritation
Sensitization, Skin, Category 1A	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319: Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects
Skin Corrosion/Irritation, Category 3 Sensitization, Skin, Category 1A Eye Damage/Eye Irritation, Category 2A Acute Toxicity Inhalation, Category 5	H316: Causes mild skin irritation H317: May cause an allergic skin reaction H319: Causes serious eye irritation H333: May be harmful if inhaled

Classification EU (67/548/EEC, 199/45/EC)

- N Dangerous for the Environment R51/53 : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
- Xi Irritant
 - R36 : Irritating to eyes
 - R38 : Irritating to skin
 - R43 : May cause sensitization by skin contact

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Product: Snow Kissed Mittens

Page 2 of 8 2018-06-08



Signal Word: Warning

Hazard statments

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

•	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	EU Classification
125-12-2 Isobornyl a	204-727-6 acetate	30 - 40 %	H227; H316; H401	N - R51/53; Xi - R38

Product: Snow Kissed Mittens

Page 3 of 8 2018-06-08

CAS# Ingredient	EC#	Conc. Range	GHS Classification	EU Classification
107-41-5	203-489-0	20 - 30 %	H319	Xi - R36, R38
2-Methyl-	2,4-pentandiol			
121-32-4	204-464-7	5 - 10 %	H303; H320; H402	
Ethyl van	illin			
121-33-5 Vanillin	204-465-2	5 - 10 %	H303; H319	Xi - R36
140-11-4	205-399-7	5 - 10 %	H303; H316; H401; H412	
Benzyl ac	etate			
118-58-1	204-262-9	2 - 5 %	H303; H317; H320; H401; H412	N - R51/53; Xi - R43
Benzyl Sa	alicylate			
91-64-5	202-086-7	2 - 5 %	H302; H317; H402	Xi - R43; Xn - R22
Coumarin	1			
80-54-6	201-289-8	2 - 5 %	H227; H302; H315; H317; H361; H401;	N - R51/53; Xi - R38, R43; Xn -
Butylpher	nyl Methylpropio	onal	H412	R22, R62, Repr Cat 3
68990-83-0	294-461-7	2 - 5 %	H304; H316; H400; H410	N - R50/53; Xn - R65
Juniperus	: mexicana			
8021-29-2	294-351-9	1 - 2 %	H226; H304; H316; H319; H400; H410	R10; N - R50/53; Xi - R36, R43;
Abies sibi				Xn - R65
120-51-4	204-402-9	1 - 2 %	H302; H313; H400; H411	N - R51/53; Xn - R22
Benzyl Be				,
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410	N - R50/53
	hylindanopyran	/ .		
120-57-0	204-409-7	1 - 2 %	H303; H317; H401	Xi - R43
Piperonal		//		
3002-09-3 Pinus Pal	306-895-7	0.1 - 1.0 %	H226; H303; H304; H317; H319; H401; H411	R10; N - R51/53; Xi - R36, R38 R43; Xn - R65
31906-04-4	250-863-4	0.1 - 1.0 %	H317; H402	Xi - R43
		nexene carboxalo		-
	201-134-4		H227; H303; H315; H317; H319; H402	Xi - R38
Linalool			·,·····,····,····,····,·····,·····	
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;	R10; Xi - R38, R43; Xn - R65
a-Pinene			H410	
32210-23-4	250-954-9	0.1 - 1.0 %	H303; H317; H401	N - R51/53; Xi - R43
	ylcyclohexyl ace			
127-43-5	204-843-7	0.1 - 1.0 %	H316; H317; H401; H411	N - R51/53; Xi - R36, R38
Methyl-ß-		0.1 1.0 /0		
68647-72-3	232-433-8	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	R10; N - R50/53; Xi - R38, R43;
Limonene		0.1 1.0 /0	1220, 11007, 11010, 11017, 11400, 11410	Xn - R65
31-14-1	, 201-328-9	0.1 - 1.0 %	H316; H351; H400; H410	N - R50/53; Xn - Carc Cat 3, R4
Musk ket		0.1 - 1.0 /0	1010, 11001, 11410	1 130/03, All - Oald Oal 3, R4
		GHS classification	an andra	

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 2.03

Product: Snow Kissed Mittens

Page 4 of 8 2018-06-08

4. First Aid Measures		
4.1 Description of first aid measures		
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
Ingestion:	Rinse mouth with water and obtain medical advice.	
4.2 Most important symptoms and effects,	, both acute and delayed	
Symptoms:	no data available	
Risks:	Refer to Section 2.2 "Hazard Statements"	
4.3 Indication of any immediate medical attention and special treatment needed		
Treatment:	Refer to Section 2.2 "Response"	
5. Fire-Fighting measures		
5.1 Extinguishing media		
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable	Do not use a direct water jet on burning material	
5.2 Special hazards arising from the substance or mixture		
During fire fighting:	Water may be ineffective	
5.3 Advice for firefighters		
Further information:	Standard procedure for chemical fires	

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

Product: Snow Kissed Mittens

Page 5 of 8 2018-06-08

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure l	_imits:
Compone	nt

Component	t	ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm	
140-11-4	Benzyl acetate	10				-
80-56-8	a-Pinene	20				
Enginopring	Controls:					

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Nearly Colorless G0 to Pale Yellow (G3)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	182 F (83.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0751
%VOC:	10.2459
Specific Gravity @ 25 C:	1.0215

Product: Snow Kissed Mittens

Page 6 of 8 2018-06-08

Density @ 25 C:	1.0185
Refractive Index @ 20 C:	1.4920
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 3,326.38) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3,914.67) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 41.88) May be harmful if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity Chronic acquatic toxicity Toxicity Data on soil Toxicity on other organisms Not classified - the classification criteria are not met Toxic to aquatic life with long lasting effects no data available no data available

12.2 Persistence and degradability

no data available

Product: Snow Kissed Mittens

Page 7 of 8 2018-06-08

12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI ADR/RID (International Road	d/Rail)	Class Not Regulated	Pack Group - Not Dangerous	Sub Risk s Goods	UN-nr.
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	111		UN3082
IATA (Air Cargo) Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	Ш		UN3082
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	Ш		UN3082

15. **Regulatory Information**

Additional European Regulations:

European Union (EINECS, ELINCS or NLP): 100.00% (by Wt) of the components are listed or exempt.

Additional Asian Regulations:

Australian AICS:	100.00% (by Wt) of the ingredients on AICS or notified.	
Chinese IECS:	100.00% (by Wt) of the ingredients on IECS.	
Japan ENCS:	99.54% (by Wt) of the ingredients on ENCS, fall within the 1000 kilogram per annum exemption or have been notified.	
Korea KECL:	99.75% (by Wt) of the ingredients on KECL, fall within the 100 kilogram per annum exemption or have been notified.	
New Zealand NZIoC: 100.00% (by Wt) of the ingredients on NZIoc.		
Philippines PICCS:	100.00% (by Wt) of the ingredients on PICCS.	
The Status of the following ingredient(s) is NOT known for the registration lists noted;		

Lists noted within <> brackets after name

67634-00-8	266-803-5	0.1 - 1.0 %	Isoamyl Allylglycollate : < ENCS>
67874-72-0	267-500-0	0.1 - 1.0 %	Amylcyclohexyl acetate (mixed isomers) : < KECL>

Product: Snow Kissed Mittens

Page 8 of 8 2018-06-08

16. Other Information

GHS H-Statements referred to under section 3

- H226 : Flammable liquid and vapour
- H304 : May be fatal if swallowed and enters airways
- H317 : May cause an allergic skin reaction
- H351 : Suspected of causing cancer
- H400 : Very Toxic to aquatic life
- H402 : Harmful to aquatic life
- H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk

- (4.75) Skin Corrosion/Irritation, Category 3
- (4.74) Eye Damage/Eye Irritation, Category 2A

- H302 : Harmful if swallowed
- H315 : Causes skin irritation
- H320 : Causes eye irritation
- H361 : Suspected of damaging fertility or the unborn child
- H401 : Toxic to aquatic life
- H410 : Very toxic to aquatic life with long lasting effects

(TFV) Risk

- (50.40) Sensitization, Skin, Category 1A
- (2.56) Aquatic Chronic Toxicity, Category 2

Remarks

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Just Scent holds no responsibility. This document is not intended for quality assurance purposes.