SDS v1 GHS / OSHA

Product: Stress Relief

Revised Date: 2019-07-22 00:00

Page 1 of 8 Print Date: 2020-03-31 16:53

1.Identification of the substance/mixture and of the company/undertaking1.1Product identifier

Trade Name: Stress Relief

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands +1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Reproductive Toxicology, Category 2	H361 : Suspected of damaging fertility or the unborn child
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of title	29)
Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Reproductive Toxicology, Category 2	H361 : Suspected of damaging fertility or the unborn child
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []


2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Revised Date: 2019-07-22 00:00

Product: Stress Relief

Page 2 of 8 Print Date: 2020-03-31 16:53



Revised Date: 2019-07-22 00:00

Product: Stress Relief

Page 3 of 8 Print Date: 2020-03-31 16:53

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
120-51-4	204-402-9	60 - 70 %	H302; H313; H400; H411	
Benzyl Be	nzoate			
80-54-6	201-289-8	2 - 5 %	H227; H302; H315; H317; H361; H401;	
Butylphen	yl Methylpropion	al	H412	
18479-58-8	242-362-4	2 - 5 %	H227; H303; H315; H319; H402	
2,6-dimeth	yloct-7-en-2-ol			
140-11-4	205-399-7	2 - 5 %	H303; H401; H412	
Benzyl ace	etate			
98-55-5	202-680-6	2 - 5 %	H227; H303; H315; H319; H401	
Terpineol				
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402	
Linalool				
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402	
Linalyl Ace	etate			
470-82-6	207-431-5	1 - 2 %	H226; H303; H316; H317	
Eucalyptol	1			
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411	
Hexyl cinn	amal			
5989-27-5	227-813-5	1 - 2 %	H226; H304; H315; H317; H400; H410	
Limonene				
91-64-5	202-086-7	1 - 2 %	H302; H317; H402	
Coumarin				
127-51-5	204-846-3	1 - 2 %	H316; H317; H320; H401; H411	
a-Isomethy				
2705-87-5	220-292-5	1 - 2 %	H302; H312; H317; H332; H400; H410	
	hexylpropionate			
2050-08-0	218-080-2	1 - 2 %	H302; H400; H410	
Amyl salic				
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410	
•	ylindanopyran			
32388-55-9	251-020-3	1 - 2 %	H303; H317; H400; H410	
Acetyl ced				
31906-04-4	250-863-4	0.1 - 1.0 %	H317; H402	
Hydroxyisohexyl 3-cyclohexene carboxaldehyde See Section 16 for full text of GHS classification codes				
See Section 16	6 for full text of G	HS classification	n codes	

See Section 16 for full text of GHS classification codes which where not shown in section 2

Revised Date: 2019-07-22 00:00

Product: Stress Relief

Page 4 of 8 Print Date: 2020-03-31 16:53

Total Hydrocarbon Content (% w/w) = 1.53

4. First Aid Measures			
4.1 Description of first aid measures			
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.		
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.		
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.		
Ingestion:	Rinse mouth with water and obtain medical advice.		
4.2 Most important symptoms and effects,	both acute and delayed		
Symptoms:	no data available		
Risks:	Refer to Section 2.2 "Hazard Statements"		
4.3 Indication of any immediate medical attention and special treatment needed			
Treatment:	Refer to Section 2.2 "Response"		
5. Fire-Fighting measures			
5.1 Extinguishing media			
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam		
Unsuitable	Do not use a direct water jet on burning material		
5.2 Special hazards arising from the substance or mixture			
During fire fighting:	Water may be ineffective		
5.3 Advice for firefighters			
Further information:	Standard procedure for chemical fires		

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

SDS v1 GHS / OSHA

Product: Stress Relief

Revised Date: 2019-07-22 00:00

Page 5 of 8 Print Date: 2020-03-31 16:53

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Li	mits:				
Component		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
140-11-4	Benzyl acetate	10			
_					

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Colorless to Pale Yellow (G2)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0778
%VOC:	8.73
Specific Gravity @ 25 C:	1.0470

Revised Date: 2019-07-22 00:00

Product: Stress Relief

Page 6 of 8 Print Date: 2020-03-31 16:53

Density @ 25 C:	1.0440
Refractive Index @ 20 C:	1.5310
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 1738.1996) Harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3504.9823) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 66.1437) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability

no data available

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Product: Stress Relief

Page 7 of 8 Print Date: 2020-03-31 16:53

12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (60 - 70 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International Roa	d/Rail)				
Environmentally Hazardous		9	III		UN3082
Substance, Liquid, n.o.s.					
IATA (Air Cargo)					
Environmentally Hazardous		9	III		UN3082
Substance, Liquid, n.o.s.					
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
Gubstance, Liquid, 11.0.3.					

15. Regulatory Information			
U.S. Federal Regulations			
TSCA (Toxic Substance Control Act)			All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA)			This product contains NO components of concern.
U.S. State Regulations			
California Proposition 65 Warning			This product contains the following components:
123-35-3(NF	204-622-5	0.01 - 0.1%	beta-Myrcene (Natural Source)
89-82-7	201-943-2	<= 40 ppm	Pulegone (Natural Source)
Canadian Regulations			
DSL			100.00% of the components are listed or exempt.

Product: Stress Relief

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Page 8 of 8 Print Date: 2020-03-31 16:53

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour
- H303 : May be harmful if swallowed
- H312 : Harmful in contact with skin
- H317 : May cause an allergic skin reaction
- H332 : Harmful if inhaled
- H402 : Harmful to aquatic life
- H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

- (TFV) Risk
- (68.34) Acute Toxicity Inhalation, Category 5
- (10.00) Sensitization, Skin, Category 1
- (4.20) Sensitization, Skin, Category 1B
- (3.00) Sensitization, Skin, Category 1A
- (2.41) Skin Corrosion/Irritation, Category 3
- (1.43) Acute Toxicity Dermal, Category 5
- (1.24) Eye Damage/Eye Irritation, Category 2A

H227 : Combustible liquid
H304 : May be fatal if swallowed and enters airways
H316 : Causes mild skin irritation
H320 : Causes eye irritation
H401 : Toxic to aquatic life
H410 : Very toxic to aquatic life with long lasting effects

(TFV) Risk

- (50.60) Aquatic Chronic Toxicity, Category 3
- (5.03) Aquatic Chronic Toxicity, Category 2
- (3.25) Aquatic Chronic Toxicity, Category 4
- (2.85) Aquatic Acute Toxicity, Category 1
- (1.72) Skin Corrosion/Irritation, Category 2
- (1.40) Reproductive Toxicology, Category 2
- (1.15) Acute Toxicity Oral, Category 4

Remarks

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Just Scent holds no responsibility. This document is not intended for quality assurance purposes.