SDS Type: GHS / EU

Product: **Under the Sea** 

> Page 1 of 8 2019-03-12

### Identification of the substance/mixture and of the company/undertaking

#### 1.1 **Product identifier**

Under the Sea **Trade Name:** 

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. **Hazards Identification**

#### Classification of the substance or mixture 2.1

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Reproductive Toxicology, Category 2 H361: Suspected of damaging fertility or the unborn child

Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

#### **Classification EU (67/548/EEC, 199/45/EC)**

Ν Dangerous for the Environment

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Χi Irritant

R38: Irritating to skin

R43: May cause sensitization by skin contact

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

#### Hazard pictograms







SDS Type: GHS / EU

# **Safety Data Sheet**

Product: Under the Sea

Page 2 of 8 2019-03-12

Signal Word: Warning

#### **Hazard statments**

H227 Combustible liquid

H303 May be harmful if swallowed

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H333 May be harmful if inhaled

H361 Suspected of damaging fertility or the unborn child

H400 Very Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

#### Prevention:

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P235 Keep cool

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

P281 Use personal protective equipment as required

#### Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P308 + P313 IF exposed or concerned: Get medical advice/attention

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage

#### 2.3 Other Hazards

no data available

## 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	EU Classification
24851-98-7	246-495-9	10 - 20 %	H402	
Methyldih	ydrojasmonate			

Product: Under the Sea

Page 3 of 8 2019-03-12

SDS Type: GHS / EU

CAS#	EC#	Conc.	CUS Classification	EU Classification	
Ingredient		Range	GHS Classification	EU Classification	
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411	N - R51/53; Xn - R22	
Benzyl Be	enzoate				
1222-05-5	214-946-9	5 - 10 %	H316; H400; H410	N - R50/53	
Hexameti	hylindanopyran				
54464-57-2	259-174-3	5 - 10 %	H315; H317; H400; H410	N - R51/53; Xi - R38, R43	
Tetrameth	nyl Acetyloctahy	rdronaphthalenes	3		
8008-57-9	232-433-8	2 - 5 %	H226; H304; H315; H400; H410	R10; N - R51/53; Xi - R38, R43	
Citrus Au	rantium Dulcis (	Orange) Peel Oi	1	Xn - R65	
104-61-0	203-219-1	2 - 5 %	H316		
gamma-∧	lonalactone				
80-54-6	201-289-8	2 - 5 %	H227; H302; H315; H317; H361; H401;	N - R51/53; Xi - R38, R43; Xn -	
Butylpher	nyl Methylpropio	nal	H412	R22, R62, Repr Cat 3	
10339-55-6	233-732-6	2 - 5 %	H227; H303; H315; H319; H319; H402	Xi - R38	
Ethyl Lina	alool				
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411	Xi - R38, R43	
Hexyl cini	namaldehyde				
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H319; H320; H402	Xi - R38	
Linalyl Ac	etate				
88-41-5	201-828-7	1 - 2 %	H227; H303; H316; H401; H411	N - R51/53	
2-t-Butylo	yclohexyl aceta	te			
1205-17-0	214-881-6	0.1 - 1.0 %	H303; H317; H361; H401; H411	N - R51/53; Xi - R43	
a-Methyl-	1,3-benzodioxo	le-5-propionalde	hyde		
105-87-3	203-341-5	0.1 - 1.0 %	H315; H317; H401; H412	N - R51/53; Xi - R38, R43	
Geranyl A	Acetate				
68647-72-3	232-433-8	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	R10; N - R50/53; Xi - R38, R43;	
Limonene	)			Xn - R65	
141-12-8	205-459-2	0.1 - 1.0 %	H315; H317; H401		
Neryl ace	tate				
19870-74-7	243-384-7	0.1 - 1.0 %	H317; H400; H410		
Cedrol me	ethyl ether				
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402	Xi - R38	
Linalool					
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	R10; Xi - R38, R43; Xn - R65	
ß-Pinene					
8016-20-4	289-904-6	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	R10; N - R50/53; Xi - R38, R43	
Citrus Pa	radisi (Grapefru	it) Peel Oil		Xn - R65	
57378-68-4	260-709-8	0.01 - 0.1%	H302; H315; H317; H318; H400; H410	N - R50/53; Xi - R38, R43; Xn -	
delta-1-(2	,6,6-Trimethyl-3		)-2-buten-1-one (delta-Damascone)	R22	
23696-85-7	245-833-2	0.01 - 0.1%	H313; H315; H317; H401; H411	N - R51/53; Xi - R43	
1-(2,6,6-7	Trimethylcyclohe	exa-1,3-dienyl)-2-	buten-1-one (Damascenone)		
See Section 1	6 for full text of	GHS classification	on codes		

Total Hydrocarbon Content (% w/w) = 5.44

SDS Type: GHS / EU

# **Safety Data Sheet**

Product: Under the Sea

Page 4 of 8 2019-03-12

#### 4. First Aid Measures

#### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

### 5. Fire-Fighting measures

#### 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

Product: Under the Sea

Page 5 of 8 2019-03-12

SDS Type: GHS / EU

# 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

**Exposure Limits:** 

 Component
 ACGIH TWA ppm
 ACGIH OSHA OSHA TWA ppm
 OSHA STEL ppm
 TWA ppm
 STEL ppm
 TWA ppm
 STEL ppm

 127-91-3
 \$\beta\$-Pinene
 20
 \$\text{STEL ppm}\$
 \$\text{TWA ppm}\$
 \$\text{STEL ppm}\$

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

### 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard Color: Conforms to Standard

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Flashpoint (CCCFP):

194 F (90.00 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

None Expected

**Vapor Pressure (mmHg@20 C):** 0.1286 **%VOC:** 7.2048

Specific Gravity @ 25 C: Not determined

Density @ 25 C: Not determined

Product: Under the Sea

Page 6 of 8 2019-03-12

SDS Type: GHS / EU

Refractive Index @ 20 C: Not determined

Soluble in: Oil

## 10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

### 11. Toxicological Information

### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3,852.87) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 5,486.20) Not classified - the classification criteria are

not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 55.59) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

Specific target organ toxicity - single exposure

Specific target organ toxicity - repeated exposure

Aspiration hazard

Not classified - the classification criteria are not met

Suspected of damaging fertility or the unborn child

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

12. Ecological Information

#### 12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soil no data available

Toxicity on other organisms no data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available

Product: Under the Sea

Page 7 of 8 2019-03-12

SDS Type: GHS / EU

12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

## 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

Regulator		Class	Pack Group	Sub Risk	UN-nr.			
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods							
Chemicals NOI								
ADR/RID (International Road/Rail)								
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082			
IATA (Air Cargo)								
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082			
IMDG (Sea)								
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082			

### 15. Regulatory Information

**Additional European Regulations:** 

European Union (EINECS, ELINCS or NLP): 100.80% (by Wt) of the components are listed or exempt.

**Additional Asian Regulations:** 

Australian AICS: 100.80% (by Wt) of the ingredients on AICS or notified.

Chinese IECS: 100.80% (by Wt) of the ingredients on IECS.

Japan ENCS: 100.74% (by Wt) of the ingredients on ENCS, fall within the 1000

kilogram per annum exemption or have been notified.

**Korea KECL:** 100.77% (by Wt) of the ingredients on KECL, fall within the 100

kilogram per annum exemption or have been notified.

New Zealand NZIoC: 100.80% (by Wt) of the ingredients on NZIoc. Philippines PICCS: 100.80% (by Wt) of the ingredients on PICCS.

The Status of the following ingredient(s) is NOT known for the registration lists noted;

Lists noted within <> brackets after name

67634-00-8 266-803-5 0.01 - 0.1% Isoamyl Allylglycollate : < ENCS>

23696-85-7 245-833-2 0.01 - 0.1% 1-(2,6,6-Trimethylcyclohexa-1,3-dienyl)-2-buten-1-one (Damascenone) : <

KECL>

**Under the Sea** 

Page 8 of 8 2019-03-12

104-20-1 203-184-2 0.01 - 0.1% 4-(p-Methoxyphenyl)-2-butanone : < KECL>

Product:

#### 16. Other Information

#### GHS H-Statements referred to under section 3

H226: Flammable liquid and vapour H302: Harmful if swallowed

H304: May be fatal if swallowed and enters airways H313: May be harmful in contact with skin H316: Causes mild skin irritation H317: May cause an allergic skin reaction

H318: Causes serious eye damage H319: Causes serious eye irritation

H320 : Causes eye irritation H401: Toxic to aquatic life

H402: Harmful to aquatic life H410: Very toxic to aquatic life with long lasting effects

H412: Harmful to aquatic life with long lasting effects

#### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(1.89) Skin Corrosion/Irritation, Category 2 (3.00) Sensitization, Skin, Category 1A

(1.00) Reproductive Toxicology, Category 2 (1.20) Aquatic Acute Toxicity, Category 1 (7.91) Aquatic Chronic Toxicity, Category 2

#### Remarks

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Just Scent holds no responsibility. This document is not intended for quality assurance purposes.

SDS Type: GHS / EU