Product: Watermelon

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Page 1 of 8

Print Date: 2020-03-31 16:53

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Watermelon

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 3 H316: Causes mild skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400 : Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227: Combustible liquid

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Aquatic Acute Toxicity, Category 1 H400 : Very Toxic to aquatic life

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Product: Watermelon

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Page 2 of 8

Print Date: 2020-03-31 16:53

Signal Word: Warning

Hazard statments

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235	Keep cool
P272	Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material

P391 Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
120-51-4	204-402-9	40 - 50 %	H302; H313; H400; H411		
Benzyl Benzoate					
8050-15-5	232-476-2	10 - 20 %	H402; H412		
Methyl ester of rosin (partially hydrogenated)					
141-97-9	205-516-1	5 - 10 %	H227		
Ethyl acetoacetate					
628-63-7	211-047-3	5 - 10 %	H226		
Amyl Acetate					

Product: Watermelon

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Page 3 of 8

Print Date: 2020-03-31 16:53

CAS# Ingredient	EC#	Conc. Range	GHS Classification
540-18-1	208-739-2	5 - 10 %	H226
Amyl buty	<i>rate</i>		
127-42-4	204-842-1	2 - 5 %	H315; H320; H401; H411
Alpha-me	thyl-alpha-ionoi	ne	
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411
Hexyl cini	namal		
80-54-6	201-289-8	2 - 5 %	H227; H302; H315; H317; H361; H401;
Butylpher	nyl Methylpropid	onal	H412
121-33-5	204-465-2	2 - 5 %	H303; H319
vanillin			
77-83-8	201-061-8	2 - 5 %	H317; H401; H411
Ethyl Met	hylphenylglycid	ate	
91-64-5	202-086-7	2 - 5 %	H302; H317; H402
Coumarin)		
121-32-4	204-464-7	1 - 2 %	H303; H320; H402
3-Ethoxy-	4-hydroxybenza	aldehyde	
141-78-6	205-500-4	1 - 2 %	H225; H319; H336
Ethyl ace	tate		
104-21-2	203-185-8	1 - 2 %	H317; H402
p-Anisyl a	acetate		
120-57-0	204-409-7	1 - 2 %	H303; H317; H401
Heliotropi	ine		
31906-04-4	250-863-4	1 - 2 %	H317; H402
Hydroxyis	sohexyl 3-cyclol	nexene carboxa	ldehyde
106-72-9	203-427-2	1 - 2 %	H227; H317; H401
Dimethyl	Heptenal		
See Section 1	6 for full text of	GHS classificat	ion codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.39

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Product: Watermelon

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Page 4 of 8

Print Date: 2020-03-31 16:53

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

Product: Watermelon

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Page 5 of 8

Print Date: 2020-03-31 16:53

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm

 628-63-7
 Amyl Acetate
 50
 100
 100

 141-78-6
 Ethyl acetate
 400
 400

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow Tint - Yellow (G1-5)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Not determined

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 2.0825

 %VOC:
 21.15

 Specific Gravity @ 25 C:
 1.0470

 Density @ 25 C:
 1.0440

 Refractive Index @ 20 C:
 1.5190

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known

Product: Watermelon

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Page 6 of 8

Print Date: 2020-03-31 16:53

10.4 Conditions to avoidNone known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2051.1802) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 2942.5081) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 40.9421) May be harmful if inhaled

Skin corrosion / irritation Causes mild skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Product: Watermelon SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Page 7 of 8

Print Date: 2020-03-31 16:53

Transport Information 14.

Marine Pollutant Yes. Ingredient of greatest environmental impact :

120-51-4: (40 - 50 %): Benzyl Benzoate

120 01 1. (10 00 70) . Bonizyi Bonizodio				
Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

15. **Regulatory Information**

U.S. Federal Regulations

TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

211-047-3 5 - 10 % 628-63-7 Amyl Acetate 141-78-6 205-500-4 1 - 2 % Ethyl acetate

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 <= 80 ppm beta-Myrcene (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H225: Highly flammable liquid and vapor	H226 : Flammable liquid and vapour
H302 : Harmful if swallowed	H315 : Causes skin irritation
H317: May cause an allergic skin reaction	H319: Causes serious eye irritation
H320 : Causes eye irritation	H336: May cause drowsiness or dizziness
H361 : Suspected of damaging fertility or the unborn child	H401: Toxic to aquatic life

H412: Harmful to aquatic life with long lasting effects H402: Harmful to aquatic life

Total Fractional Values

(TFV) Risk (TFV) Risk

(121.08) Acute Toxicity Inhalation, Category 5 (23.56) Aquatic Chronic Toxicity, Category 3 (3.00) Sensitization, Skin, Category 1B (13.00) Sensitization, Skin, Category 1A

Product: Watermelon

SDS v1 GHS / OSHA

Revised Date: 2019-07-22 00:00

Page 8 of 8

Print Date: 2020-03-31 16:53

(2.68) Aquatic Chronic Toxicity, Category 4	(2.44) Acute Toxicity Oral, Category 5
(2.30) Aquatic Chronic Toxicity, Category 2	(1.90) Aquatic Acute Toxicity, Category 1
(1.70) Acute Toxicity Dermal, Category 5	(1.13) Skin Corrosion/Irritation, Category 3

Remarks

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Just Scent holds no responsibility. This document is not intended for quality assurance purposes.