# **Safety Data Sheet**

Product: Wood Sage & Sea Salt Jo Malone Type

Page 1 of 7 2018-06-08

# 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade Name:** Wood Sage & Sea Salt Jo Malone Type

## 1.2 Relevant indentified product use

**Intended use:** Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

# 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

**+1 813 248-0585** International

## 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed Skin Corrosion/Irritation, Category 3 H316: Causes mild skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

#### Classification EU (67/548/EEC, 199/45/EC)

N Dangerous for the Environment

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Xi Irritant

R43: May cause sensitization by skin contact

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

#### Hazard pictograms





Signal Word: Warning Hazard statments

H303 May be harmful if swallowed H316 Causes mild skin irritation

# **Safety Data Sheet**

Product: Wood Sage & Sea Salt Jo Malone Type

Page 2 of 7 2018-06-08

H317	May cause an allergic skin reaction		
H333	May be harmful if inhaled		
H411	Toxic to aquatic life with long lasting effects		
<b>Precautionary Statements</b>			
Prevention:			
P272	Contaminated work clothing should not be allowed out of the workplace		
P273	Avoid release to the environment		
Response:			
P302 + P352	IF ON SKIN: Wash with soap and water		
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell		
P312	Call a POISON CENTER or doctor/physician if you feel unwell		
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention		
P363	Wash contaminated clothing before reuse		
P391	Collect Spillage		
2.3 Other Hazards			

# 3. Composition/Information on Ingredients

## 3.1 Mixtures

no data available

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	EU Classification	
32210-23-4	250-954-9	5 - 10 %	H303; H317; H401	N - R51/53; Xi - R43	
4-tert-Butylcyclohexyl acetate		ate			
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411	N - R51/53; Xn - R22	
Benzyl Benzoate					
24851-98-7	246-495-9	5 - 10 %	H402		
Methyldihydrojasmonate					
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411	Xi - R38, R43	
Hexyl cinnamaldehyde					
105-95-3	203-347-8	2 - 5 %	H401	N - R51/53	
Ethylene l	Ethylene brassylate				
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410	N - R50/53	
Hexamethylindanopyran					
28219-61-6	248-908-8	2 - 5 %	H319; H401; H411	N - R50/53; Xi - R36, R38	
Ethyl trimethylcyclopentene butenol					
54464-57-2	259-174-3	2 - 5 %	H315; H317; H400; H410	N - R51/53; Xi - R38, R43	
Tetramethyl Acetyloctahydronaphthalenes					
19870-74-7	243-384-7	1 - 2 %	H317; H400; H410		
Cedrol methyl ether					

# **Safety Data Sheet**

Product: Wood Sage & Sea Salt Jo Malone Type

Page 3 of 7 2018-06-08

CAS# Ingredient	EC#	Conc. Range	GHS Classification	EU Classification	
103-60-6	203-127-1	1 - 2 %	H316		
2-Phenox	yethyl isobutyrat	е			
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H319; H402	Xi - R38	
Linalyl ace	etate				
127-51-5	204-846-3	0.1 - 1.0 %	H315; H317; H320; H401; H411	N - R51/53; Xi - R36, R38, R43	
a-Isometh	yl ionone				
68647-72-3	232-433-8	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	R10; N - R50/53; Xi - R38, R43;	
Limonene	Limonene			Xn - R65	
127-43-5	204-843-7	0.1 - 1.0 %	H316; H317; H401; H411	N - R51/53; Xi - R36, R38	
Methyl-ß-i	ionone				
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402	Xi - R38	
Linalool					
708008-31-9	284-521-0	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	R10; N - R50/53; Xi - R38, R43;	
Citrus nob	oilis (Mandarin O	range) peel oil	peel oil	Xn - R65	
8016-23-7	289-632-8	0.1 - 1.0 %	H315; H317; H401; H411		
Guaiac wo	ood oil				

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 1.42

## 4. First Aid Measures

### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Refer to Section 2.2 "Response"

**Ingestion:** Rinse mouth with water and obtain medical advice.

# 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

# 5. Fire-Fighting measures

#### 5.1 Extinguishing media

Treatment:

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

## 5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

# Safety Data Sheet

Product: Wood Sage & Sea Salt Jo Malone Type

Page 4 of 7 2018-06-08

# 5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

## 6. Accidental Release Measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

# 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

**Exposure Limits:** Contains no substances with occupational exposure limit values

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

### 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Colorless to Pale Yellow (G0-4)

# **Safety Data Sheet**

Product: Wood Sage & Sea Salt Jo Malone Type

Page 5 of 7 2018-06-08

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Not determined

>200 F (93.33 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0395

 %VOC:
 2.0962

 Specific Gravity @ 25 C:
 0.9520

 Density @ 25 C:
 0.9490

 Refractive Index @ 20 C:
 1.4700

 Soluble in:
 Oil

# 10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactionsNone known10.4 Conditions to avoidNone known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

**10.6 Hazardous decomposition products** None known

# 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4,135.92) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 5,704.71) Not classified - the classification criteria are

not met

**Acute toxicity - Inhalation - (Rat) mg/L/4hr** (LC50: 70.41) May be harmful if inhaled

Skin corrosion / irritation Causes mild skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

# **Safety Data Sheet**

Product: Wood Sage & Sea Salt Jo Malone Type

Page 6 of 7 2018-06-08

Specific target organ toxicity - repeated exposure

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

## 12. Ecological Information

### 12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

# 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

# 14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI ADR/RID (International Road	l/Rail)	Class Not Regulated	Pack Group - Not Dangerous	Sub Risk Goods	UN-nr.
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082

## 15. Regulatory Information

**Additional European Regulations:** 

**European Union (EINECS, ELINCS or NLP):** 100.00% (by Wt) of the components are listed or exempt.

#### **Additional Asian Regulations:**

# **Safety Data Sheet**

Product: Wood Sage & Sea Salt Jo Malone Type

Page 7 of 7 2018-06-08

Australian AICS: 100.00% (by Wt) of the ingredients on AICS or notified.

Chinese IECS: 100.00% (by Wt) of the ingredients on IECS.

**Japan ENCS:** 99.90% (by Wt) of the ingredients on ENCS, fall within the 1000

kilogram per annum exemption or have been notified.

**Korea KECL:** 99.20% (by Wt) of the ingredients on KECL, fall within the 100 kilogram

per annum exemption or have been notified.

New Zealand NZIoC: 100.00% (by Wt) of the ingredients on NZIoc. Philippines PICCS: 100.00% (by Wt) of the ingredients on PICCS.

The Status of the following ingredient(s) is NOT known for the registration lists noted;

#### Lists noted within <> brackets after name

63500-71-0 405-040-6 0.1 - 1.0 % Tetrahydro-2-isobutyl-4-methyl-pyran-4-ol : < ENCS> 36306-87-3 252-961-2 0.1 - 1.0 % 3,3,5,5-Tetramethyl-4-ethoxyvinyl cyclohexanone : < KECL> 59354-71-1 261-715-3 0.1 - 1.0 % 1,1-Dimethyl-2-phenylethyl isobutyrate : < KECL>

## 16. Other Information

#### GHS H-Statements referred to under section 3

H226 : Flammable liquid and vapour H227 : Combustible liquid

H302 : Harmful if swallowed H304 : May be fatal if swallowed and enters airways

H313 : May be harmful in contact with skin H315 : Causes skin irritation

H317 : May cause an allergic skin reaction
H320 : Causes eye irritation
H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life
H402 : Harmful to aquatic life

H410: Very toxic to aquatic life with long lasting effects

#### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(1.88) Skin Corrosion/Irritation, Category 3 (75.50) Sensitization, Skin, Category 1B

(4.46) Aquatic Chronic Toxicity, Category 2

#### Remarks

This safety data sheet is based on the properties of the material known at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Just Scent holds no responsibility. This document is not intended for quality assurance purposes.